


#### Ceramic Plate Series Thermoelectric Cooler Features **Applications** Thermoelectric Coolers for Reagent Storage The CP14-199-045-L2-W4.5 is a high-performance and highly reliable Compact geometric sizes • Thermoelectric Coolers for Handheld Cosmetic Lasers DC Operation standard Thermoelectric Cooler. Assembled with Bismuth Telluride RoHS-compliant • Cooling for Centrifuges semiconductor material and thermally conductive Aluminum Oxide • Heads-Up Displays, Imaging Sensors ceramics. It has a maximum Qc of 111.8 Watts when $\Delta T = 0$ and a Peltier Cooling for Machine Vision maximum $\Delta T$ of 70.5 °C at Qc = 0. 1 575 [40.0] (+) POSITIVE 1.575 AWG 18 PVC STRANDED 4.5 [114] LENGTH [ 40.0 (-) NEGATIVE 0 131 HEAT SHRINK TUBING (2 PLACES) [3.3] CONTROL SIDE ŧ HEATSINK SIDE

CERAMIC MATERIAL: Al<sub>2</sub>O<sub>3</sub> SOLDER CONSTRUCTION: 138°C, BiSn

INCHES [ MM ]

# **ELECTRICAL AND THERMAL PERFORMANCE**

For maximum performance, be sure to orient the CONTROL side of the TEC against the application to be managed and the HEATSINK side against the heat sink or other heat rejection method. The CONTROL side is always opposite the side with lead attachments. Lead attachment is a passive heat loss and less impactful if located on the side that attaches to the heat exchanger.



Laird

0.00

0.00

2.00

4.00


6.00


**Operating Current (Amps)** 


8.00

10.00


12.00








Total Heat Dissipated at Hot Side (Qh=Qc+Pin) Thot = 27  $^{\circ}$ C



Coefficient of Performance (COP = Qc/Pin) Thot = 27 °C | Current = 7.3 Amps



#### **SPECIFICATIONS\***

Hot Side Temperature	27.0 °C	35.0 °C	50.0 °C
Qcmax (ΔT = 0)	111.8 Watts	115.2 Watts	121.2 Watts
ΔTmax (Qc = 0)	70.5°C	73.5°C	78.8°C
lmax (I @ ΔTmax)	8.6 Amps	8.6 Amps	8.5 Amps
Vmax (V @ ΔTmax)	21.7 Volts	22.6 Volts	24.1 Volts
Module Resistance	2.35 Ohms	2.44 Ohms	2.63 Ohms
Max Operating Temperature	80 °C		
Weight	25.0 gram(s)		

\* Specifications reflect thermoelectric coefficients updated March 2020

## **FINISHING OPTIONS**

Suffix	Thickness	Flatness / Parallelism	Hot Face	Cold Face	Lead Length
L2	3.327 ±0.013 mm 0.131 ± 0.0005 in	0.013 mm / 0.013 mm 0.0005 in / 0.0005 in	Lapped	Lapped	114.3 mm 4.50 in

## **SEALING OPTIONS**

Suffix	Sealant	Color	Temp Range	Description
	None			No sealing specified

## **NOTES**

- 1. Max operating temperature: 80°C
- 2. Do not exceed Imax or Vmax when operating module
- 3. Reference assembly guidelines for recommended installation
- 4. Solder tinning also available on metallized ceramics

Any information furnished by Laird and its agents, whether in specifications, data sheets, product catalogues or otherwise, is believed to be (but is not warranted as being) accurate and reliable, is provided for information only and does not form part of any contract with Laird. All specifications are subject to change without notice. Laird assumes no responsibility and disclaims all liability for losses or damages resulting from use of or reliance on this information. All Laird products are sold subject to the Laird Terms and Conditions of sale (including Laird's limited warranty) in effect from time to time, a copy of which will be furnished upon request.

© Copyright 2019-2022 Laird Thermal Systems, Inc. All rights reserved. Laird<sup>™</sup>, the Laird Ring Logo, and Laird Thermal Systems<sup>™</sup> are trademarks or registered trademarks of Laird Limited or its subsidiaries.

Revision: 00 Date: 06-01-2022

Print Date: 06-10-2022