



Ceramic Plate Series Thermoelectric Cooler **Features Applications** Thermoelectric Coolers for Reagent Storage The CP14-127-10-L1-EP-W4.5 is a high-performance and highly reliable Compact geometric sizes DC Operation Thermoelectric Coolers for Handheld Cosmetic Lasers • standard Thermoelectric Cooler. Assembled with Bismuth Telluride semiconductor material and thermally conductive Aluminum Oxide RoHS-compliant • Cooling for Centrifuges • Heads-Up Displays, Imaging Sensors ceramics. It has a maximum Qc of 32.2 Watts when $\Delta T = 0$ and a Peltier Cooling for Machine Vision maximum ΔT of 70.5 °C at Qc = 0. 1 575 [40.0] (+) POSITIVE 1.575 AWG 18 PVC STRANDED 4.5 [114] LENGTH uuuuuuuu [40.0 (-) NEGATIVE 0 185 HEAT SHRINK TUBING (2 PLACES) [4.7] CONTROL SIDE ŧ POXY SEALANT HEATSINK SIDE


CERAMIC MATERIAL: Al₂O₃ SOLDER CONSTRUCTION: 138°C, BiSn INCHES [MM] Note: Allow 0.020 in [0.5 mm] around perimeter of the thermoelectric cooler and lead wire attachment to accommodate sealant


ELECTRICAL AND THERMAL PERFORMANCE


For maximum performance, be sure to orient the CONTROL side of the TEC against the application to be managed and the HEATSINK side against the heat sink or other heat rejection method. The CONTROL side is always opposite the side with lead attachments. Lead attachment is a passive heat loss and less impactful if located on the side that attaches to the heat exchanger.















Total Heat Dissipated at Hot Side (Qh=Qc+Pin) Thot = 27 $^{\circ}C$



Coefficient of Performance (COP = Qc/Pin) Thot = 27 °C | Current = 3.3 Amps



SPECIFICATIONS*

Hot Side Temperature	27.0 °C	35.0 °C	50.0 °C
$Qcmax (\Delta T = 0)$	32.2 Watts	33.2 Watts	34.9 Watts
$\Delta Tmax (Qc = 0)$	70.5°C	73.5°C	78.8°C
lmax (I @ ΔTmax)	3.9 Amps	3.9 Amps	3.8 Amps
Vmax (V @ ΔTmax)	13.9 Volts	14.4 Volts	15.4 Volts
Module Resistance	3.32 Ohms	3.46 Ohms	3.72 Ohms
Max Operating Temperature	80 °C		
Weight	24.0 gram(s)		

* Specifications reflect thermoelectric coefficients updated March 2020

FINISHING OPTIONS

Suffix	Thickness	Flatness / Parallelism	Hot Face	Cold Face	Lead Length
L1	4.700 ±0.025 mm 0.185 ± 0.0010 in	0.025 mm / 0.025 mm 0.001 in / 0.001 in	Lapped	Lapped	114.3 mm 4.50 in

SEALING OPTIONS

Suffix	Sealant	Color	Temp Range	Description
EP	Ероху	Black	-55 to 150°C	Low density syntactic foam epoxy encapsulant

NOTES

- 1. Max operating temperature: 80°C
- 2. Do not exceed Imax or Vmax when operating module
- 3. Reference assembly guidelines for recommended installation
- 4. Solder tinning also available on metallized ceramics

Any information furnished by Laird and its agents, whether in specifications, data sheets, product catalogues or otherwise, is believed to be (but is not warranted as being) accurate and reliable, is provided for information only and does not form part of any contract with Laird. All specifications are subject to change without notice. Laird assumes no responsibility and disclaims all liability for losses or damages resulting from use of or reliance on this information. All Laird products are sold subject to the Laird Terms and Conditions of sale (including Laird's limited warranty) in effect from time to time, a copy of which will be furnished upon request.

© Copyright 2019-2022 Laird Thermal Systems, Inc. All rights reserved. Laird[™], the Laird Ring Logo, and Laird Thermal Systems[™] are trademarks or registered trademarks of Laird Limited or its subsidiaries.

Revision: 00 Date: 06-01-2022

Print Date: 06-09-2022