

**SEMELAB**

Type No.	Reliability Option	Polarity	Package	V <sub>CEO</sub>	I <sub>C</sub> cont	h <sub>FE</sub> @	V <sub>CE</sub> /I <sub>C</sub>	f <sub>T</sub>	P <sub>D</sub>
BD746		PNP	SOT93	45	20	20-150	4/1		115
BD746A		PNP	SOT93	60	20	20-150	4/1		115
BD746B		PNP	SOT93	80	20	20-150	4/1		115
BD746C		PNP	SOT93	100	20	20-150	4/1		115
BD746D		PNP	SOT93	120	20	20-150	4/1		115
BD750		PNP	TO3	90	20	15-60	2/7.5	4M	200
BD751		PNP	TO3	90	20	15-60	2/7.5	4M	200
BD797		NPN	TO220	60	8	40min	1/3	3M	65
BD798		PNP	TO220	60	8	40min	1/3	3M	65
BD799		NPN	TO220	80	8	40min	1/3	3M	65
BD800		PNP	TO220	80	8	40min	1/3	3M	65
BD825		NPN	TO202	45	1.5	63-250	2/0.15	50M	2
BD826		PNP	TO202	45	1	40-250	2/0.15	50M	2
BD827		NPN	TO202	60	1.5	63-250	2/0.15	50M	2
BD828		PNP	TO202	60	1.5	40-250	2/0.15	50M	2
BD829		NPN	TO202	80	1.5	63-250	2/0.15	50M	2
BD830		PNP	TO202	80	1.5	63-250	2/0.15	50M	2
BD847		NPN	TO202	120	1.5	40-250	1/5	150M	2
BD849		NPN	TO202	140	1.5	40-250	1/5	150M	2
BD901		NPN	TO220	100	8	750min	3/3	1M	70
BD902		PNP	TO220	100	8	750min	3/3	1M	70
BD905		NPN	TO220	45	15	15-250	4/5	3M	90
BD906		PNP	TO220	45	15	15-250	4/5	3M	90
BD907		NPN	TO220	60	15	15-250	4/5	3M	90
BD908		PNP	TO220	60	15	15-250	4/5	3M	90
BD909		NPN	TO220	80	15	15-250	4/5	3M	90
BD910		PNP	TO220	80	15	15-250	4/5	3M	90
BD911		NPN	TO220	100	15	15-250	4/5	3M	90
BD912		PNP	TO220	100	15	15-250	4/5	3M	90
BD933		NPN	TO220	45	3	40-250	2/0.15	3M	30
BD934		PNP	TO220	45	3	40-250	2/0.15	3M	30
BD935		NPN	TO220	60	3	40-250	2/0.15	3M	30
BD936		PNP	TO220	60	3	40-250	2/0.15	3M	30
BD937		NPN	TO220	80	3	40-250	2/0.15	3M	30
BD938		PNP	TO220	80	3	40-250	2/0.15	3M	30
BD939		NPN	TO220	100	3	40-250	2/0.15	3M	30
BD940		PNP	TO220	100	3	40-250	2/0.15	3M	30
BD941		NPN	TO220	120	3	40-250	2/0.15	3M	30
BD942		PNP	TO220	120	3	40-250	2/0.15	3M	30
BDV91		NPN	SOT93	60	10	5min	4/10	4M	90
BDV92		PNP	SOT93	60	10	5min	4/10	4M	90
BDV93		NPN	SOT93	80	10	5min	4/10	4M	90
BDV94		PNP	SOT93	80	10	5min	4/10	4M	90
BDV95		NPN	SOT93	100	10	5min	4/10	4M	90
BDV96		PNP	SOT93	100	10	5min	4/10	4M	90