


# TYPE 293D Solid Tantalum Chip Capacitors

TANTAMOUNT<sup>®</sup>, Commercial, Surface Mount



PERFORMANCE/ELECTRICAL CHARACTERISTICS


**Operating Temperature:** - 55°C to + 85°C. (To + 125°C with voltage derating.)

Capacitance Range:  $0.1\mu F$  to  $680\mu F$ .

# FEATURES

- Molded case available in five case codes.
- Compatible with "High Volume" automatic pick and place equipment.
- Optical character recognition qualified.
- Meets IEC Specification QC300801/US0001 and EIA 535BAAC.

Capacitance Tolerance:  $\pm$  20%,  $\pm$  10% standard. Compliant Terminations 100% Surge Current Tested (D & E Case Codes). Voltage Rating: 4 WVDC to 50 WVDC.




CASE CODE	EIA SIZE	L	w	н	Р	Tw	Тн (Min.)
А	3216	.126 ± .008 [3.2 ± .20]	.063 ± .008 [1.6 ± .20]	.063 ± .008 [1.6 ± .20]	.031 ± .012 [.80 ± .30]	.047 ± .004 [1.2 ± .10]	.028 [.70]
В	3528	.138 ± .008 [3.5 ± .20]	.110 ± .008 [2.8 ± .20]	.075 ± .008 [1.9 ± .20]	.031 ± .012 [.80 ± .30]	.087 ± .004 [2.2 ± .10]	.028 [.70]
С	6032	.236 ± .012 [6.0 ± .30]	.126 ± .012 [3.2 ± .30]	.098 ± .012 [2.5 ± .30]	.051 ± .012 [1.3 ± .30]	.087 ± .004 [2.2 ± .10]	.039 [1.0]
D	7343	.287 ± .012 [7.3 ± .30]	.170 ± .012 [4.3 ± .30]	.110 ± .012 [2.8 ± .30]	.051 ± .012 [1.3 ± .30]	.095 ± .004 [2.4 ± .10]	.039 [1.0]
E	7343H	.287 ± .012 [7.3 ± .30]	.170 ± .012 [4.3 ± .30]	.158 ± .012 [4.0 ± .30]	.051 ± .012 [1.3 ± .30]	.095 ± .004 [2.4 ± .10]	.039 [1.0]

Vishay Sprague 678 Main Street, Sanford, ME 04073 • Phone (207) 324-4140 • Fax 207-324-7223 • Internet www.vishay.com

RATINGS	AND CA	SE COI	DES													
	4	v	6.3	3 V	10	V	16	i V	20	) V	25	v	35	5 V	50	V
μF	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.
0.1													A		A	
0.15													A		В	A
0.22													A		В	A
0.33													A		В	A
0.47											A		В	А	B/C	A
0.68									A		A		В	А	С	В
1.0							Α		A		В	A	В	A	С	В
1.5					A		А		A		В	A	С	В		С
2.2			A		A		A/B		В	А	В	Α	С	В	D	С
3.3	A		A		A		A/B		В	А	С	В	С	В	D	С
4.7	A		A		A/B		В	A	B/C	A	С	В	D	С	D	
6.8	A		A/B		В	A	B/C	A	С	В	С	В	D	C*		D/E
10	A/B		В	A	B/C	A	С	A/B	С	В	D	С	D			E
15	В	A	B/C	A	С	A/B	С	В	D	B/C	D	C*		D/E		
22	B/C	A	С	A/B	С	В	D	B/C	D	С		D		E		
33	С	A/B	С	В	D	B/C	D	B/C	D			D/E				
47	С	В	D	B/C	D	B/C	D	C*		D/E						
68	D	B/C	D	B/C	D	С		D		D*/E						
100	D	B/C	D	С		C*/D		D/E		E						
150	D	С	E	C*/D		D/E		E								
220	E	C*/D		D/E		D*/E										
330		D/E		D*/E		E*										
470		D*/E		E												
680		E*														

\*Contact factory for availability.



STANDARD/EXTENDED RATINGS										
CAPACITANCE (µF)	CASE CODE	PART NUMBER	Max. DC Leakage @ + 25°C (μΑ)	Max. DF @ + 25°C 120 Hz (%)	Max. ESR @ + 25℃ 100kHz (Ohms)	Max. RIPPLE 100kHz Irms (Amps)				
	4 WVD	C @ + 85°C, SURGE = 5.2	V 2.7 WVDC @	⊉ + 125°C, SURG	E = 3.4 V					
3.3	А	293D335X_004A2_	0.5	6	7.6	0.10				
4.7	А	293D475X_004A2_	0.5	6	6.3	0.11				
6.8	А	293D685X_004A2_	0.5	6	5.5	0.12				

Vishay Sprague 678 Main Street, Sanford, ME 04073 • Phone (207) 324-4140 • Fax 207-324-7223 • Internet www.vishay.com

CAPACITANCE (μF)	CASE CODE	PART NUMBER	Max. DC Leakage @ + 25°C (μΑ)	Max. DF @ + 25°C 120 Hz (%)	Max. ESR @ + 25°C 100kHz (Ohms)	Max. RIPPLE 100kHz Irms (Amps)
	4 WVD	C @ + 85°C, SURGE = 5.2	V 2.7 WVDC @	⊉ + 125°C, SURG	E = 3.4 V	
10.0	А	293D106X_004A2_	0.5	6	5.1	0.12
10.0	В	293D106X_004B2_	0.5	6	3.5	0.16
15.0	Α	293D156X_004A2_	0.5	6	3.4	0.15
15.0	В	293D156X_004B2_	0.5	6	2.9	0.17
22.0	A	293D226X_004A2_	0.8	6	2.9	0.16
22.0	В	293D226X_004B2_	0.8	6	2.5	0.18
22.0	C	293D226X_004C2_	0.8 <b>1.2</b>	6	1.8	0.25
33.0 33.0	A B	293D336X_004A2_ 293D336X_004B2_	1.2	6 6	2.9 2.0	0.16 0.21
33.0	C	293D336X_004C2_	1.2	6	1.8	0.25
47.0	B	293D476X_004B2_	1.6	6	1.9	0.20
47.0	c	293D476X_004C2_	1.6	6	1.8	0.25
68.0	В	293D686X_004B2_	2.3	6	1.9	0.21
68.0	С	293D686X_004C2_	2.3	6	1.4	0.28
68.0	D	293D686X_004D2_	2.3	6	0.8	0.43
100.0	В	293D107X_004B2_	3.4	8	1.8	0.22
100.0	C	293D107X_004C2_	3.4	6	0.8	0.37
100.0	D	293D107X_004D2_	3.4	6	0.7	0.46
150.0	C	293D157X_004C2_	6.0	8	0.7	0.40
150.0	D C*	293D157X_004D2_	6.0	8	0.6	0.50
220.0*	C*	293D227X_004C2_*	<b>8.8</b> 8.8	8	0.7	<b>0.40</b>
<b>220.0</b> 220.0	D E	293D227X_004D2_ 293D227X_004E2	8.8 8.8	8 8	0.6 0.5	0.50
330.0	D E	293D227X_004E2_ 293D337X_004D2_	0.0 13.2	8	0.5 <b>0.6</b>	0.57 <b>0.50</b>
330.0	E	293D337X_004D2_ 293D337X_004E2_	13.2	8	0.5	0.50
470.0*	D*	293D477X_004D2_*	18.8	10	0.6	0.50
470.0	Ē	293D477X_004E2_	18.8	10	0.5	0.57
680.0*	E*	293D687X_004E2_*	27.2	12	0.5	0.57
	6.3 W	VDC @ + 85°C, SURGE =	8 V 4 WVDC @	⊉ + 125°C, SURG	E = 5 V	
2.2	A	293D225X_6R3A2_	0.5	6	7.6	0.10
3.3	A	293D335X_6R3A2_	0.5	6	6.3	0.11
4.7	A	293D475X_6R3A2_	0.5	6	5.5	0.12
6.8	А	293D685X_6R3A2_	0.5	6	5.0	0.12
6.8	В	293D685X_6R3B2_	0.5	6	3.4	0.16
10.0	Α	293D106X_6R3A2_	0.6	6	3.4	0.15
10.0	В	293D106X_6R3B2_	0.6	6	2.9	0.17
15.0	Α	293D156X_6R3A2_	0.8	6	2.9	0.16
15.0	В	293D156X_6R3B2_	0.8	6	2.5	0.18
15.0	С	293D156X_6R3C2_	0.8	6	1.8	0.25
22.0	A	293D226X_6R3A2_	1.2	6	2.9	0.16
<b>22.0</b> 22.0	<b>B</b> C	293D226X_6R3B2_	<b>1.2</b> 1.2	<b>6</b> 6	<b>2.0</b> 1.8	0.21
33.0	B	293D226X_6R3C2_ 293D336X_6R3B2_	1.7	6	1.9	0.25 <b>0.21</b>
33.0	C	293D336X_6R3C2_	1.7	6	1.5	0.27
47.0	B	293D476X_6R3B2_	2.4	6	1.9	0.21
47.0	Ē	293D476X_6R3C2_	2.4	6	1.4	0.28
47.0	D	293D476X 6R3D2	2.4	6	0.8	0.43
68.0	В	293D686X_6R3B2_	3.5	6	1.8	0.22
68.0	С	293D686X_6R3C2_	3.5	6	0.8	0.37
68.0	D	293D686X_6R3D2_	3.5	6	0.7	0.46
100.0	С	293D107X_6R3C2_	5.1	6	0.8	0.37
100.0	D	293D107X_6R3D2_	5.1	6	0.7	0.46
150.0*	C*	293D157X_6R3C2_*	9.0	8	0.7	0.40
150.0	D	293D157X_6R3D2_	9.0	8	0.6	0.50
150.0	E	293D157X_6R3E2_	9.0	8	0.5	0.57
220.0	D E	293D227X_6R3D2_ 293D227X_6R3E2	13.2	8	0.6	0.50
220.0 330.0*	E D*		13.2 19.8	8 8	0.5 0.6	0.57
330.0* 330.0	E	293D337X_6R3D2_* 293D337X_6R3E2	19.8	8	0.6	0.50 0.57
470.0	Ē	293D477X_6R3E2_	28.2	10	0.5	0.57
	10 WV	/DC @ + 85°C, SURGE = 1	13 V 7 WVDC @	@ + 125°C, SURG	E = 8 V	
1.5	A	293D155X_010A2_	0.5	6	8.0	0.10
2.2	Â	293D225X_010A2_	0.5	6	6.3	0.11
3.3	Â	293D335X_010A2_	0.5	6	5.5	0.12
4.7	A	293D475X_010A2_	0.5	6	5.0	0.12
4.7	В	293D475X_010B2_	0.5	6	3.4	0.16
6.8	Ā	293D685X_010A2_	0.6	6	4.2	0.13
6.8	В	293D685X_010B2_	0.6	6	2.9	0.17
10.0	Α	293D106X_010A2_	0.9	6	3.4	0.15
10.0	В	293D106X_010B2_	0.9	6	2.5	0.18
10.0	С	293D106X_010C2_	0.9	6	1.8	0.25
15.0	Α	293D156X_010A2_	1.3	6	2.9	0.16

\*Contact factory for availability. For 10% tolerance, specify "9"; for 20% tolerance, change to "0". Extended Range ratings in bold print.

Vishay Sprague 678 Main Street, Sanford, ME 04073 • Phone (207) 324-4140 • Fax 207-324-7223 • Internet www.vishay.com

	IDED RATIN	45				
CAPACITANCE	CASE		Max. DC Leakage @ + 25°C	Max. DF @ + 25°C 120 Hz	Max. ESR @ + 25°C 100kHz	Max. RIPPLE 100kHz Irms
(μF)	CODE	PART NUMBER	(μΑ)	(%)	(Ohms)	(Amps)
	10 WV	'DC @ + 85°C, SURGE = '	13 V 7 WVDC @	⊉ + 125°C, SURG	E = 8 V	
15.0	С <b>В</b>	293D156X_010C2_	1.3	6	1.8	0.25
<b>22.0</b>	C	293D226X_010B2_	1.9	6	1.9	0.21
22.0	B	293D226X_010C2_	1.9	6	1.5	0.27
33.0	Č	293D336X_010B2_	2.7	6	1.9	0.21
33.0		293D336X_010C2_	2.7	6	1.4	0.28
33.0	D	293D336X_010D2_	2.7	6	0.8	0.43
47.0	В	293D476X_010B2_	4.0	6	1.8	0.22
47.0	C	293D476X_010C2_	4.0	6	1.1	0.32
47.0	D	293D476X_010D2_	4.0	6	0.7	0.46
68.0	c	293D686X_010C2_	5.7	6	1.0	0.33
68.0	D	293D686X_010D2_	5.7	6	0.7	0.46
100.0*	C*	293D107X_010C2_*	8.4	8	0.9	0.35
100.0	D	293D107X_010D2_	8.4	8	0.6	0.50
150.0	D	293D157X_010D2_	15.0	8	0.6	0.50
150.0	E	293D157X_010E2_	15.0	8	0.5	0.57
220.0*	D*	293D227X_010D2_*	22.0	8	0.6	0.50
220.0	E	293D227X 010E2	22.0	8	0.5	0.57
330.0	E	293D337X_010E2_	33.0	10	0.5	0.57
	16 WVE	DC @ + 85°C, SURGE = 20	0 V 10 WVDC @	⊉ + 125°C. SURG	E = 12 V	
1.0	A	293D105X_016A2_	0.5	4	9.3	0.09
1.5	Â	293D105X_016A2_	0.5	6	6.7	0.09
2.2	Â	293D225X 016A2	0.5	6	5.9	0.11
2.2	В	293D225X_016A2_ 293D225X_016B2_	0.5	6	4.6	0.11
3.3	A		0.5	6	5.0	0.14
3.3	B	293D335X_016A2_	0.5	6		
		293D335X_016B2_			3.5	0.16
4.7	A	293D475X_016A2_	0.7	6	5.0	0.12
4.7	В	293D475X_016B2_	0.7	6	2.9	0.17
6.8	Α	293D685X_016A2_	1.0	6	4.2	0.13
6.8	В	293D685X_016B2_	1.0	6	2.5	0.18
6.8	С	293D685X_016C2_	1.0	6	1.9	0.24
10.0	Α	293D106X_016A2_	1.4	6	3.0	0.16
10.0	В	293D106X_016B2_	1.4	6	2.0	0.21
10.0	С	293D106X_016C2_	1.4	6	1.8	0.25
15.0	В	293D156X_016B2_	2.0	6	2.0	0.21
15.0	С	293D156X_016C2_	2.0	6	1.5	0.27
22.0	В	293D226X_016B2_	2.9	6	1.9	0.21
22.0	С	293D226X 016C2	2.9	6	1.4	0.28
22.0	D	293D226X_016D2_	2.9	6	0.8	0.43
33.0	В	293D336X_016B2_	4.4	6	1.8	0.22
33.0	С	293D336X_016C2_	4.4	6	1.1	0.32
33.0	D	293D336X_016D2_	4.4	6	0.7	0.46
47.0*	Č*	293D476X 016C2 *	6.3	ĕ	1.0	0.33
47.0	D	293D476X_016D2_	6.3	6	0.7	0.46
<b>68.0</b>	D	293D686X_016D2_	9.2	ő	0.6	0.40
	D		16.0	8		
100.0		293D107X_016D2_			0.6	0.50
100.0	E	293D107X_016E2_	16.0	8	0.6	0.52
150.0	E	293D157X_016E2_	24.0	8	0.5	0.57
	20 WVI	DC @ + 85°C, SURGE = 2	6 V 13 WVDC @	@ + 125°C, SURG	E = 16 V	
0.68	A	293D684X_020A2_	0.5	4	10.0	0.09
1.0	A	293D105X_020A2_	0.5	4	8.4	0.09
1.5	A	293D155X_020A2_	0.5	6	6.3	0.11
2.2	Α	293D225X_020A2_	0.5	6	5.9	0.11
2.2	В	293D225X_020B2_	0.5	6	3.5	0.16
3.3	Α	293D335X_020A2_	0.6	6	5.9	0.11
3.3	В	293D335X_020B2_	0.6	6	3.0	0.17
4.7	Ā	293D475X_020A2_	0.9	ő	5.0	0.12
4.7	B	293D475X_020B2_	0.9	6	2.9	0.17
4.7	C	293D475X_020C2_	0.9	6	2.3	0.22
6.8	B		1.2	6	2.5 2.5	
		293D685X_020B2_		-		0.18
6.8	C	293D685X_020C2_	1.2	6	1.9	0.24
10.0	В	293D106X_020B2_	1.7	6	2.5	0.18
10.0	C	293D106X_020C2_	1.7	6	1.7	0.25
15.0	В	293D156X_020B2_	2.5	6	2.3	0.19
15.0	С	293D156X_020C2_	2.5	6	1.5	0.27
15.0	D	293D156X_020D2_	2.5	6	0.9	0.41
22.0	С	293D226X_020C2_	3.7	6	1.1	0.32
22.0	D	293D226X_020D2_	3.7	6	0.7	0.46
33.0	D	293D336X_020D2_	5.6	6	0.7	0.46
47.0	D	293D476X_020D2_	7.9	ő	0.7	0.46
47.0	E	293D476X_020E2_	7.9	6	0.6	0.52
	D*			6		
68.0*	E	293D686X_020D2_*	11.5		0.7	0.46
		293D686X_020E2_	11.5	6	0.6	0.52
68.0 100.0	Ē	293D107X_020E2_	20.0	8	0.5	0.57

\*Contact factory for availability. For 10% tolerance, specify "9"; for 20% tolerance, change to "0". Extended Range ratings in bold print.

			N D0	May DE	Mey EQD	May DIDDI /
	<u></u>		Max. DC Leakage	Max. DF @ + 25°C	Max. ESR @ + 25°C	Max. RIPPLE 100kHz
CAPACITANCE (μF)	CASE CODE	PART NUMBER	@ + 25°C (μΑ)	120 Hz (%)	100kHz (Ohms)	Irms (Amps)
	25 WV	DC @ + 85°C, SURGE = 3	2 V 17 WVDC	@ + 125°C, SURG	iE = 20 V	
0.47	А	293D474X_025A2_	0.5	4	12.0	0.08
0.68	A	293D684X_025A2_	0.5	4	8.4	0.09
1.0	Α	293D105X_025A2	0.5	4	7.6	0.10
1.0	В	293D105X_025B2_	0.5	4	5.0	0.13
1.5	Α	293D155X_025A2_	0.5	6	6.7	0.11
1.5	В	293D155X_025B2_	0.5	6	4.6	0.14
2.2	Ā	293D225X_025A2_	0.5	6	6.3	0.11
2.2	В	293D225X 025B2	0.5	6	3.8	0.15
3.3	В	293D335X_025B2_	0.8	6	3.1	0.17
3.3	c	293D335X_025C2_	0.8	6	2.3	0.22
4.7	В	293D475X_025B2_	1.0	6	2.8	0.17
4.7	c	293D475X_025C2_	1.0	6	2.0	0.24
6.8	B	293D685X_025B2_	1.5	6	2.4	0.19
6.8	č	293D685X_025C2_	1.5	6	1.7	0.25
10.0	č	293D106X_025C2_	2.1	6	1.5	0.20
10.0	D		2.1	6	1.0	0.39
15.0*	C*	293D106X_025D2_ 293D156X_025C2_*	3.2	6	1.0 1.2	0.39 0.30
	D	293D156X_025C2_*	3.2 3.2	6		
15.0		293D156X_025D2_		6	0.8	0.43
22.0	D	293D226X_025D2_	4.6	6	0.7	0.46
33.0 33.0	D E	293D336X_025D2_ 293D336X_025E2	6.9 6.9	6	0.7 0.6	0.46 0.52
	35 WV	 DC @ + 85°C, SURGE = 4	6 V 23 WVDC (	@ + 125°C, SURG	E = 26 V	
0.10	A	293D104X 035A2	0.5	4	20.0	0.06
0.15	A	293D154X_035A2_	0.5	4	18.0	0.07
0.22	А	293D224X_035A2_	0.5	4	15.0	0.07
0.33	А	293D334X_035A2_	0.5	4	13.0	0.08
0.47	A	293D474X_035A2_	0.5	4	10.0	0.09
0.47	В	293D474X_035B2_	0.5	4	8.0	0.10
0.68	Ă	293D684X_035A2_	0.5	4	7.6	0.10
0.68	B	293D684X_035B2_	0.5	4	6.5	0.11
	Ă		0.5	4	7.5	0.10
<b>1.0</b> 1.0	B	293D105X_035A2_ 293D105X_035B2_	0.5	<b>4</b> 4	<b>7.5</b> 5.0	0.10
	B					
1.5 1.5	в С	293D155X_035B2_	0.5	6	4.2	0.14 0.17
1.5 <b>2.2</b>	B	293D155X_035C2_	0.5 <b>0.7</b>	6 <b>6</b>	3.8 <b>3.8</b>	0.17
<b>2.2</b> 2.2	в С	293D225X_035B2_	0.7	<b>6</b>	<b>3.8</b> 2.9	0.15
	B	293D225X_035C2_				0.20
3.3		293D335X_035B2_	1.0	6	3.5	0.16
3.3	C	293D335X_035C2_	1.0	6	2.1	0.23
4.7	C	293D475X_035C2_	1.4	6	1.9	0.24
4.7	D	293D475X_035D2_	1.4	6	1.3	0.34
<b>6.8</b> *	C*	293D685X_035C2_*	2.0	6	1.8	0.25
6.8	D	293D685X_035D2_	2.0	6	1.1	0.37
10.0	D	293D106X_035D2_	2.9	6	0.8	0.43
15.0	D	293D156X_035D2_	4.4	6	0.7	0.46
15.0	E	293D156X_035E2_	4.4	6	0.7	0.49
22.0	E	293D226X_035E2_	6.5	6	0.6	0.52
		DC @ + 85°C, SURGE = 6				
0.10	A <b>A</b>	293D104X_050A2_ 293D154X_050A2_	0.5 <b>0.5</b>	4 <b>4</b>	19.0 <b>17.0</b>	0.06 <b>0.07</b>
0.15	B	293D154X_050A2_ 293D154X_050B2_	0.5	<b>4</b> 4	14.0	0.08
0.15	в А	293D154X_050B2_ 293D224X_050A2_	0.5 0.5		14.0 15.0	0.08 0.07
0.22	B	293D224X_050A2_ 293D224X_050B2				
0.22			0.5	4	12.0	0.08
0.33	A	293D334X_050A2_	0.5	4	14.0	0.07
0.33	B	293D334X_050B2_	0.5	4	10.0	0.09
0.47	A	293D474X_050A2_	0.5	4	12.0	0.08
0.47	В	293D474X_050B2_	0.5	4	8.4	0.10
0.47	С	293D474X_050C2_	0.5	4	6.7	0.13
0.68	В	293D684X_050B2_	0.5	4	7.6	0.11
0.68	С	293D684X_050C2_	0.5	4	5.9	0.14
1.0	В	293D105X_050B2_	0.5	4	6.7	0.11
1.0	С	293D105X_050C2_	0.5	4	4.6	0.16
1.5	С	293D155X_050C2_	0.7	6	3.4	0.18
2.2	C	293D225X_050C2_	1.0	6	2.9	0.20
2.2	D	293D225X_050D2_	1.0	6	2.1	0.27
3.3	c	293D335X_050C2_	1.4	6	2.5	0.21
3.3	D	293D335X_050D2_	1.4	6	1.7	0.30
4.7	D	293D475X_050D2_	2.0	6	1.2	0.37
4.7 6.8	D	293D473X_050D2_ 293D685X_050D2_	2.0 2.8	6	0.9	0.37 0.41
	E	293D685X_050D2_ 293D685X_050E2_	2.8	6	0.9	0.41
6.8						

\*Contact factory for availability. For 10% tolerance, specify "9"; for 20% tolerance, change to "0". Extended Range ratings in bold print.

Vishay Sprague 678 Main Street, Sanford, ME 04073 • Phone (207) 324-4140 • Fax 207-324-7223 • Internet www.vishay.com

### TYPE 293D PERFORMANCE CHARACTERISTICS

- Operating Temperature: Capacitors are designed to operate over the temperature range of - 55°C to + 85°C.
- **1.1** Capacitors may be operated to + 125°C with voltage derating to two-thirds the + 85°C rating.

+ 85°C	Rating	+ 125°C	Rating
Working Voltage (V)	Voltage Voltage		Surge Voltage (V)
4.0	5.2	2.7	3.4
6.3	8.0	4.0	5.0
10.0	13.0	7.0	8.0
16.0	20.0	10.0	12.0
20.0	26.0	13.0	16.0
25.0	32.0	17.0	20.0
35.0	46.0	23.0	28.0
50.0	65.0	33.0	40.0


- 2. DC Working Voltage: The DC working voltage is the maximum operating voltage for continuous duty at the rated temperature.
- 3. Surge Voltage: The surge DC rating is the maximum voltage to which the capacitors may be subjected under any conditions, including transients and peak ripple at the highest line voltage.
- 3.1 Surge Voltage Test: Capacitors shall withstand the surge voltage applied in series with a 33 ohm  $\pm$  5% resistor at the rate of one-half minute on, one-half minute off, at + 85°C, for 1000 successive test cycles.
- **3.2** Following the surge voltage test, the dissipation factor and the leakage current shall meet the initial requirements; the capacitance shall not have changed more than  $\pm$  10%.
- 4. **Capacitance Tolerance:** The capacitance of all capacitors shall be within the specified tolerance limits of the normal rating.
- 4.1 Capacitance measurements shall be made by means of polarized capacitance bridge. The polarizing voltage shall be of such magnitude that there shall be no reversal of polarity due to the AC component. The maximum voltage applied to capacitors during measurement shall be 2 volts rms at 120 Hz at + 25°C. If the AC voltage applied is less than one-half volt rms, no DC bias is required. Accuracy of the bridge shall be within  $\pm 2\%$ .
- 5. Capacitance Change With Temperature: The capacitance change with temperature shall not exceed the following percentage of the capacitance measured at + 25°C: at

		10500
- 55°C	+ 85°C	+ 125°C
- 10%	+ 10%	+ 12%

6. Dissipation Factor: The dissipation factor, determined from the expression  $2\pi$ fRC, shall not exceed values listed in the Standard Ratings Table.

- 6.1 Measurements shall be made by the bridge method at, or referred to, a frequency of 120 Hz and a temperature of + 25°C.
- 7. Leakage Current: Capacitors shall be stabilized at the rated temperature for 30 minutes. Rated voltage shall be applied to capacitors for 5 minutes using a steady source of power (such as a regulated power supply) with 1000 ohm resistor connected in series with the capacitor under test to limit the charging current. Leakage current shall then be measured.

Note that the leakage current varies with applied voltage. See graph below for the appropriate adjustment factor.



- 7.1 At + 25°C, the leakage current shall not exceed the value listed in the Standard Ratings Table.
- **7.2** At + 85°C, the leakage current shall not exceed 10 times the value listed in the Standard Ratings Table.
- **7.3** At + 125°C, the leakage current shall not exceed 12 times the value listed in the Standard Ratings Table.
- 8. <u>ESR</u>:
- 8.1 ESR (Equivalent Series Resistance) shall not exceed the values listed in the Ratings Table. Measurement shall be made by the bridge method at a frequency of 100kHz and a temperature of + 25°C.
- Life Test: Capacitors shall withstand rated DC voltage applied at + 85°C or two-thirds rated voltage applied at + 125°C for 2000 hours.

7

### **PERFORMANCE CHARACTERISTICS** (Continued)

- Following the life test, the dissipation factor shall 9.1 meet the initial requirement; the capacitance change shall not exceed  $\pm$  10%; the leakage current shall not exceed 125% of the initial requirement.
- 10. Vibration Tests: Capacitors shall be subjected to vibration tests in accordance with the following criteria.
- Capacitors shall be secured for test by means of a 10.1 rigid mounting using suitable brackets.
- Low Frequency Vibration: Vibration shall consist 10.2 of simple harmonic motion having an amplitude of 0.03" [0.76mm] and a maximum total excursion of 0.06" [1.52mm], in a direction perpendicular to the major axis of the capacitors.
- 10.2.1 Vibration frequency shall be varied uniformly between the approximate limits of 10 Hz to 55 Hz during a period of approximately one minute, continuously for 1.5 hours.
- 10.2.2 An oscilloscope or other comparable means shall be used in determining electrical intermittency during the final 30 minutes of the test. The AC voltage applied shall not exceed 2 volts rms.
- 10.2.3 Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- 10.2.4 Following the low frequency vibration test, capacitors shall meet the original requirements for capacitance, dissipation factor and leakage current.
- High Frequency Vibration: Vibration shall 10.3 consist of a simple harmonic motion having an amplitude of 0.06" [1.52mm]  $\pm$  10% maximum total excursion or 20 g peak whichever is less.
- 10.3.1 Vibration frequency shall be varied logarithmically from 50 Hz to 2000 Hz and return to 50 Hz during a cycle period of 20 minutes.
- 10.3.2 The vibration shall be applied for 4 hours in each of 2 directions, parallel and perpendicular to the major axis of the capacitors.
- Rated DC voltage shall be applied during the 10.3.3 vibration cycling.
- An oscilloscope or other comparable means shall 10.3.4 be used in determining electrical intermittency during the last cycle. The AC voltage applied shall not exceed 2 volts rms.
- Electrical tests shall show no evidence of 10.3.5 intermittent contacts, open circuits or short circuits during these tests.
- There shall be no mechanical damage to these 10.3.6 capacitors as a result of these tests.
- Following the high frequency vibration test, 10.3.7 capacitors shall meet the original limits for capacitance, dissipation factor and leakage current.

#### 11. Acceleration Test:

- 11.1 Capacitors shall be rigidly mounted by means of suitable brackets.
- 11.2 Capacitors shall be subjected to a constant acceleration of 100 g for a period of 10 seconds in each of 2 mutually perpendicular planes.
- The direction of motion shall be parallel to and 11.2.1 perpendicular to the longitudinal axis of the capacitors.
- 11.3 Rated DC voltage shall be applied during acceleration test.

- 11.3.1 An oscilloscope or other comparable means shall be used in determining electrical intermittency during test. The AC voltage applied shall not exceed 2 volts rms.
- 11.4 Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- There shall be no mechancial damage to these 11.5 capacitors as a result of these tests.
- 11.6 Following the acceleration test, capacitors shall meet the original limits for capacitance, dissipation factor and leakage current.

#### 12. Shock Test:

- 12.1 Capacitors shall be rigidly mounted by means of suitable brackets. The test load shall be distributed uniformly on the test platform to minimize the effects of unbalanced loads.
- 12.1.1 Test equipment shall be adjusted to produce a shock of 100 g peak with the duration of 6 mS and sawtooth waveform at a velocity change of 9.7 ft./ sec
- 12.2 Capacitors shall be subjected to 3 shocks applied in each of 3 directions corresponding to the 3 mutually perpendicular axes of the capacitors.
- 12.3 Rated DC voltage shall be applied during test.
- An oscilloscope or other comparable means shall 12.3.1 be used in determining electrical intermittency during tests. The replacement voltage applied shall not exceed 2 volts rms.
- 12.4 Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- 12.5 There shall be no mechanical damage to these capacitors as a result of these tests.
- 12.6 Following the shock test, capacitors shall meet the original limits for capacitance, dissipation factor and leakage current.

#### 13. **Moisture Resistance:**

- 13.1 Capacitors shall be subjected to temperature cycling at 90% to 95% relative humidity, from + 25°C to + 65°C to + 25°C (+ 10°C, - 2°C) over a period of 8 hours per cycle for 1000 hours.
- Following the mositure resistance test, the leakage 13.2 current and dissipation factor shall meet the initial requirements and the change in capacitance shall not exceed  $\pm$  10%.

#### 14. Thermal Shock:

- 14.1 Capacitors shall be conditioned prior to temperature cycling for 15 minutes at + 25°C, at less than 50% relative humidity and a barometric pressure at 28 to 31 inches.
- Capacitors shall be subjected to thermal shock in a 14.2 cycle of exposure to ambient air at - 55°C (+ 0°C, - 5°C) for 30 minutes, then + 25°C (+ 10°C, - 5°C) for 5 minutes, then + 125°C (+ 3°C, - 0°C) for 30 minutes, then + 25°C (+ 10°C, - 5°C) for 5 minutes for 5 cycles.
- 14.3 Capacitors shall show no evidence of harmful or extensive corrosion, obliteration of marking or other visible damage.
- 14.4 Following the thermal shock test, capacitors shall meet the original requirements for leakage current and dissipation factor, capacitance change shall not exceed  $\pm$  5% of the original measured value.

Vishay Sprague 678 Main Street, Sanford, ME 04073 • Phone (207) 324-4140 • Fax 207-324-7223 • Internet www.vishay.com Major Vishay Brands Dale • Draloric • Foil Resistors • Lite-On PSC • Measurements Group • Roederstein • Sfernice • Siliconix • Sprague • Telefunken • Thin Film • Vitramon

8

### **PERFORMANCE CHARACTERISTICS** (Continued)

- 15. Soldering Compatibility:
- **15.1 Solder Dip:** Capacitors will withstand two cycles of a dip in non-activated rosin flux, followed by full immersion in 60/40 tin lead solder for 5 seconds at + 245°C.
- **15.1.1 Capacitance:** DC leakage and dissipation factor shall remain within the initial requirements.
- **15.2** Resistance to Solder Heat: Capacitors will withstand exposure to + 260°C + 5°C for 10 seconds.
- **15.3 Solderability:** Capacitors will meet the solderability requirements of (MIL-STD-202, method 208), ANSI/J-STD-002, Test B.
- 16. Terminations:
- 16.1 Coating: The standard termination coating for all molded chip styles is 60/40 SnPb solder. A gold termination coating is available for Type 293D, Type 593D, and Type 893D capacitors.
- **16.2 Terminal Strength:** Per IEC-384-3, minimum of 5N shear force.
- 17. Flammability:
- **17.1** Encapsulant materials meet UL94 V0 with an oxygen index of 32%.

### **GUIDE TO APPLICATION**

1. A-C Ripple Current: The maximum allowable ripple current shall be determined from the formula:

$$I_{\rm rms} = \sqrt{\frac{P}{R_{\rm ESR}}}$$

where,

where,

- P = Power Dissipation in Watts @ + 25°C as given in the table in Paragraph Number 5 (Power Dissipation).
- R<sub>ESR</sub> = The capacitor Equivalent Series Resistance at the specified frequency.
- 2. A-C Ripple Voltage: The maximum allowable ripple voltage shall be determined from the formula:

$$V_{\rm rms} = \sqrt{\frac{P}{R_{\rm ESR}}}$$

or, from the formula:

$$V_{rms} = I_{rms} \times Z$$

- P = Power Dissipation in Watts @ + 25°C as given in the table in Paragraph Number 5 (Power Dissipation).
- R<sub>ESR</sub> = The capacitor Equivalent Series Resistance at the specified frequency.
- Z = The capacitor impedance at the specified frequency.
- **2.1** The sum of the peak AC voltage plus the DC voltage shall not exceed the DC voltage rating of the capacitor.
- **2.2** The sum of the negative peak AC voltage plus the applied DC voltage shall not allow a voltage reversal exceeding 10% of the DC working voltage at + 25°C.
- **3. Reverse Voltage:** These capacitors are capable of withstanding peak voltages in the reverse direction equal to 10% of the DC rating at + 25°C, 5% of the DC rating at + 85°C and 1% of the DC rating at + 125°C.

18. Capacitor Failure Mode: The predominant failure mode for solid tantalum capacitors is increased leakage current resulting in a shorted circuit. Capacitor failure may result from excess forward or reverse DC voltage, surge current, ripple current, thermal shock or excessive temperature.

The increase in leakage is caused by a breakdown of the  $Ta_2O_5$  dielectric. For additional information on leakage failure of solid tantalum chip capacitors, refer to Vishay Sprague Technical Paper, "Leakage Failure Mode in Solid Tantalum Chip Capacitors."

 Marking: Capacitor marking will include an anode (+) polarity band, capacitance in microfarads and the voltage rating of + 85°C. 'A' Case capacitors use a letter code for the voltage and EIA capacitance code.

The Sprague<sup>®</sup> trademark may be included if space permits.

- **19.1** Units rated at 6.3 V shall be marked 6 V.
- **19.2** A manufacturing date code is marked on all case codes. Call the factory for futher explanation.
- **4. Temperature Derating:** If these capacitors are to be operated at temperatures above + 25°C, the permissible rms ripple current or voltage shall be calculated using the derating factors as shown:

Temperature	Derating Factor
+ 25°C	1.0
+ 85°C	0.9
+ 125°C	0.4

5. Power Dissipation: Power dissipation will be affected by the heat sinking capability of the mounting surface. Non-sinusoidal ripple current may produce heating effects which differ from those shown. It is important that the equivalent *Irms* value be established when calculating permissible operating levels. (Power Dissipation calculated using + 25°C temperature rise.)

Case Code	Maximum Permissible Power Dissipation @ + 25°C
А	0.075
В	0.085
С	0.110
D	0.150
E	0.165

 Printed Circuit Board Materials: The 293D is compatible with commonly used printed circuit board materials (alumina substrates, FR4, FR5, G10, PTFE-fluorocarbon and porcelanized steel).

### 7. Attachment:

7.1 Solder Paste: The recommended thickness of the solder paste after application is  $.007" \pm .001"$  [.178mm  $\pm .025$ mm]. Care should be exercised in selecting the solder paste. The metal purity should be as high as practical. The flux (in the paste) must be active enough to remove the oxides formed on the

9


### **GUIDE TO APPLICATION (Continued)**

metallization prior to the exposure to soldering heat. In practice this can be aided by extending the solder preheat time at temperatures below the liquidous state of the solder.

7.2 Soldering: Capacitors can be attached by conventional soldering techniques - vapor phase, infrared reflow, wave soldering and hot plate methods. The Soldering Profile chart shows maximum recommended time/temperature conditions for soldering. Attachment with a soldering iron is not recommended due to the difficulty of controlling temperature and time at temperature.

## **SOLDERING PROFILE**


- Cleaning (Flux Removal) After Soldering: The 8. 293D is compatible with all commonly used solvents such as TES, TMS, Prelete, Chlorethane, Terpene and aqueous cleaning media. However, CFC/ODS products are not used in the production of these devices and are not recommended. Solvents containing methylene chloride or other epoxy solvents should be avoided since these will attack the epoxy encapsulation material.
- When using ultrasonic cleaning, the board may 8.1 resonate if the output power is too high. This vibration can cause cracking or a decrease in the adherence of the termination. DO NOT EXCEED 9W/1 @ 40kHz for 2 minutes.




Recommended Mounting Pad Geometries: Proper mounting pad geometries are essential for successful solder 9. connections. These dimensions are highly process sensitive and should be designed to minimize component rework due to unacceptable solder joints. The dimensional configurations shown are the recommended pad geometries for both wave and reflow soldering techniques. These dimensions are intended to be a starting point for circuit board designers and may be fine tuned if necessary based upon the peculiarities of the soldering process and/or circuit board design.

RECOM		OUNTING	A PAD GEO	METRIES	[Numbers	in bracket	s indicate n	nillimeters]			
	Wave Solder Pads							Reflow S	Solder Pads		
<	- B		-	- <b>►</b> E							
		Pad Dim	ensions					Pad D	imensions		
Case Code	A (Min.)	B (Nom.)	C (Nom.)	D (Nom.)	E (Nom.)	Case Code	A (Min.)	B (Nom.)	C (Nom.)	D (Nom.)	E (Nom.)
А	.034 [0.87]	.085 [2.15]	.053 [1.35]	.222 [5.65]	.048 [1.23]	A	.071 [1.80]	.085 [2.15]	.053 [1.35]	.222 [5.65]	.048 [1.23]
В	0.61 [1.54]	.085 [2.15]	.065 [1.65]	.234 [5.95]	.048 [1.23]	В	.110 [2.80]	.085 [2.15]	.065 [1.65]	.234 [5.95]	.048 [1.23]
С	.061 [1.54]	.106 [2.70]	.124 [3.15]	.337 [8.55]	.050 [1.28]	С	.110 [2.80]	.106 [2.70]	.124 [3.15]	.337 [8.55]	.050 [1.28]
D	.066 [1.68]	.106 [2.70]	.175 [4.45]	.388 [9.85]	.050 [1.28]	D	.118 [3.00]	.106 [2.70]	.175 [4.45]	.388 [9.85]	.050 [1.28]
E	.066 [1.68]	.106 [2.70]	.175 [4.45]	.388 [9.85]	.050 [1.28]	E	.118 [3.00]	.106 [2.70]	.175 [4.45]	.388 [9.85]	.050 [1.28]

Vishay Sprague 678 Main Street, Sanford, ME 04073 • Phone (207) 324-4140 • Fax 207-324-7223 • Internet www.vishay.com





are available on plastic embossed tape per EIA-481-1. Tape reeling per IEC 286-3 is also available. Standard reel diameter is 13" [330mm]. 7" [178mm] reels are available.

The most efficient packaging quantities are full reel increments on a given reel diameter. The quantities shown allow for the sealed empty pockets required to be in conformance with EIA-481-1. Reel size must be specified in the Vishay Sprague part number.

			Units Per Reel		
Case Code	Tape Width	Component Pitch	7" [178mm] Reel	13" [330mm] Reel	
А	8mm	4mm	2000	9000	
В	8mm	4mm	2000	8000	
С	12mm	8mm	500	3000	
D	12mm	8mm	500	2500	
E	12mm	8mm	400	1500	

Anode (+)

A B B B B

Embossment

Top Cover Tape Thickness

Cathode (-)

Л

Carrier

Vishay Sprague 678 Main Street, Sanford, ME 04073 • Phone (207) 324-4140 • Fax 207-324-7223 • Internet www.vishay.com Major Vishay Brands Dale • Draloric • Foil Resistors • Lite-On PSC • Measurements Group • Roederstein • Sfernice • Siliconix • Sprague • Telefunken • Thin Film • Vitramon