




Marker Cards SK 1215A



SK Marker Cards



The self-adhesive marker cards SK can be used for all components which do not have marker grooves. The cards are available printed in the pitches of:

- ◆ Printed circuit terminal blocks
- ◆ COMBICON plug connectors
- ◆ Mini-strip terminal blocks
- ◆ Electronic housings
- ◆ VARIOFACE modules
- ◆ PLC systems cabling
- ◆ Multi-level DIN-rail terminal blocks


Special Note:

On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.



SK 2.5/2.8

Description	Type	Order Number	Pcs./Pkt.
Marker card, unprinted, strip 2.8 mm high, self-adhesive, 10-section marker strip for individual labeling with M-PEN or CMS system, sufficient for 140 terminal blocks	● SK 2.5/2.8 WH: Unprinted	5527672	1
Marker card, printed horizontally, strip 2.8 mm high, 10-section marker strip, 14 identical decades labeled 0-9, self-adhesive, sufficient for 140 terminal blocks	0-9 SK 2.5/2.8: 0-9	0804866	1
Marker card, printed horizontally, strip 2.8 mm high, self-adhesive, 10-section marker strip, 14 identical decades labeled 1-10, 11-20, etc., up to 91-999, sufficient for 140 terminal blocks, maximum number of characters per label (2) for SK 2.5/2.8 and SK 3.5/2.8	1-10 SK 2.5/2.8: 1-10	5600007	1
	11-20 SK 2.5/2.8: 11-20	5600023	1
	etc. up to SK 2.5/2.8: 21-30	5600039	1
	91-999 SK 2.5/2.8: 31-40	5600055	1
	SK 2.5/2.8: 41-50	5600071	1
	SK 2.5/2.8: 51-60	5600087	1
	SK 2.5/2.8: 61-70	5600103	1
	SK 2.5/2.8: 71-80	5600119	1
	SK 2.5/2.8: 81-90	5600135	1
	SK 2.5/2.8: 91-99	5600151	1
Marker card, printed horizontally, as above, however, consecutive numbers from 1-250, 251-500, etc.	1-250 251-500 501-750 751-1000		
Marker card, printed horizontally, as above, however, 14x5-section marker strips	L1, L2, L3, N, PE U, V, W, N, ↓		
Marker card, special printing, self-adhesive, labeled according to customer requirements	SK 2.5/2.8: SO 1) 2)	0804879	1
Material		Polyester	
Temperature	(C)	-40 to +120	
Color		white	
Wipe resistance		DIN 30 646: 1993-11 VDE 0611: 1977-11	





Marking Direction: Horizontal

1) = Required marking is to be specified
2) = When ordering special printing, call our Fax-On-Demand at 800-944-9901 and request document #7042. When you receive this document, complete the form(s) as instructed and attach to your purchase order.

NOTE: SK 2.5/2.8... indicates:
2.5 mm pitch
2.8 mm height

● = can be labeled with CMS



SK 3.5/2.8


SK 3.81/2.8

SK 5.08/2.8

Type	Order Number	Pcs./Pkt.	Type	Order Number	Pcs./Pkt.	Type	Order Number	Pcs./Pkt.
SK 3.5/2.8 WH: Unprinted	5527685	1	SK 3.81/2.8 WH: Unprinted	5527698	1	SK 5.08/2.8 WH: Unprinted	5527708	1
SK 3.5/2.8: 0-9		1	SK 3.81/2.8: 0-9	0804112	1			
SK 3.5/2.8: 1-10	5600008	1	SK 3.81/2.8: 1-10	5600009	1	SK 5.08/2.8: 1-10	5600010	1
SK 3.5/2.8: 11-20	5600024	1	SK 3.81/2.8: 11-20	5600025	1	SK 5.08/2.8: 11-20	5600026	1
SK 3.5/2.8: 21-30	5600040	1	SK 3.81/2.8: 21-30	5600041	1	SK 5.08/2.8: 21-30	5600042	1
SK 3.5/2.8: 31-40	5600056	1	SK 3.81/2.8: 31-40	5600057	1	SK 5.08/2.8: 31-40	5600058	1
SK 3.5/2.8: 41-50	5600072	1	SK 3.81/2.8: 41-50	5600073	1	SK 5.08/2.8: 41-50	5600074	1
SK 3.5/2.8: 51-60	5600088	1	SK 3.81/2.8: 51-60	5600089	1	SK 5.08/2.8: 51-60	5600090	1
SK 3.5/2.8: 61-70	5600104	1	SK 3.81/2.8: 61-70	5600105	1	SK 5.08/2.8: 61-70	5600106	1
SK 3.5/2.8: 71-80	5600120	1	SK 3.81/2.8: 71-80	5600121	1	SK 5.08/2.8: 71-80	5600122	1
SK 3.5/2.8: 81-90	5600136	1	SK 3.81/2.8: 81-90	5600137	1	SK 5.08/2.8: 81-90	5600138	1
SK 3.5/2.8: 91-99	5600152	1	SK 3.81/2.8: 91-100	5600153	1	SK 5.08/2.8: 91-100	5600154	1
			SK 3.81/2.8: 101-999	5600167	1	SK 5.08/2.8: 101-999	5600168	1
			SK 3.81/2.8: 1-250	0804141	1			
			SK 3.81/2.8: 251-500	0804154	1			
			SK 3.81/2.8: 501-750	0804167	1			
			SK 3.81/2.8: 751-1000	0804170	1			
			SK 3.81/2.8: L1-N, PE	0804125	1			
			SK 3.81/2.8: U-N	0804138	1			
SK 3.5/2.8: SO 1) 2)	0805030	1	SK 3.81/2.8: SO 1) 2)	0805056	1	SK 5.08/2.8: SO 1) 2)	0805108	1
Polyester			Polyester			Polyester		
-40 to +120			-40 to +120			-40 to +120		
white			white			white		
DIN 30 646: 1993-11 VDE 0611: 1977-11			DIN 30 646: 1993-11 VDE 0611: 1977-11			DIN 30 646: 1993-11 VDE 0611: 1977-11		

SK Marker Cards


3.8 mm



SK 2.5/3.8

SK 3.5/3.8

Description	Type	Order Number	Pcs./Pkt.	Type	Order Number	Pcs./Pkt.	
Marker card, unprinted, strip 3.8 mm high, self-adhesive, 10-section marker strip for individual labeling with M-PEN or CMS system, sufficient for 120 terminal blocks	●	SK 2.5/3.8 WH: Unprinted	5527711	1	SK 3.5/3.8 WH: Unprinted	5527724	1
Marker card, printed horizontally, strip 3.8 mm high, self-adhesive, 10-section marker strip, 12 identical decades labeled 0-9, sufficient for 120 terminal blocks	0-9	SK 2.5/3.8: 0-9	0804060	1			
Marker card, printed horizontally, as above, however, 12 identical decades labeled 1-10, 11-20, etc., sufficient for 120 terminal blocks, maximum number of characters per label (2) for SK 2.5/3.8 and SK 3.5/3.8	1-10 11-20 etc. up to 91-999	SK 2.5/3.8: 1-10 SK 2.5/3.8: 11-20 SK 2.5/3.8: 21-30 SK 2.5/3.8: 31-40 SK 2.5/3.8: 41-50 SK 2.5/3.8: 51-60 SK 2.5/3.8: 61-70 SK 2.5/3.8: 71-80 SK 2.5/3.8: 81-90 SK 2.5/3.8: 91-99	5600011 5600027 5600043 5600059 5600075 5600091 5600107 5600123 5600139 5600155	1 1 1 1 1 1 1 1 1 1	SK 3.5/3.8: 1-10 SK 3.5/3.8: 11-20 SK 3.5/3.8: 21-30 SK 3.5/3.8: 31-40 SK 3.5/3.8: 41-50 SK 3.5/3.8: 51-60 SK 3.5/3.8: 61-70 SK 3.5/3.8: 71-80 SK 3.5/3.8: 81-90 SK 3.5/3.8: 91-99	5600012 5600028 5600044 5600060 5600076 5600092 5600108 5600124 5600140 5600156	1 1 1 1 1 1 1 1 1 1
Marker card, printed horizontally, as above, however, consecutive numbers from 1-250, 251-500, etc.	1-250 251-500 501-750 751-1000						
Marker card, printed horizontally, as above, however, 12x5-section marker strips	L1, L2, L3, N, PE U, V, W, N, ↓						
Marker card, special printing, self-adhesive, labeled according to customer requirements		SK 2.5/3.8: SO 1) 2)	0805027	1	SK 3.5/3.8: SO 1) 2)	0805043	1
Material		Polyester			Polyester		
Temperature	(C)	-40 to +120			-40 to +120		
Color		white			white		
Wipe resistance		DIN 30 646: 1993-11 VDE 0611: 1977-11			DIN 30 646: 1993-11 VDE 0611: 1977-11		



Marking Direction: Horizontal

1) = Required marking is to be specified
 2) = When ordering special printing, call our Fax-On-Demand at 800-944-9901 and request document #7042. When you receive this document, complete the form(s) as instructed and attach to your purchase order.

NOTE: SK 2.5/3.8... indicates:
 2.5 mm pitch
 3.8 mm height

● = can be labeled with CMS



SK 5/3.8


SK 5.08/3.8

SK 6.2/3.8

Type	Order Number	Pcs./Pkt.	Type	Order Number	Pcs./Pkt.	Type	Order Number	Pcs./Pkt.
SK 5/3.8 WH: Unprinted	5527737	1	SK 5.08/3.8 WH: Unprinted	5527740	1	SK 6.2/3.8 WH: Unprinted	5527753	1
SK 5/3.8: 0-9	0804196	1	SK 5.08/3.8: 0-9	0804303	1	SK 6.2/3.8: 0-9	0804387	1
SK 5/3.8: 1-10	5600013	1	SK 5.08/3.8: 1-10	5600014	1	SK 6.2/3.8: 1-10	5600015	1
SK 5/3.8: 11-20	5600029	1	SK 5.08/3.8: 11-20	5600030	1	SK 6.2/3.8: 11-20	5600031	1
SK 5/3.8: 21-30	5600045	1	SK 5.08/3.8: 21-30	5600046	1	SK 6.2/3.8: 21-30	5600047	1
SK 5/3.8: 31-40	5600061	1	SK 5.08/3.8: 31-40	5600062	1	SK 6.2/3.8: 31-40	5600063	1
SK 5/3.8: 41-50	5600077	1	SK 5.08/3.8: 41-50	5600078	1	SK 6.2/3.8: 41-50	5600079	1
SK 5/3.8: 51-60	5600093	1	SK 5.08/3.8: 51-60	5600094	1	SK 6.2/3.8: 51-60	5600095	1
SK 5/3.8: 61-70	5600109	1	SK 5.08/3.8: 61-70	5600110	1	SK 6.2/3.8: 61-70	5600111	1
SK 5/3.8: 71-80	5600125	1	SK 5.08/3.8: 71-80	5600126	1	SK 6.2/3.8: 71-80	5600127	1
SK 5/3.8: 81-90	5600141	1	SK 5.08/3.8: 81-90	5600142	1	SK 6.2/3.8: 81-90	5600143	1
SK 5/3.8: 91-100	5600157	1	SK 5.08/3.8: 91-100	5600158	1	SK 6.2/3.8: 91-100	5600159	1
SK 5/3.8: 101-999	5600169	1	SK 5.08/3.8: 101-999	5600170	1	SK 6.2/3.8: 101-999	5600171	1
SK 5/3.8: 1-250	0804222	1	SK 5.08/3.8: 1-250	0804332	1	SK 6.2/3.8: 1-250	0804413	1
SK 5/3.8: 251-500	0804235	1	SK 5.08/3.8: 251-500	0804345	1	SK 6.2/3.8: 251-500	0804426	1
SK 5/3.8: 501-750	0804248	1	SK 5.08/3.8: 501-750	0804358	1	SK 6.2/3.8: 501-750	0804439	1
SK 5/3.8: 751-1000	0804264	1	SK 5.08/3.8: 751-1000	0804361	1	SK 6.2/3.8: 751-1000	0804442	1
SK 5/3.8: L1-N, PE	0804206	1	SK 5.08/3.8: L1-N, PE	0804316	1	SK 6.2/3.8: L1-N, PE	0804390	1
SK 5/3.8: U-N	0804219	1	SK 5.08/3.8: U-N	0804329	1	SK 6.2/3.8: U-N	0804400	1
SK 5/3.8: SO 1) 2)	0805072	1	SK 5.08/3.8: SO 1) 2)	0805085	1	SK 6.2/3.8: SO 1) 2)	0805111	1
Polyester			Polyester			Polyester		
-40 to +120			-40 to +120			-40 to +120		
white			white			white		
DIN 30 646: 1993-11 VDE 0611: 1977-11			DIN 30 646: 1993-11 VDE 0611: 1977-11			DIN 30 646: 1993-11 VDE 0611: 1977-11		


Special Note:

On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.




SK 9.5/3.8

Type	Order Number	Pcs./Pkt.
SK 9.5/3.8 WH: Unprinted	5527782	1



SK 9.5/3.8: 1-10	5600018	1
SK 9.5/3.8: 11-20	5600034	1
SK 9.5/3.8: 21-30	5600050	1
SK 9.5/3.8: 31-40	5600066	1
SK 9.5/3.8: 41-50	5600082	1
SK 9.5/3.8: 51-60	5600098	1
SK 9.5/3.8: 61-70	5600114	1
SK 9.5/3.8: 71-80	5600130	1
SK 9.5/3.8: 81-90	5600146	1
SK 9.5/3.8: 91-100	5600162	1
SK 9.5/3.8: 101-999	5600174	1



SK 9.5/3.8: SO 1)	0805166	1
-------------------	---------	---

Polyester

-40 to +120

white

DIN 30 646: 1993-11 VDE 0611: 1977-11

Special Note:

On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.

SK Marker Cards


5 mm



SK 7.5/5

SK 7.62/5

Description	Type	Order Number	Pcs./Pkt.	Type	Order Number	Pcs./Pkt.	
Marker card, unprinted, strip 5 mm high, self-adhesive, 10-section marker strip for individual labeling with M-PEN or CMS system, sufficient for 100 terminal blocks	●	SK 7.5/5 WH: Unprinted	5527795	1	SK 7.62/5 WH: Unprinted	5527805	1
Marker card, printed horizontally, strip 5 mm high, self-adhesive, 10-section marker strip, 10 identical decades labeled 0-9, sufficient for 100 terminal blocks	0-9	SK 7.5/5: 0-9	0804471	1	SK 7.62/5: 0-9	0804565	1
Marker card, printed horizontally, as above, however, 10 identical decades labeled 1-10, 11-20, etc., sufficient for 100 terminal blocks	1-10	SK 7.5/5: 1-10	5600019	1	SK 7.62/5: 1-10	5600020	1
	11-20	SK 7.5/5: 11-20	5600035	1	SK 7.62/5: 11-20	5600036	1
	etc. up to	SK 7.5/5: 21-30	5600051	1	SK 7.62/5: 21-30	5600052	1
	101-999	SK 7.5/5: 31-40	5600067	1	SK 7.62/5: 31-40	5600068	1
		SK 7.5/5: 41-50	5600083	1	SK 7.62/5: 41-50	5600084	1
		SK 7.5/5: 51-60	5600099	1	SK 7.62/5: 51-60	5600100	1
		SK 7.5/5: 61-70	5600115	1	SK 7.62/5: 61-70	5600116	1
		SK 7.5/5: 71-80	5600131	1	SK 7.62/5: 71-80	5600132	1
		SK 7.5/5: 81-90	5600147	1	SK 7.62/5: 81-90	5600148	1
		SK 7.5/5: 91-100	5600163	1	SK 7.62/5: 91-100	5600164	1
	SK 7.5/5: 101-999	5600175	1	SK 7.62/5: 101-999	5600176	1	
Marker card, printed horizontally, as above, however, consecutive numbers from 1-250, 251-500, etc.	1-250	SK 7.5/5: 1-250	0804507	1	SK 7.62/5: 1-250	0804594	1
	251-500	SK 7.5/5: 251-500	0804510	1	SK 7.62/5: 251-500	0804604	1
	501-750	SK 7.5/5: 501-750	0804523	1	SK 7.62/5: 501-750	0804617	1
	751-1000	SK 7.5/5: 751-1000	0804536	1	SK 7.62/5: 751-1000	0804620	1
Marker card, printed horizontally, as above, however, 10x5-section marker strips	L1, L2, L3, N, PE	SK 7.5/5: L1-N, PE	0804484	1	SK 7.62/5: L1-N, PE	0804578	1
	U, V, W, N, ↓	SK 7.5/5: U-N	0804497	1	SK 7.62/5: U-N	0804581	1
Marker card, special printing, self-adhesive, labeled according to customer requirements		SK 7.5/5: SO 1)	0805124	1	SK 7.62/5: SO 1)	0805140	1
Material		Polyester			Polyester		
Temperature	(C)	-40 to +120			-40 to +120		
Color		white			white		
Wipe resistance		DIN 30 646: 1993-11 VDE 0611: 1977-11			DIN 30 646: 1993-11 VDE 0611: 1977-11		






Marking Direction: Horizontal

1) = Required marking is to be specified
 2) = When ordering special printing, call our Fax-On-Demand at 800-944-9901 and request document #7042. When you receive this document, complete the form(s) as instructed and attach to your purchase order.

NOTE: SK 7.5/5... indicates:
 7.5 mm pitch
 5 mm height

● = can be labeled with CMS



SK 9.5/5

SK 10.5/5



SK 12.5/5

Type	Order Number	Pcs./Pkt.	Type	Order Number	Pcs./Pkt.	Type	Order Number	Pcs./Pkt.
SK 9.5/5 WH: Unprinted	5527818	1	SK 10.5/5 WH: Unprinted	5527821	1	SK 12.5/5 WH: Unprinted	5527834	1
SK 9.5/5: 0-9	0804646	1	SK 10.5/5: 0-9	0804688	1	SK 12.5/5: 0-9	0804727	1
			SK 10.5/5: 1-10	5600021	1	SK 12.5/5: 1-10	5600022	1
			SK 10.5/5: 11-20	5600037	1	SK 12.5/5: 11-20	5600038	1
			SK 10.5/5: 21-30	5600053	1	SK 12.5/5: 21-30	5600054	1
			SK 10.5/5: 31-40	5600069	1	SK 12.5/5: 31-40	5600070	1
			SK 10.5/5: 41-50	5600085	1	SK 12.5/5: 41-50	5600086	1
			SK 10.5/5: 51-60	5600101	1	SK 12.5/5: 51-60	5600102	1
			SK 10.5/5: 61-70	5600117	1	SK 12.5/5: 61-70	5600118	1
			SK 10.5/5: 71-80	5600133	1	SK 12.5/5: 71-80	5600134	1
			SK 10.5/5: 81-90	5600149	1	SK 12.5/5: 81-90	5600150	1
			SK 10.5/5: 91-100	5600165	1	SK 12.5/5: 91-100	5600166	1
			SK 10.5/5: 101-999	5600177	1	SK 12.5/5: 101-999	5600178	1
SK 9.5/5: L1-N, PE	0804659	1	SK 10.5/5: L1-N, PE	0804691	1	SK 12.5/5: L1-N, PE	0804730	1
SK 9.5/5: U-N	0804662	1	SK 10.5/5: U-N	0804701	1			
SK 9.5/5: SO 1)	0805069	1	SK 10.5/5: SO 1) 2)	0805179	1	SK 12.5/5: SO 1) 2)	0805182	1
Polyester			Polyester			Polyester		
-40 to +120			-40 to +120			-40 to +120		
white			white			white		
DIN 30 646: 1993-11 VDE 0611: 1977-11			DIN 30 646: 1993-11 VDE 0611: 1977-11			DIN 30 646: 1993-11 VDE 0611: 1977-11		

Special Note:
 On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.

SK Marker Cards

SK U



SK U

The self-adhesive marker strips of the SK U sheets can be used for all products that do not have a special marker groove.

The polyester 8.5" x 11" sheets can be labeled using:

- ◆ A laser printer
- ◆ A plotter
- ◆ A typewriter
- ◆ M-PEN

Sheets are available with a strip height of 2.8, 3.8, or 5 mm. The strips are 185 mm long. For special printing requirements, the pitch can be determined as desired using a professional marking system (e.g. CMS).

Description	Color	Type	Order Number	Pcs./Pkt.	
Marker sheet, strips 2.8 mm high, 8.5" x 11" format, with 50 marker strips, strips 185 mm long, pitch as desired	white	●	SK U/2.8 WH: Unprinted	0803883	1
Marker sheet, special printing, as above, however, marking according to customer requirements	white	●	SK U/2.8: SO/CMS...1)	0803896	1
Marker sheet, strip 3.8 mm high, 8.5" x 11" format, with 40 marker strips, strips 185 mm long, pitch as desired	white	●	SK U/3.8 WH: Unprinted	0803906	1
Marker sheet, special printing, as above, however, marking according to customer requirements	white	●	SK U/3.8: SO/CMS...1)	0803919	1
Marker sheet, strip 5 mm high, 8.5" x 11" format, with 35 marker strips, strips 185 mm long, pitch as desired	white	●	SK U/5 WH: Unprinted	0803922	1
Marker sheet, special printing, as above, however, marking according to customer requirements	white	●	SK U/5: SO/CMS...1)	0803935	1
Marker sheet, unstamped 8.5" x 11" format, for producing individual special marker strips, labeling with CMS system	white yellow orange silver	● ● ● ●	SK U/WH: Unstamped SK U/YE: Unstamped SK U/OG: Unstamped SK U/SR: Unstamped	0800129 0800132 0800158 0800145	1 1 1 1
Material	Polyester				
Temperature	(c)		-40 to +120		
Color	white				
Wipe resistance	DIN 30 646: 1993-11 VDE 0611: 1977-11				

1) Required marking is to be specified
2) When ordering special printing, call our Fax-On-Demand at 800-944-9901 and request document #7042. When you receive this document, complete the form(s) as instructed and attach to your purchase order.

Special Note:
On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.

● = can be labeled with CMS

The information given herein is based on data believed to be reliable, but Phoenix Contact Inc. makes no warranties expressed or implied as to the accuracy and assumes no liability arising out of its use by others. This publication is not to be taken as license to operate under, or recommendation to infringe, any patent.

Headquarters, U.S.

Phoenix Contact Inc.

P.O. Box 4100

Harrisburg, PA 17111-0100

Technical Support and Information: 800-322-3225

Fax: (717) 944-1625

Fax-On-Demand: 800-944-9901

E-mail: info@phoenixcon.com

Web Site: www.phoenixcon.com