

# 3M™ Eye Protection

## Line Card

**3M™ SecureFit™**



Pg 4

**3M™ Solus™**



Pg 6

**3M™ CCS**



Pg 8

**3M™ Virtua™**



Pg 9

**3M™ Maxim™ Elite**



Pg 10

**3M™ Over-the-Glass**



Pg 10

**Additional Models**



Pg 11

**3M™ Goggles**



Pg 12

# Features and Lens Colors




## 3M™ Pressure Diffusion Temple Technology

Eyewear temples self-adjust to a wide range of head sizes, diffusing pressure over the ear and enhancing comfort.



## Adjustable Ratchet Temples

Adjusts the pantoscopic tilt of the lens to help accommodate cheek bone height and improve comfort and fit.



## 3M™ Scotchgard™ Protector Anti-Fog Coating

Lasts longer than traditional anti-fog coatings and remains effective for up to 25 washings with water. Coating is tested to EN168 N & K for anti-fog and anti-scratch.



## Brow Guard

Additional top coverage during impact and leaves room to help airflow.



## Foam Gasket

Helps limit eye exposure to debris but not as tight as a goggle.



## Goggles

Designed to seal to the face. Can be splash/droplet, dust and/or fine dust rated.



## Cord Control System (CCS)

Designed to keep eyewear and earplugs attached, untangled and ready to use.

## Lens Colors & Functions




### CLEAR

Highest visual acuity and color recognition



### POLARIZED

Reduces overall brightness, glare and reflected light




### VERMILLION

Helps improve visual acuity and contrast




### GRAY

Reduces overall brightness of visible light



### BROWN

Reduces overall brightness, typically allowing color recognition



### BLUE


(excl. "sodium blue")

Reduces brightness and glare from yellow light sources. Not intended for use in glass blowing.




### INDOOR/OUTDOOR

Slightly reduces overall brightness of visible light



### AMBER

Increases contrast by filtering hazy and blue-colored light




### INFRARED FILTERS

Reduces infrared radiation



### PHOTOCHROMIC

Darkens when exposed to UV light (outdoors) and lightens when UV light is reduced (indoors)



### ORANGE

Reduces blue light in specific applications, e.g., blue light curing




### MIRRORED


Reflects light sources, helping reduce brightness

# Easy Reference Guide



Product	Series	Regulatory		Design							Available Accessory			Lens Color							Lens Coating									
		Impact Rated, Z87+	CSA Z94.3	PDT Temples	Dual Lens	Lens Tilt Ratchet	Soft Nose Bridge	Molded Nose Bridge	Hinge Screw	Readers	Over the Glasses (OTG)	Brow Guard	Foam Gasket	Strap	Clear	Gray	Indoor/Outdoor	Photochromic	Polarized	Brown	Amber	Orange	Vermillion	Light Blue*	IR Lens	Mirrored Options	AS	AF/AS	SGAF/AS 	
3M™ Safety Glasses	SecureFit™	100	●	●	●			●	●				●	●	●					●						●	●	●		
		200	●	●	●			●	●					●	●	●							●				●	●	●	
		300	●	●	●				●	●				●	●	●											●	●	●	
		400	●	●	●				●	●	●			●	●	●				●	●	●				●	●	●	●	
		400X	●	●	●				●	●		●			●	●	●									●	●	●	●	
		500	●	●	●		●		●	●					●	●	●			●	●	●				●	●	●	●	
		600	●	●	●	●			●	●	●				●	●	●	●	●		●	●					●	●	●	
		600 Tactical	●	●	●	●			●	●	●				●	●	●	●	●		●	●					●	●	●	
		3700	●	●	●			●	●	●		●			●	●	●					●	●				●	●	●	●
		3700X	●	●	●			●	●	●	●		●			●	●	●						●	●			●	●	●
Solus™	1000	●	●			●	●					●	●	●	●	●					●					●	●	●		
	1000 TPE	●	●				●	●				●	●	●	●	●						●					●	●	●	
	2000	●	●					●	●	●			●	●	●	●			●	●			●	●		●	●	●		
	CCS	●	●			●	●		●	●			●	●	●	●			●	●			●	●		●	●	●		
Maxim™ Elite	1000	●	●		●	●		●	●				●	●	●	●	●	●				●	●		●	●	●	●		
Virtua™	CCS	●	●				●	●	●				●	●	●	●						●	●		●	●	●	●		



Product	Series	Regulatory					Design			Available Accessory		Lens Color		Coating			
		Impact Rated, Z87+	D3 (Splash/Droplet)	D4 (Dust)	D5 (Fine Dust)	CSA Z94.3	Over the Glasses (OTG)	Disassemble	Neoprene/Rubber Strap	Prescription Insert	Replaceable Lens	Clear	Gray	Uncoated	AS	AF/AS	SGAF/AS 
3M™ Safety Goggles	GoggleGear™	500	●	●	●			●	●	●	●	●	●				●
		2890	●	●	●	●	●					●	●				●
		6000	●	●	●			●	●		●	●	●			●	●
	Solus™	1000 TPE	●	●	●						●	●				●	●
	Centurion™	452	●				●		●			●	●		●	●	●
	Centurion™	454	●	●			●					●	●		●	●	●
	332		●				●					●	●		●	●	●
334		●	●			●					●	●		●	●	●	
Modul-R™		●	●			●					●	●				●	●

\*Excludes "sodium blue"

**KEY** I/O: Indoor/Outdoor, D3: Droplet & Splash, D4: Dust, D5: Fine Dust, U: Uncoated, AS: Anti-Scratch, AF/AS: Anti-Fog/Anti-Scratch, SGAF/AS: Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch Lens

# 3M™ SecureFit™ Eye Protection

3M™ Safety Glasses

Pressure Diffusion Temple Technology for all-day comfort.



SF101AF-BLK



SF201AS



SF301SGAF-LBL



SF401SGAF-RED

Product I.D.	SAP I.D.	Frame Color	Lens Color	Gasket	Coating			Each/Case
					AS	AF/AS	SGAF/AS	
<b>SecureFit™ 100 Series</b>								
SF101AF-BLK	7100238175	Black	Clear			●		100/cs
SF101AS-BLK	7100238171	Black	Clear		●			100/cs
SF101AF-BLK	7100238174	Black	Clear			●		20/cs
SF101AS-BLK	7100238173	Black	Clear		●			20/cs
SF102AF-BLK	7100238172	Black	Gray			●		20/cs
SF103AF-BLK	7100238183	Black	Amber			●		20/cs
SF107AF-BLK	7100238257	Black	Indoor/Outdoor Gray			●		20/cs
<b>SecureFit™ 200 Series — Lightweight comfort at an affordable price</b>								
SF201AF	7100090435	Clear	Clear			●		20/cs
SF201AS	7000128262	Clear	Clear		●			20/cs
SF202AF	7100022210	Gray	Gray			●		20/cs
SF202AS	7100022211	Gray	Gray		●			20/cs
SF203AF	7100021793	Amber	Amber			●		20/cs
SF203AS	7010293198	Amber	Amber		●			20/cs
SF201SGAF-BLU	7100180044	Blue	Clear				●	20/cs
SF204SGAF-BLU	7100180046	Blue	Blue				●	20/cs
<b>Accessory</b>								
RX-SF400	70071731734	3M™ Protective Eyewear Prescription Insert for SecureFit™ 200						10/cs
<b>SecureFit™ 300 Series — Alternate fit (Asian), designed to help accommodate high cheekbone structure and low nose bridge</b>								
SF301AF	7010315373	Black	Clear			●		20/cs
SF301AS	7010315385	Black	Clear		●			20/cs
SF302AF	7010342616	Black	Gray			●		20/cs
SF302AS	7010386490	Black	Gray		●			20/cs
SF301SGAF-BLU	7100202279	Blue	Clear				●	20/cs
SF301SGAF-LBL	7100202277	Ice Blue	Clear				●	20/cs
SF302SGAF-BLU	7100202280	Blue	Gray				●	20/cs
SF302SGAF-LBL	7100202278	Ice Blue	Gray				●	20/cs
<b>Accessory</b>								
RX-SF400	70071731734	3M™ Protective Eyewear Prescription Insert for SecureFit™ 300						10/cs
<b>SecureFit™ 400 Series — Enhanced comfort and sleek design available in a variety of contemporary colors</b>								
SF401AF	7100112435	Green/Black	Clear			●		20/cs
SF401AF-FM	7100112131	Green/Black	Clear	●		●		20/cs
SF402AF	7100112433	Green/Black	Gray			●		20/cs
SF402AF-FM	7100112244	Green/Black	Gray	●		●		20/cs
SF410AS	7100112436	Green/Black	I/O Mirror		●			20/cs
SF410AS-FM	7100112223	Green/Black	I/O Mirror	●	●			20/cs
SF401SGAF-BLU	7100150838	Blue/Gray	Clear				●	20/cs
SF401SGAF-BLU-F	7100156104	Blue/Gray	Clear	●			●	20/cs
SF401SGAF-RED	7100158218	Red/Gray	Clear				●	20/cs
SF402SGAF-BLU	7100156101	Blue/Gray	Gray				●	20/cs
SF402SGAF-BLU-F	7100156137	Blue/Gray	Gray	●			●	20/cs
SF403SGAF-YEL	7100158219	Yellow/Black	Amber				●	20/cs
SF405SGAF-BLA	7100155940	Brown/Black	Brown				●	20/cs
SF406SGAF-BLA	7100158220	Brown/Black	Orange				●	20/cs
SF407SGAF-BLU	7100156103	Blue/Gray	I/O Gray				●	20/cs
<b>Readers</b>								
SF415AF, +1.5 Diopter	7100115326	Green/Black	Clear			●		20/cs
SF420AF, +2.0 Diopter	7100115325	Green/Black	Clear			●		20/cs
SF425AF, +2.5 Diopter	7100115329	Green/Black	Clear			●		20/cs
<b>Accessory</b>								
RX-SF400	70071731734	3M™ Protective Eyewear Prescription Insert for SecureFit™ 400						10/cs
SF-FOAM	7100112132	Replacement Foam Gasket						20/bag

**KEY** I/O: Indoor/Outdoor, U: Uncoated, AS: Anti-Scratch, AF/AS: Anti-Fog/Anti-Scratch, SGAF/AS: Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch Lens

# 3M™ SecureFit™ Eye Protection

Pressure Diffusion Temple Technology for all-day comfort.



SF401XSGAF-BLU



SF501AF-BLK

Product I.D.	SAP I.D.	Frame Color	Lens Color	Foam Gasket	Coating			Each/Case
					AS	AF/AS	SGAF/AS	
<b>SecureFit™ 400X Series — Includes non-removable brow guard</b>								
SF401XAF-GRN	7100180045	Green/Black	Clear			●		20/cs
SF401XAS-GRN	7010528317	Green/Black	Clear		●			20/cs
SF401XSGAF-BLU	7100180049	Blue/Gray	Gray				●	20/cs
SF401XSGAF-GRN	7100180048	Hi-Vis Green/Clear	Gray				●	20/cs
SF401XSGAF-WHT	7100179970	Light Blue/White	Clear				●	20/cs
SF402XAF-GRN	7100180047	Green/Black	Gray			●		20/cs
SF402XAS-GRN	7100180052	Green/Black	Gray		●			20/cs
SF402XSGAF-BLU	7100180050	Blue/Gray	Gray				●	20/cs
SF403XSGAF-YEL	7100179972	Yellow/Black	Amber				●	20/cs
SF407XSGAF-BLU	7100180051	Blue/Gray	I/O Gray				●	20/cs
SF409XAS-PNK	7100180054	Pink/Black	Silver Mirror		●			20/cs
SF416XAS-BLK	7100180036	Gray/Black	Orange Mirror		●			20/cs
<b>SecureFit™ 500 Series — Contemporary slim lens design with adjustable ratchet temples</b>								
SF501AS-BLK	7100228721	Black	Clear		●			20/cs
SF501AF-BLK	7100239194	Black	Clear			●		20/cs
SF501SGAF-RED	7100239194	Clear & Red	Clear				●	20/cs
SF501SGAF-BLK-FM	7100238909	Black	Clear	●			●	20/cs
SF501SGAF-BLK	7100238910	Black	Clear				●	20/cs
SF501SGAF-GRN	7100239087	Green & Black	Clear				●	20/cs
SF502AF-BLK	7100238909	Black	Gray			●		20/cs
SF502SGAF-BLK-FM	7100239195	Black	Gray	●			●	20/cs
SF502SGAF-BLK	7100239089	Black	Gray				●	20/cs
SF503SGAF-BLK	7100239090	Black	Amber				●	20/cs
SF505SGAF-DGR	7100239088	Olive Green	Brown				●	20/cs
SF507SGAF-BLK	7100239091	Black	Indoor/Outdoor Gray				●	20/cs
SF507AF-BLK	7100239092	Black	Indoor/Outdoor Gray			●		20/cs
SF507SGAF-BLK-FM	7100239191	Black	Indoor/Outdoor Gray	●			●	20/cs
SF509AF-BLK	7100239203	Black	Silver Mirror			●		20/cs
SF517AF-GRN	7100239204	Green & Black	IR 1.7 Gray			●		20/cs
SF528SGAF-DGR	7100239191	Olive Green	Light Brown				●	20/cs
SF530AF-GRN	7100239086	Green & Black	IR 3.0 Gray			●		20/cs
SF550AF-GRN	7100239205	Green & Black	IR 5.0 Gray			●		20/cs
<b>Accessory</b>								
SF500-FOAM	7100239114	500 Series Replacement Foam Gasket						10/pk, 12 pk/cs

# 3M™ SecureFit™ Eye Protection

Pressure Diffusion Temple Technology for all-day comfort.



SF601SGAF

Product I.D.	SAP I.D.	Frame Color	Lens Color	Strap	Gasket	Coating			Each/Case	
						AS	AF/AS	SGAF/AS		
<b>SecureFit™ 600 Series — Stylish dual-lens frame with a variety of lens options</b>										
SF601SGAF	7100128689	Gray	Clear					●	20/cs	
SF601SGAF-FM	7100133322	Gray	Clear		●			●	20/cs	
SF602SGAF	7100128690	Gray	Gray					●	20/cs	
SF602SGAF-FM	7100132350	Gray	Gray		●			●	20/cs	
SF603SGAF	7100141599	Gray	Amber					●	20/cs	
SF607SGAF	7100132351	Gray	I/O Gray					●	20/cs	
SF611AS	7100132381	Gray	Gray Polarized			●			20/cs	
SF613AS	7100132380	Gray	Photochromic			●			20/cs	
<b>Readers</b>										
SF615GSGAF, +1.5 Diopter	7100132362	Gray	Gray					●	20/cs	
SF615SSGAF, +1.5 Diopter	7100132357	Gray	Clear					●	20/cs	
SF620GSGAF, +2.0 Diopter	7100132361	Gray	Gray					●	20/cs	
SF620SGAF, +2.0 Diopter	7100132359	Gray	Clear					●	20/cs	
SF625GSGAF, +2.5 Diopter	7100132382	Gray	Gray					●	20/cs	
SF625SSGAF, +2.5 Diopter	7100132360	Gray	Clear					●	20/cs	
<b>Accessory</b>										
SF600FI	7100132738	600 Series Replacement Foam Gasket								20/bag

# 3M™ Solus™ Eye Protection

Comfortable and stylish with a variety of features and customization options.



S1101SGAF



S1101SGAF-KT



S1201SGAF-TSKT

Product I.D.	SAP I.D.	Frame Color	Lens Color	Coating		AS	AF/AS	SGAF/AS	Each/Case
				Strap	Gasket				
<b>Accessory</b>									
<b>Solus™ 1000 Series — Configurable design with detachable gasket, temple or strap options</b>									
S1101SGAF	7100079183	Black/Blue	Clear					●	20/cs
S1102SGAF	7100079184	Black/Blue	Gray					●	20/cs
S1103SGAF	7100079185	Black/Blue	Amber					●	20/cs
S1107SGAF	7100131794	Blue/Black	I/O					●	20/cs
S1201SGAF	7100079049	Green/Black	Clear					●	20/cs
S1202SGAF	7100079180	Green/Black	Gray					●	20/cs
S1203SGAF	7100079181	Green/Black	Amber					●	20/cs
S1207SGAF	7100127035	Green/Black	I/O					●	20/cs
S1401SGAF	7100181053	Pink/Black	Clear					●	20/cs
S1402SGAF	7100181054	Pink/Black	Gray					●	20/cs
S1407SGAF	7100168177	Pink/Black	I/O Gray					●	20/cs
S1501SGAF	7100220751	Black	Clear					●	20/cs
S1502SGAF	7100221210	Black	Gray					●	20/cs
S1507SGAF	7100220752	Black	I/O Gray					●	20/cs
<b>Solus™ 1000 Series - Kits</b>									
S1101SGAF-KT	7100079186	Black/Blue	Clear	●	●			●	20/cs
S1102SGAF-KT	7100105846	Black/Blue	Gray	●	●			●	20/cs
S1107SGAF-KT	7100131819	Blue/Black	I/O	●	●			●	20/cs
S1201SGAF-KT	7100079182	Green/Black	Clear	●	●			●	20/cs
S1202SGAF-KT	7010341346	Green/Black	Gray	●	●			●	20/cs
S1502SGAF-KT	7100221211	Black	Gray	●	●			●	20/cs
S1521SGAF-KT	7100221212	Black	I/O Vermillion	●	●			●	20/cs
S1523SGAF-KT	7100221243	Black	Vermillion	●	●			●	20/cs
<b>Solus™ 1000 TPE — Flexible seal that adapts to wearer's face contours</b>									
<b>Solus™ TPE Series Kits - Comes assembled with temples and TPE gasket attached. Strap included. D3 – D4-rated</b>									
S1201SGAF-TKT	7100233038	Clear/Green/Black	Clear	●	●			●	20/cs
S1202SGAF-TKT	7100232887	Clear/Green/Black	Gray	●	●			●	20/cs
S1207SGAF-TKT	7100232856	Clear/Green/Black	I/O Gray	●	●			●	20/cs
<b>Solus™ TPE Series - Comes assembled with TPE gasket and strap attached. Temples not included.</b>									
S1201SGAF-TSKT	7100234544	Clear/Green/Black	Clear	●	●			●	20/cs
S1202SGAF-TSKT	7100235154	Clear/Green/Black	Gray	●	●			●	20/cs
S1207SGAF-TSKT	7100235153	Clear/Green/Black	I/O Gray	●	●			●	20/cs
<b>Accessories</b>									
Solus-Strap	7100085458	Solus™ Replacement Strap							10/bag
Solus-Foam	7100079749	Solus™ Replacement Foam Gasket							10/bag
S1000-CASE	7100228822	Solus™ Carrying Case							10/box

# 3M™ Solus™ Eye Protection

Comfortable and stylish with a variety of features and customization options.



S2001SGAF-RED

Product I.D.	SAP I.D.	Frame Color	Lens Color	Foam Gasket	Coating			Each/Case
					AS	AF/AS	SGAF/AS	
<b>Solus™ 2000 Series — Adjustable ratchet temples for a customized fit</b>								
S2001SGAF-RED	7100203160	Gray/Red	Clear				●	20/cs
S2001SGAF-CLR	7100221705	Clear/Blue	Clear				●	20/cs
S2002SGAF-RED	7100203163	Gray/Red	Gray				●	20/cs
S2024AS-RED	7100203162	Gray/Red	Red Mirror		●			20/cs
S2001SGAF-BGR	7100203178	Black/Green	Clear				●	20/cs
S2002SGAF-BGR	7100203287	Black/Green	Gray				●	20/cs
S2003SGAF-BGR	7100203164	Black/Green	Amber				●	20/cs
S2005SGAF-BGR	7100203166	Black/Green	Brown				●	20/cs
S2007SGAF-BGR	7100203171	Black/Green	I/O Gray				●	20/cs
S2001SGAF-BGR-F	7100203183	Black/Green	Clear	●			●	20/cs
S2001AS-BLU	7100203072	Blue/Gray	Clear		●			20/cs
S2001AF-BLU	7100203151	Blue/Gray	Clear			●		20/cs
S2008AS-CLR	7100221706	Clear/Blue	Blue Mirror		●			20/cs
<b>Solus™ 2000 Series IR Shade Models</b>								
S2017AS-BLK	7100203187	Black/Green	1.7 Gray		●			20/cs
S2030AS-BLK	7100203188	Black/Green	3.0 Gray		●			20/cs
S2050AS-BLK	7100203186	Black/Green	5.0 Gray		●			20/cs
<b>Solus™ 2000 Series Readers</b>								
S2015AF-BLU, +1.5 Diopter	7100221704	Blue/Gray	Clear			●		20/cs
S2020AF-BLU, +2.0 Diopter	7100222269	Blue/Gray	Clear			●		20/cs
S2025AF-BLU, +2.5 Diopter	7100222135	Blue/Gray	Clear			●		20/cs



# 3M™ Solus™ CCS and 3M™ Virtua™ CCS Eye Protection

Designed to keep eyewear and earplugs attached, untangled and ready to use.



SCCS01SGAF-GRN-F



11872-00000-20

Product I.D.	SAP I.D.	Frame Color	Lens Color	Foam Gasket	Coating			Each/Case
					AS	AF/AS	SGAF/AS	
<b>Solus™ CCS Series</b>								
SCCS01SGAF-GRN	7100196396	Green	Clear				●	20/cs
SCCS02SGAF-GRN	7100196395	Green	Gray				●	20/cs
SCCS07SGAF-GRN	7100196394	Green	I/O Gray				●	20/cs
SCCS01SGAF-GRN-F	7100196393	Green	Clear	●			●	20/cs
SCCS02SGAF-GRN-F	7100196397	Green	Gray	●			●	20/cs
SCCS07SGAF-GRN-F	7100196398	Green	I/O Gray	●			●	20/cs
<b>Virtua™ CCS Series</b>								
11796-00000-20	7010340677	Blue	Clear			●		20/cs
11798-00000-20	7010384246	Gray	Gray			●		20/cs
11872-00000-20	7000128259	Blue	Clear	●		●		20/cs
11873-00000-20	7000128260	Gray	Gray	●		●		20/cs
11874-00000-20	7000128261	Blue	I/O Mirror	●		●		20/cs
<b>Virtua™ CCS Series Readers</b>								
VC215AF, +1.5 Diopter	7100046796	Blue	Clear	●		●		20/cs
VC220AF, +2.0 Diopter	7100046672	Blue	Clear	●		●		20/cs
VC225AF, +2.5 Diopter	7100046673	Blue	Clear	●		●		20/cs
<b>Accessory</b>								
VCRG1	7010316613	Virtua™ CCS Replacement Gasket						10/bag


# 3M™ Virtua™ Eye Protection

Economical eye protection with a variety of lens tints and features.



11326-00000-20

Product I.D.	SAP I.D.	Frame Color	Lens Color	Coating			Each/ Case
				AS	AF/AS	SGAF/AS	
<b>Virtua™ Series</b>							
11228-00000-100	7100114652	Clear	Clear				100/cs
11326-00000-100	7100110886	Clear	Clear	●			100/cs
11326-00000-20	7100109223	Clear	Clear	●			20/cs
11327-00000-20	7100114636	Gray	Gray	●			20/cs
11328-00000-20	7100123356	Clear	I/O	●			20/cs
11329-00000-100	7010315357	Clear	Clear		●		100/cs
11329-00000-20	7100112434	Clear	Clear		●		20/cs
11330-00000-20	7010386340	Gray	Gray		●		20/cs
<b>Virtua™ Series Readers</b>							
11513-00000-20, +1.5 Diopter	7000127511	Clear	Clear		●		20/cs
11514-00000-20, +2.0 Diopter	7000127512	Clear	Clear		●		20/cs
11515-00000-20, +2.5 Diopter	7000127513	Clear	Clear		●		20/cs
<b>Virtua™ AP Series</b>							
11815-00000-20	7000030050	Gray	Gray	●			20/cs
11816-00000-20	7000030051	Light Blue	Light Blue	●			20/cs
11817-00000-20	7000030052	Amber	Amber	●			20/cs
11819-00000-20	7000030054	Clear	Clear	●			20/cs
11847-00000-20	7000030055	Mirror	I/O Mirror	●			20/cs
11848-00000-20	7010342193	Gray	Gray		●		20/cs



SF3701SGAF-BLU

## 3M™ Over-The-Glass (OTG) Eye Protection

Protection that fits over most prescription eyewear.

Product I.D.	SAP I.D.	Frame Color	Lens Color	Brow Guard	Coating			Each/Case
					AS	AF/AS	SGAF/AS	
<b>SecureFit™ 3700 Series —</b>								
<b>Over-The-Glass protection designed with self-adjusting temple technology for all-day wearability</b>								
SF3701SGAF-BLU	7100203179	Blue	Clear				●	10/cs
SF3701AS-BLU	7100203180	Blue	Clear		●			10/cs
SF3701SGAF-GRN	7100203194	Green	Clear				●	10/cs
SF3701AS-GRN	7100203193	Green	Clear		●			10/cs
SF3702SGAF-BLU	7100203203	Blue	Gray				●	10/cs
SF3702AS-BLU	7100203175	Blue	Gray		●			10/cs
SF3703SGAF-GRN	7100203192	Green	Amber				●	10/cs
SF3704SGAF-BLU	70071732138	Blue	Blue				●	10/cs
SF3706AS-GRY	70071732161	Gray	Orange		●			10/cs
SF3707SGAF-BLU	7100203165	Blue	I/O Gray				●	10/cs
SF3707AS-BLU	7100203195	Blue	I/O Gray		●			10/cs
SF3717AS-BLK	70071732112	Black	IR 1.7 Gray		●			10/cs
SF3730AS-BLK	70071732120	Black	IR 3.0 Gray		●			10/cs
SF3750AS-BLK	70071732146	Black	IR 5.0 Gray		●			10/cs
SF3701XSGAF-BLU	7100203198	Blue	Clear	●			●	10/cs
SF3701XAS-BLU	7100203197	Blue	Clear	●	●			10/cs
SF3701XSGAF-RED	7100203174	Red	Clear	●			●	
SF3702XSGAF-BLU	7100203196	Blue	Gray	●			●	10/cs
SF3707XSGAF-BLU	7100203190	Blue	I/O Gray	●			●	10/cs
<b>Tour-Guard™ V Series</b>								
TGV01-100	7100086111	Clear	Clear		●			100/cs
TGV01-20	7100089472	Clear	Clear		●			20/cs
<b>OX™</b>								
12163-00000-20	7000042891	Black	Clear				●	20/cs



MXE1014SGAF-GRN

## 3M™ Maxim™ Elite Eye Protection

Performance fused with modern accents and a variety of coating options.

Product I.D.	SAP I.D.	Frame Color	Lens Color	Coating			Each/Case
				AS	AF/AS	SGAF/AS	
<b>Maxim™ Elite 1000 Series</b>							
MXE1001SGAF-BLK	7100222265	Black	Clear			●	20/cs
MXE1002SGAF-BLK	7100222266	Black	Gray			●	20/cs
MXE1007SGAF-BLK	7100222268	Black	I/O Gray			●	20/cs
MXE1008AF-CLR	7100222267	Clear	Blue Mirror		●		20/cs
MXE1029AF-BLK	7100222270	Black	Blue-Violet Mirror		●		20/cs
MXE1013SGAF-BLK	7100222264	Black	Photochromic			●	5/cs
MXE1014SGAF-GRN	7100222271	Olive	Brown Polarized			●	5/cs

# Additional Models

Product I.D.	SAP I.D.	Frame Color	Lens Color	Brow Bar, Side Shields	AF/AS Coating	Each/Case
<b>Nuvo™</b>						
11411-00000-20	7000127497	Gray	Clear	●	●	20/cs
11412-00000-20	7000127498	Gray	Gray	●	●	20/cs
<b>Nuvo™ Readers</b>						
11434-00000-20, +1.5 Diopter	7000052797	Gray	Clear	●	●	20/cs
11435-00000-20, +2.0 Diopter	7000052798	Gray	Clear	●	●	20/cs
11436-00000-20, +2.5 Diopter	7000052799	Gray	Clear	●	●	20/cs
11500-00000-20, +1.5 Diopter	7000127509	Gray	Gray	●	●	20/cs
11501-00000-20, +2.0 Diopter	7000127510	Gray	Gray	●	●	20/cs

Product I.D.	SAP I.D.	Frame Color	Lens Color	AF/AS Coating	Each/Case
<b>BX™</b>					
11380-00000-20	7000052795	Silver/Black	Clear	●	20/cs
11381-00000-20	7000052796	Silver/Black	Gray	●	20/cs
<b>BX™ Readers</b>					
11374-00000-20, +1.5 Diopter	7000127490	Silver/Black	Clear	●	20/cs
11375-00000-20, +2.0 Diopter	7000052794	Silver/Black	Clear	●	20/cs
11376-00000-20, +2.5 Diopter	7000127491	Silver/Black	Clear	●	20/cs
11377-00000-20, +1.5 Diopter	7000127492	Silver/Black	Gray	●	20/cs
11378-00000-20, +2.0 Diopter	7000127493	Silver/Black	Gray	●	20/cs
11379-00000-20, +2.5 Diopter	7000127494	Silver/Black	Gray	●	20/cs
<b>BX™ Dual Readers</b>					
11457-00000-20, +1.5 Diopter	7000127661	Silver	Clear	●	20/cs
11458-00000-20, +2.0 Diopter	7000127662	Silver	Clear	●	20/cs
11459-00000-20, +2.5 Diopter	7000127663	Silver	Clear	●	20/cs

# 3M™ Goggles

3M™ Safety Goggles

Product I.D.	SAP I.D.	Frame Color	Lens Color	Splash/ Dust Rating	D3/ D4 rated	D5 rated	Coating				Each/ Case
							U	AS	AF/ AS	SGAF/ AS	
<b>GoggleGear™ 2890 Series</b>											
GG2891-SGAF	7010386529	Gray	Clear		●					●	10/cs
GG2891S-SGAF	7010302104	Gray	Clear		●	●				●	10/cs
GG2892-SGAF	7010386491	Gray	Gray		●					●	10/cs
<b>GoggleGear™ 500 Series</b>											
GG501SGAF	7100079187	Gray/ Red	Clear		●					●	10/cs
GG501NSGAF	7100112956	Gray/ Red	Clear	●	●					●	10/cs
GG502SGAF	7100168468	Gray/ Red	Gray		●					●	10/cs
<b>Accessories</b>											
GG500-PI	7100084923	GoggleGear™ 500 Series Prescription Insert									10/cs
GG500-NeoStrap	7010316627	GoggleGear™ 500 Series Replacement Neoprene Strap									10/cs
GG500-ClothStrap	7010341344	GoggleGear™ 500 Series Replacement Cloth Strap									10/cs
<b>GoggleGear™ 6000 Series</b>											
GG6001SGAF-BLK	7100191924	Black	Clear		●					●	10/cs
GG6001SGAF-GRN	7100191925	Green	Clear		●					●	10/cs
GG6001SGAF-RED	7100191926	Red	Clear		●					●	10/cs
GG6002SGAF-BLK	7100191930	Black	Gray		●					●	10/cs
GG6001AF-GRY	7100191929	Gray	Clear		●			●			10/cs
GG6001NSGAF-BLU	7100191928	Blue	Clear	●	●					●	10/cs
<b>Accessory</b>											
GG6001SGAF-LENS	7100191927	GoggleGear™ 6000 Series SGAF/AS Clear Replacement Lens									30/cs

Product I.D.	SAP I.D.	Frame Color	Lens Color	D3/ D4 rated	Coating				Each/ Case
					U	AS	AF/ AS	SGAF/ AS	
<b>Centurion™</b>									
40300-00000-10	7000127564	Clear	Clear		●				10/cs
40301-00000-10	7100009575	Clear	Clear				●		10/cs
40304-00000-10	7000127565	Clear	Clear	●	●				10/cs
40305-00000-10	7000002377	Clear	Clear	●			●		10/cs
<b>332</b>									
40650-00000-10	7010340634	Clear	Clear		●				10/cs
40651-00000-10	7000030007	Clear	Clear				●		10/cs
<b>334</b>									
40660-00000-10	7000052836	Clear	Clear	●	●				10/cs
40661-00000-10	7000002378	Clear	Clear	●			●		10/cs
<b>Modul-R™ — Impact visor attachment</b>									
40658-00000-10	7000030008	Clear	Clear				●		10/cs



GG6001SGAF-GRN

**KEY** U: Uncoated, AS: Anti-Scratch, AF/AS: Anti-Fog/Anti-Scratch, SGAF/AS: Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch Lens

Product I.D.	SAP I.D.	Frame Color	Lens Color	Kit		Coating			Each/Case	
				Strap	D3/D4 rated	AS	AF/AS	SGAF/AS		
<b>Solus™ 1000 TPE — Flexible seal that adapts to wearer's face contours, D3- D4-rated</b>										
S1201SGAF-TSKT	7100233038	Clear/Green/Black	Clear	●	●			●	20/cs	
S1202SGAF-TSKT	7100232887	Clear/Green/Black	Gray	●	●			●	20/cs	
S1207SGAF-TSKT	7100232856	Clear/Green/Black	I/O Gray	●	●			●	20/cs	
<b>Accessories</b>										
Solus-Strap	7100234544	Solus™ Replacement Strap								10/bag
Solus-Foam	7100235154	Solus™ Replacement Foam Gasket								10/bag
S1000-CASE	7100235153	Solus™ Carrying Case								10/box



Personal Safety Division, 3M Center, Building 235-2W-70, St. Paul, MN 55144-1000 U.S.A.  
 Technical Assistance 1-800-243-4630, Customer Service 1-800-328-1667  
 3M.com/ProtectiveEyewear

**WARNING:** These eye or face protection products help provide limited eye and face protection. Misuse or failure to follow warning and instruction may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warning on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414. **3M PSD products are for occupational use only.**

© 3M 2021. All rights reserved. 3M, BX, Centurion, GoggleGear, Maxim, Modul-R, Nuvo, OX, Scotchgard, SecureFit, Solus, Tour-Guard and Virtua are trademarks of 3M. Please recycle.  
 Printed in U.S.A.