

## RAD-SOL-PAN-12- 50


Order No.: 2885456



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2885456>

Solar module, designed for use in the solar set RAD-SOL-SET-24-100.  
Two modules are necessary to operate the solar set.

### Commercial data

GTIN (EAN)	
Note	Made-to-order
sales group	H178
Pack	2 pcs.
Customs tariff	85414090
Catalog page information	Page 649 (IF-2009)

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data


#### Solar panel

Voltage	Typ. 17.9 V DC (voltage at maximum output)
Short-circuit current	max. 3.07 A
Nominal capacity	50 Wp +10 (- 5 %)
Current	2.8 A (Current at maximum output)
Width	706 mm
Height	744 mm
Depth	36 mm

**Diagrams/Drawings**

Diagram

---



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;