

# JUUUUUUU

Reducing sleeve, Width: 61 mm, Pitch size: 6.1 mm, Colour: Black

#### **RAL:** 9005

#### **Business data**

Article number	3755.4
Article name	ZRH 4/0,75-1,0 BK
GTIN (EAN)	4044211060640
Packaging unit	1000
Quantity unit	PC
Weight per piece (not including packaging)	2 g
Weight per piece (including packaging)	2.1 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	Reducing sleeve
Colour	Black



### **Technical data**

Dimensions	
Length	5.8 mm
Width	61 mm
Height	9.5 mm
Pitch size	6.1 mm
Connection data	
Wire cross-section, min.	0.75 mm <sup>2</sup>
Wire cross-section, max.	1 mm <sup>2</sup>
Materials	
Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

*<b>ZCONTACLIP* 

#### Accessories

#### ##INVERSE##CONTA-CONNECT

	h terminal, Tension-spring conn cross-section: 4 mm², Width: 6.1		ng rail TS
Article number	Article name	GTIN (EAN)	Packaging unit
3526.2	ZSL 4/3A GNYE	4044211151805	100 ST
	h terminal, Tension-spring conn cross-section: 4 mm², Width: 6.1	0,11	ng rail TS
Article number	Article name	GTIN (EAN)	Packaging unit
3525.2	ZSL 4/2A GNYE	4044211151799	100 ST
	h terminal, Tension-spring conn cross-section: 4 mm², Width: 6.1		ng rail TS
Article number	Article name	GTIN (EAN)	Packaging unit
3527.2	ZSL 4/4A GNYE	4044211151812	100 ST
•	earth terminal ATEX-certified Te S 35/7.5, Rated cross-section: 4		••••
Article number	Article name	GTIN (EAN)	Packaging unit
1723.2	ZSL 4/3A Ex GNYE	4044211058708	100 ST
	earth terminal ATEX-certified Te S 35/7.5, Rated cross-section: 4	1 0	0 71
Article number	Article name	GTIN (EAN)	Packaging unit
1724.2	ZSL 4/4A Ex GNYE	4044211058715	100 ST
Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm <sup>2</sup> , Width: 6.1 mm, Colour: Green- yellow			
Article number	Article name	GTIN (EAN)	Packaging

Article number	Article name	GTIN (EAN)	Packaging unit
1722.2	ZSL 4/2A Ex GNYE	4044211058692	100 ST



#### ##INVERSE##CONTA-CONNECT

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm <sup>2</sup> , Width: 6.1 mm, Colour: Beige				
Article number	Article name	GTIN (EAN)	Packaging unit	
<u>3518.2</u>	ZRK 4/2x2A BG	4044211058661	100	
•	Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm <sup>2</sup> , Width: 6.1 mm, Colour: Beige			
Article number	Article name	GTIN (EAN)	Packaging unit	
3515.2	ZRK 4/2A BG	4044211151751	100	
Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting ty Mounting rail TS 35/7.5, Rated cross-section: 4 mm <sup>2</sup> , Width: 6.1 mm, Colour: Be				
			Packaging	
Article number	Article name	GTIN (EAN)	unit	
Article number	Article name ZRK 4/2A Ex BG	GTIN (EAN) 4044211058579		
<u>1716.2</u> Ex feed-throug	ZRK 4/2A Ex BG h terminal ATEX-certified, Te		unit 100 Inting type: bur: Beige	
<u>1716.2</u> Ex feed-throug	ZRK 4/2A Ex BG h terminal ATEX-certified, Te	4044211058579 ension-spring connection, Mou	unit 100 Inting type:	
1716.2 Ex feed-throug Mounting rail T	ZRK 4/2A Ex BG terminal ATEX-certified, Te S 35/7.5, Rated cross-sectio	4044211058579 ension-spring connection, Mou n: 4 mm², Width: 6.1 mm, Colo	unit 100 Inting type: Dur: Beige Packaging	
1716.2 Ex feed-throug Mounting rail T Article number 1717.2 Feed-through	ZRK 4/2A Ex BG th terminal ATEX-certified, Te S 35/7.5, Rated cross-section Article name ZRK 4/3A Ex BG	4044211058579 ension-spring connection, Mou on: 4 mm², Width: 6.1 mm, Colo GTIN (EAN) 4044211058609 nection, Mounting type: Mount	unit 100 Inting type: Dur: Beige Packaging unit 100	
1716.2 Ex feed-throug Mounting rail T Article number 1717.2 Feed-through	ZRK 4/2A Ex BG the terminal ATEX-certified, Te S 35/7.5, Rated cross-section Article name ZRK 4/3A Ex BG terminal, Tension-spring contribution	4044211058579 ension-spring connection, Mou on: 4 mm², Width: 6.1 mm, Colo GTIN (EAN) 4044211058609 nection, Mounting type: Mount	unit 100 Inting type: Dur: Beige Packaging unit 100	
1716.2 Ex feed-throug Mounting rail T Article number 1717.2 Feed-through 35/7.5, Rated	ZRK 4/2A Ex BG th terminal ATEX-certified, Te S 35/7.5, Rated cross-section Article name ZRK 4/3A Ex BG terminal, Tension-spring cont cross-section: 4 mm <sup>2</sup> , Width:	4044211058579 ension-spring connection, Mou n: 4 mm², Width: 6.1 mm, Colo GTIN (EAN) 4044211058609 nection, Mounting type: Mount 6.1 mm, Colour: Beige	unit 100 Inting type: Dur: Beige Packaging unit 100 ing rail TS Packaging	
1716.2Ex feed-throug Mounting rail TArticle number1717.2Feed-through 35/7.5, RatedArticle number35/6.2Ex feed-through Ex feed-through	ZRK 4/2A Ex BG terminal ATEX-certified, Te S 35/7.5, Rated cross-section Article name ZRK 4/3A Ex BG terminal, Tension-spring cont cross-section: 4 mm <sup>2</sup> , Width: Article name ZRK 4/3A BG gh terminal ATEX-certified, Te	4044211058579 ension-spring connection, Mou on: 4 mm², Width: 6.1 mm, Colo GTIN (EAN) 4044211058609 nection, Mounting type: Mount 6.1 mm, Colour: Beige GTIN (EAN)	unit 100 Inting type: Dur: Beige Packaging unit 100 ing rail TS Packaging unit 100	
1716.2Ex feed-throug Mounting rail TArticle number1717.2Feed-through 35/7.5, RatedArticle number35/6.2Ex feed-through Ex feed-through	ZRK 4/2A Ex BG terminal ATEX-certified, Te S 35/7.5, Rated cross-section Article name ZRK 4/3A Ex BG terminal, Tension-spring cont cross-section: 4 mm <sup>2</sup> , Width: Article name ZRK 4/3A BG gh terminal ATEX-certified, Te	4044211058579 ension-spring connection, Mou in: 4 mm², Width: 6.1 mm, Colo GTIN (EAN) 4044211058609 nection, Mounting type: Mount 6.1 mm, Colour: Beige GTIN (EAN) 4044211151775 ension-spring connection, Mou	unit 100 Inting type: Dur: Beige Packaging unit 100 ing rail TS Packaging unit 100	



#### ##INVERSE##CONTA-CONNECT

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3517.2	ZRK 4/4A BG	4044211151782	100

Creation date 10.12.2022 05:46:12