



Insulated cross-connector, No. of poles: 3, Mounting type: Plug in, Width: 14.2 mm, Rated cross-section: 2.5 mm², Colour: Blue

RAL: Ähnlich 5005

Business data

<u>3711.5</u>
ZQI 2,5/3 BU
4044211108489
50
PC
1.68 g
1.7 g
G
85389099
CZ
3711.8
Insulated cross-connector



Technical data

Dimensions	
Length	4.5 mm
Width	14.2 mm
Pitch size	5 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	800 V
Rated current	24 A
Rated cross-section	2.5 mm ²
Contamination degree	3
Connection data	
No. of poles	3
Materials	
Material	Copper alloy
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	3
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Media





Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige





Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3574.2	ZRKD 2,5/D5 BG	4044211059187	100 ST



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	3645.2	ZRKD 2,5/LED(RD)/230V AC BG	4044211146733	100 ST
		erminal with electronic components, g rail TS 35/7.5, Rated cross-sectior		-
	Article number	Article name	GTIN (EAN)	Packaging unit
	3570.2	ZRKD 2,5/D1 BG	4044211059149	100
		erminal with electronic components, g rail TS 35/7.5, Rated cross-sectior		
	Article number	Article name	GTIN (EAN)	Packaging unit
	0574.0		4044044050450	
	3571.2	ZRKD 2,5/D2 BG	4044211059156	100
	Feed-through	terminal, Tension-spring connectior m ² , Width: 5.1 mm, Colour: Beige		
)	Feed-through	terminal, Tension-spring connectior		
)()	Feed-through section: 2.5 m	terminal, Tension-spring connectior m², Width: 5.1 mm, Colour: Beige	n, Mounting type: Plug in	n, Rated cross Packaging
	Feed-through section: 2.5 m Article number <u>17481.2</u> Feed-through	terminal, Tension-spring connection m², Width: 5.1 mm, Colour: Beige Article name	n, Mounting type: Plug in GTIN (EAN) 4044211205201	n, Rated cross Packaging unit 50 ST
)0	Feed-through section: 2.5 m Article number <u>17481.2</u> Feed-through	terminal, Tension-spring connectior m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1/1A/Q BG terminal, Tension-spring connectior	n, Mounting type: Plug in GTIN (EAN) 4044211205201	n, Rated cross Packaging unit 50 ST
)()	Feed-through section: 2.5 m Article number <u>17481.2</u> Feed-through section: 2.5 m	terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1/1A/Q BG terminal, Tension-spring connection m ² , Width: 66.3 mm, Colour: Beige	n, Mounting type: Plug in GTIN (EAN) 4044211205201 n, Mounting type: Plug in	n, Rated cross Packaging unit 50 ST n, Rated cross Packaging
	Feed-through section: 2.5 m Article number <u>17481.2</u> Feed-through section: 2.5 m Article number <u>17493.2</u> Feed-through	terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1/1A/Q BG terminal, Tension-spring connection m ² , Width: 66.3 mm, Colour: Beige Article name	n, Mounting type: Plug in GTIN (EAN) 4044211205201 n, Mounting type: Plug in GTIN (EAN) 4044211205324	n, Rated cross Packaging unit 50 ST n, Rated cross Packaging unit 10 ST
)	Feed-through section: 2.5 m Article number <u>17481.2</u> Feed-through section: 2.5 m Article number <u>17493.2</u> Feed-through	terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1/1A/Q BG terminal, Tension-spring connection m ² , Width: 66.3 mm, Colour: Beige Article name ZST 2,5/13/1A/Q BG terminal, Tension-spring connection	n, Mounting type: Plug in GTIN (EAN) 4044211205201 n, Mounting type: Plug in GTIN (EAN) 4044211205324	n, Rated cross Packaging unit 50 ST n, Rated cross Packaging unit 10 ST



	Article number	Article name	GTIN (EAN)	Packaging
	3653.2	ZRKS 2,5/2A/2S BG	4044211177683	unit 100
	0	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	0,11	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100
	Width: 5.1 mm	terminal, Plug-in connection, M , Colour: Beige		TS 35/7.5, Packaging
	Article number	Article name	GTIN (EAN)	unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100
®	•	terminal, Tension-spring conne m², Width: 25.5 mm, Colour: Be	• • • • •	i, Raleu cioss
c 71 US	Article number	Article name	GTIN (EAN)	Packaging unit
c 711 us	Article number	Article name ZST 2,5/5/1A/Q BG	GTIN (EAN) 4044211205249	
c 743 us	17485.2 Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m², Width: 56.1 mm, Colour: Be	4044211205249 ection, Mounting type: Plug in eige	50 ST
c 71 us	17485.2 Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne	4044211205249 ection, Mounting type: Plug ir	unit 50 ST
c 744 us	17485.2 Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m², Width: 56.1 mm, Colour: Be	4044211205249 ection, Mounting type: Plug in eige	unit 50 ST n, Rated cross Packaging
c 744 us	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m², Width: 56.1 mm, Colour: Be Article name	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in	unit 50 ST n, Rated cross Packaging unit 10 ST
c 743 us	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring conne	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in	unit 50 ST n, Rated cross Packaging unit 10 ST
c 744 us	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring conne m ² , Width: 76.5 mm, Colour: Be	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in eige	unit 50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging
c 743 us	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 mArticle number17495.2Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conner m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring conner m ² , Width: 76.5 mm, Colour: Be Article name	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205348	unit 50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 10 ST
	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 mArticle number17495.2Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conner m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring conner m ² , Width: 76.5 mm, Colour: Be Article name ZST 2,5/15/1A/Q BG terminal, Tension-spring conner	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205348	unit 50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 10 ST



##INVERSE##CONTA-CONNECT

	•	terminal, Tension-spring conne cross-section: 2.5 mm ² , Width:	••••	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100
	•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	••••	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100
B _®	•	terminal, Tension-spring conne m², Width: 45.9 mm, Colour: Be	••••••	n, Rated cross-
CUS	Article number	Article name	GTIN (EAN)	Packaging unit
0 - 03	17489.2	ZST 2,5/9/1A/Q BG	4044211205287	25 ST
(R)	•	m², Width: 51 mm, Colour: Beig	ection, Mounting type: Plug ir ge	I, Raleu cross-
	section: 2.5 m	m², Width: 51 mm, Colour: Beig Article name	ge GTIN (EAN)	Packaging unit
c FL ® us	section: 2.5 m	m², Width: 51 mm, Colour: Beig	ge	Packaging
c SUS US	section: 2.5 m Article number <u>17490.2</u> Feed-through	m², Width: 51 mm, Colour: Beig Article name	ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir	Packaging unit 25 ST
c SS us	section: 2.5 m Article number <u>17490.2</u> Feed-through	m², Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne	ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir	Packaging unit 25 ST
c SS us	section: 2.5 m Article number <u>17490.2</u> Feed-through section: 2.5 m	m², Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m², Width: 5.1 mm, Colour: Bei	ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir ige	Packaging unit 25 ST h, Rated cross- Packaging
	section: 2.5 m Article number <u>17490.2</u> Feed-through section: 2.5 m Article number <u>3673.2</u> Feed-through	m ² , Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m ² , Width: 5.1 mm, Colour: Bei Article name	ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug in ige GTIN (EAN) 4044211177843 ection, Mounting type: Plug in	Packaging unit 25 ST a, Rated cross- Packaging unit 100
c SAS® us Generations	section: 2.5 m Article number <u>17490.2</u> Feed-through section: 2.5 m Article number <u>3673.2</u> Feed-through	m ² , Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m ² , Width: 5.1 mm, Colour: Bei Article name ZST 2,5/1A/Q/Z BG terminal, Tension-spring conne	ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug in ige GTIN (EAN) 4044211177843 ection, Mounting type: Plug in	Packaging unit 25 ST a, Rated cross- Packaging unit 100
	section: 2.5 m Article number <u>17490.2</u> Feed-through section: 2.5 m Article number <u>3673.2</u> Feed-through section: 2.5 m	m ² , Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m ² , Width: 5.1 mm, Colour: Bei Article name ZST 2,5/1A/Q/Z BG terminal, Tension-spring conne m ² , Width: 20.4 mm, Colour: Bei	ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug in ige GTIN (EAN) 4044211177843 ection, Mounting type: Plug in eige	Packaging unit 25 ST a, Rated cross- Packaging unit 100 a, Rated cross- Packaging
	section: 2.5 m Article number <u>17490.2</u> Feed-through section: 2.5 m Article number <u>3673.2</u> Feed-through section: 2.5 m Article number <u>17484.2</u> Feed-through	m ² , Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m ² , Width: 5.1 mm, Colour: Bei Article name ZST 2,5/1A/Q/Z BG terminal, Tension-spring conne m ² , Width: 20.4 mm, Colour: Bei Article name	GTIN (EAN) 4044211205294 ection, Mounting type: Plug in ige GTIN (EAN) 4044211177843 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205232 ection, Mounting type: Plug in	Packaging unit 25 ST a, Rated cross- Packaging unit 100 a, Rated cross- Packaging unit 50 ST

17487.2

ZST 2,5/7/1A/Q BG

4044211205263

25 ST



##INVERSE##CONTA-CONNECT

, nimu taku taku taku taku taku taku taku tak	•	terminal, Plug-in connection, Mountir , Colour: Beige	ng type: Mounting rail ⊺	rs 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3654.2	ZRKS 2,5/4S BG	4044211177690	100
	•	terminal, Tension-spring connection, m², Width: 10.2 mm, Colour: Beige	Mounting type: Plug ir	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
	17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST
	•	terminal, Tension-spring connection, m², Width: 15.3 mm, Colour: Beige	Mounting type: Plug ir	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
	17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST
)	•	terminal, Tension-spring connection, m², Width: 40.8 mm, Colour: Beige Article name	Mounting type: Plug ir GTIN (EAN)	Packaging
	17488.2	ZST 2,5/8/1A/Q BG	4044211205270	unit 25 ST
)	Feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name		25 ST
)	Feed-through section: 2.5 m	terminal, Tension-spring connection, m², Width: 61.2 mm, Colour: Beige	Mounting type: Plug ir	25 ST n, Rated cross- Packaging
)	Feed-through section: 2.5 mi Article number <u>17492.2</u> Feed-through	terminal, Tension-spring connection, m², Width: 61.2 mm, Colour: Beige Article name	Mounting type: Plug in GTIN (EAN) 4044211205317	25 ST n, Rated cross- Packaging unit 10 ST
)	Feed-through section: 2.5 mi Article number <u>17492.2</u> Feed-through	terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection,	Mounting type: Plug in GTIN (EAN) 4044211205317	25 ST n, Rated cross- Packaging unit 10 ST
	Feed-through section: 2.5 m Article number <u>17492.2</u> Feed-through section: 2.5 m	terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m ² , Width: 5.1 mm, Colour: Beige	Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in	25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging
	Feed-through i section: 2.5 mi Article number <u>17492.2</u> Feed-through i section: 2.5 mi Article number <u>3672.2</u> Feed-through i	terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m ² , Width: 5.1 mm, Colour: Beige Article name	Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in GTIN (EAN) 4044211177836	25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging unit 100

17486.2

ZST 2,5/6/1A/Q BG

4044211205256

25 ST



		gh terminal for direct mount, ATEX-ce : Mounting surface, Rated cross-secti		
a under	Article number	Article name	GTIN (EAN)	Packaging unit
	1729.2	ZSRK 2,5/2A-D Ex BG	4044211129699	100 ST
	•	terminal for direct mount, Tension-spi ace, Rated cross-section: 2.5 mm², W	•	0 71
	Article number	Article name	GTIN (EAN)	Packaging unit
	3588.2	ZSRK 2,5/2A-D BG	4044211151966	100
	•	terminal for direct mount, Tension-spi ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST
	•	terminal for direct mount, Tension-spi ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3639.2	ZSLN 2,5/2A-RC BKYE	4044211080556	100 ST
	•	terminal for direct mount, Tension-spi ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3640.2	ZSLN 2,5/2A-D/F BKYE	4044211080563	50 ST
	•	terminal for direct mount, Tension-spi ace, Rated cross-section: 2.5 mm ² , W	0	0,1
	Article number	Article name	GTIN (EAN)	Packaging unit
	3587.2	ZSRK 2,5/2A-RC BG	4044211151942	100



Article number	Article name	GTIN (EAN)	Packaging
3595.2	ZSRK 2,5/2A/D/F BG	4044211059545	unit 50
	ect terminal, Tension-spring co cross-section: 2.5 mm², Width:	••••	unting rail TS
Article number	Article name	GTIN (EAN)	Packaging unit
3616.2	ZTRK 2,5/2A/ZS BG	4044211059804	100
35/7.5, Rated	ect terminal, Tension-spring concrete terminal, Tension-spring concrete terminal, Concrete terminal, Width:	5.1 mm, Colour: Beige	unting rail TS Packaging
Article number	Article name	GTIN (EAN)	unit
0004 0		4044044050050	100
3621.2	ZTRK 2,5/3A/ZS BG	4044211059859	100
Fuse-disconne	ect terminal, Tension-spring concross-section: 2.5 mm ² , Width: Article name	nnection, Mounting type: Mo	unting rail TS
Fuse-disconne 35/7.5, Rated	ect terminal, Tension-spring co cross-section: 2.5 mm², Width:	nnection, Mounting type: Mo 5.1 mm, Colour: Beige	unting rail TS Packaging
Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla 35/7.5, Rated	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 Donnection, Mounting type: Mo 5.1 mm, Colour: Beige	unting rail TS Packaging unit 100 punting rail TS
Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903	unting rail TS Packaging unit 100
Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla 35/7.5, Rated	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 Donnection, Mounting type: Mo 5.1 mm, Colour: Beige	unting rail TS Packaging unit 100 Dunting rail TS Packaging
Fuse-disconne 35/7.5, Rated Article number 3626.2 Disconnect-bla 35/7.5, Rated Article number 3605.2 Basic terminal	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 onnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059699	unting rail TS Packaging unit 100 Dunting rail TS Packaging unit 100
Fuse-disconne 35/7.5, Rated Article number 3626.2 Disconnect-bla 35/7.5, Rated Article number 3605.2 Basic terminal	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/MT BG , Tension-spring connection, M	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 onnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059699	unting rail TS Packaging unit 100 Dunting rail TS Packaging unit 100











##INVERSE##CONTA-CONNECT

10.0	Ex double-level terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
	Article number	Article name	GTIN (EAN)	Packaging unit	
	1707.2	ZRKD 2,5 Ex BG	4044211110949	100	
		erminal, Tension-spring connection cross-section: 2.5 mm², Width: 5.1	• • • •	ng rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3562.2	ZRKD 2,5 BG	4044211151836	100	
10 K		erminal, Tension-spring connection cross-section: 2.5 mm², Width: 5.1	• • • •	ng rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3563.2	ZRKD 2,5/SV BG	4044211059064	100	
	Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige				
-0-6-		cross-section: 2.5 mm ² , Width: 5.1	mm, Colour: Beige		
		cross-section: 2.5 mm ² , Width: 5.1 Article name	mm, Colour: Beige GTIN (EAN)	Packaging unit	
	35/7.5, Rated			Packaging	
	35/7.5, Rated Article number <u>3565.2</u> Double-level te	Article name	GTIN (EAN) 4044211059095	Packaging unit 100 ST	
	35/7.5, Rated Article number <u>3565.2</u> Double-level te	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connection	GTIN (EAN) 4044211059095	Packaging unit 100 ST	
	35/7.5, Rated Article number <u>3565.2</u> Double-level te 35/7.5, Rated	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.1	GTIN (EAN) 4044211059095 , Mounting type: Mountin mm, Colour: Beige	Packaging unit 100 ST ng rail TS Packaging	
	35/7.5, Rated of Article number <u>3565.2</u> Double-level te 35/7.5, Rated of Article number <u>3576.2</u> Double-level te	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.1 Article name	GTIN (EAN) 4044211059095 Mounting type: Mountin mm, Colour: Beige GTIN (EAN) 4044211059217	Packaging unit 100 ST ng rail TS Packaging unit 100	
	35/7.5, Rated of Article number <u>3565.2</u> Double-level te 35/7.5, Rated of Article number <u>3576.2</u> Double-level te	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connection cross-section: 2.5 mm², Width: 5.1 Article name ZRKD 2,5/SV/ZBA BG erminal, Tension-spring connection	GTIN (EAN) 4044211059095 Mounting type: Mountin mm, Colour: Beige GTIN (EAN) 4044211059217	Packaging unit 100 ST ng rail TS Packaging unit 100	

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3578.2	ZRKD 2,5/DU/PE/ZBA	4044211059248	100 ST



	Article number	Article name	GTIN (EAN)	Packaging unit
	3579.2	ZRKD 2,5/N/PE/ZBA	4044211059255	100 ST
		gh terminal ATEX-certified, Ten IS 35/7.5, Rated cross-section:		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	1704.2	ZRK 2,5/2A Ex BG	4044211058401	100
	0	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	0,11	C C
	Article number	Article name	GTIN (EAN)	Packaging unit
		ZRK 2,5/3A BG terminal, Tension-spring conne cross-section: 2.5 mm², Width:		100 ing rail TS
EAC	Feed-through	terminal, Tension-spring conne	ction, Mounting type: Mount	ing rail TS
EHC	Feed-through 35/7.5, Rated	terminal, Tension-spring conne cross-section: 2.5 mm ² , Width:	ction, Mounting type: Mount 5.1 mm, Colour: Beige	ing rail TS Packaging
IHB	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou	ing rail TS Packaging unit 100 Inting type:
EAC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou	ing rail TS Packaging unit 100 Inting type: olour: Beige
EHC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section:	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging
ERIC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail T Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type:
EAC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail T Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name ZSRK 2,5/2A/15 Ex BG	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type:

Article number	Article name	GTIN (EAN)	Packaging unit
1705.2	ZRK 2,5/3A Ex BG	4044211110925	100



##INVERSE##CONTA-CONNECT

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige					
Article number	Article name	GTIN (EAN)	Packaging unit		
3500.2	ZRK 2,5/2A BG	4044211151683	100		
•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	C 1	ing rail TS		
Article number	Article name	GTIN (EAN)	Packaging unit		
3583.2	ZSRK 2,5/2A BG	4044211151874	100		
15/5.5, Rated	Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
Article number	Article name	GTIN (EAN)	Packaging unit		
Article number	Article name ZSRK 2,5/2A/15 BG	GTIN (EAN) 4044211151904			
<u>3585.2</u> Ex feed-throug		4044211151904 sion-spring connection, Mou	unit 100 Inting type:		
<u>3585.2</u> Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten	4044211151904 sion-spring connection, Mou	unit 100 Inting type:		
3585.2 Ex feed-throug Mounting rail	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten IS 35/7.5, Rated cross-section:	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	unit 100 Inting type: olour: Beige Packaging		
3585.2 Ex feed-throug Mounting rail Article number 1703.2 Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou	unit 100 Inting type: olour: Beige Packaging unit 100		
3585.2 Ex feed-throug Mounting rail Article number 1703.2 Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou	unit 100 Inting type: olour: Beige Packaging unit 100		
3585.2 Ex feed-throug Mounting rail • Article number 1703.2 Ex feed-throug Mounting rail •	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section:	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging		
3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T Article number 1706.2 Feed-through	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211058463 ction, Mounting type: Mount	unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100		
3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T Article number 1706.2 Feed-through	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZRK 2,5/4A Ex BG terminal, Tension-spring conne	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211058463 ction, Mounting type: Mount	unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100		

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1701.2	ZSRK 2,5/3A/15 Ex BG	4044211059590	100



##INVERSE##CONTA-CONNECT



35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3600.2	ZSRK 2,5/3A BG	4044211152031	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100



	Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour:Beige				
Article number	Article name	GTIN (EAN)	Packaging unit		
3572.2	ZRKD 2,5/D3 BG	4044211059163	100		