



- NOTES:
1. MATERIAL: SEE TABLE
  2. FINISHES: SEE TABLE
  3. PRODUCT SPECIFICATION: NOT REQUIRED
  4. PACKAGING: NOT REQUIRED
  5. MATES WITH: NONE
  6. "XX" REFERS TO THE QUANTITY OF CIRCUITS.



AUX. VIEW  
SCALE 1:1  
9 CIRCUIT SHOWN

NO. OF CIRCUITS "XX"	DIM. "B"	MATERIAL NO.
06	5.08 (.200)	39880-0806
09	10.16 (1.400)	39880-0809
12	15.24 (1.600)	39880-0812
15	20.32 (1.800)	39880-0815
18	25.40 (1.000)	39880-0818
21	30.48 (1.200)	39880-0821
24	35.56 (1.400)	39880-0824
27	40.64 (1.600)	39880-0827
30	45.72 (1.800)	39880-0830
33	50.80 (2.000)	39880-0833
36	55.88 (2.200)	39880-0836
39	60.96 (2.400)	39880-0839
42	66.04 (2.600)	39880-0842
45	71.12 (2.800)	39880-0845
48	76.20 (3.000)	39880-0848
51	81.28 (3.200)	39880-0851
54	86.36 (3.400)	39880-0854
57	91.44 (3.600)	39880-0857
60	96.52 (3.800)	39880-0860
63	101.60 (4.000)	39880-0863
66	106.68 (4.200)	39880-0866
69	111.76 (4.400)	39880-0869
72	116.84 (4.600)	39880-0872

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
4	XX	SCREW, M3	BRONZE	NICKEL PLATE
3	XX	RIISING CAGE CLAMP	BRASS	NICKEL PLATE
2	XX	TERMINAL	COPPER ALLOY	TIN PLATE
1	1	INSULATOR, THREE LEVEL	POLYAMIDE	BLACK

EC NO. RELEASED DRAWN: CLY CH: K1 APPR:	DESCRIPTION MAJOR CRITICAL SPC S	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE 2:1	DESIGN UNITS <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH	THIRD ANGLE PROJECTION	PROJECT NO. - DIMENSIONS:	SHT REV
		4 PLACES ±.0015 3 PLACES ±.038 ±.005 2 PLACES ±.13 ±.01 1 PLACE ±.3	mm INCH ±.0015 ±.005 ±.13 ±.01 ±.3	DRAWN BY & DATE C. YORK 11-29-04	CHECKED BY & DATE	APPROVED BY & DATE	TITLE: 5.08mm (.200") LOW PROFILE, THREE LEVEL TERM. BLOCK	MOLEX INCORPORATED
A	REV	ANGULAR: ±2°	CAD FILENAME 8831XX	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	SHEET NO. 1 OF 1	SIZE B	