

Data sheet

3813.2 ZBA 3 BG



Label holder, Pitch size: 5.1 mm, Colour: beige

Business data

| | |
|--|---------------|
| Article number | 3813.2 |
| Article name | ZBA 3 BG |
| GTIN (EAN) | 4044211080747 |
| Packaging unit | 50 |
| Quantity unit | PC |
| Number of markers per row | 3 ST |
| Weight per piece (not including packaging) | 0.8 g |
| Weight per piece (including packaging) | 0.85 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Product description | Label holder |
| Colour | Beige |

Data sheet

3813.2 ZBA 3 BG

Technical data

Dimensions

| | |
|------------|--------|
| Pitch size | 5.1 mm |
|------------|--------|

Materials

| | |
|----------|---------------|
| Material | Polyamide 6.6 |
|----------|---------------|

| | |
|--------------------------|-----|
| Flammability class UL 94 | V-2 |
|--------------------------|-----|

| | |
|---------------------------|--------|
| Working temperature, min. | -40 °C |
|---------------------------|--------|

| | |
|---------------------------|--------|
| Working temperature, max. | 105 °C |
|---------------------------|--------|

| | |
|--------------|---|
| Halogen-free | ✓ |
|--------------|---|

Environmental Product Compliance

| | |
|---------------|-----|
| REACH Conform | yes |
|---------------|-----|

| | |
|----------------------|------------|
| REACH Reference date | 2022-06-10 |
|----------------------|------------|

| | |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

| | |
|--------------|-----|
| RoHS Conform | yes |
|--------------|-----|

Media

Accessories


Markers



Terminal marker / Pocket Maxicard, Length: 5 mm, Width: 5 mm, Colour: White


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>4600.7</u> | PMC SB 5/50 WH | 4044211088903 | 500 ST |

##INVERSE##CONTA-CONNECT



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3590.2</u> | ZIKD 2,5 BG | 4044211059460 | 50 |




Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>3592.2</u> | ZIKD 2,5/PE/L/L BG | 4044211059507 | 50 |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Green-yellow


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>3593.2</u> | ZIKD 2,5/SV/PE GNYE | 4044211059521 | 50 ST |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>3594.2</u> | ZIKD 2,5/PE/L/N BG | 4044211059538 | 50 ST |

##INVERSE##CONTA-CONNECT




Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour:Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17037.2</u> | ZIKD 2,5/L-L-N BG | 4044211155742 | 50 ST |



Motor-connection terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3582.2</u> | ZVMAK 2,5 BG | 4044211059309 | 50 |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3591.2</u> | ZIKD 2,5/SV BG | 4044211059484 | 50 |



Motor-connection terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>3646.2</u> | ZVMAK 2,5 N/L/L/PE BG | 4044211171322 | 50 ST |

##INVERSE##CONTA-CONNECT



Motor-connection terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3582.2</u> | ZVMAK 2,5 BG | 4044211059309 | 50 |