



# **Product Description**

Surveillance, CCTV, RG-6, 18 AWG solid bare copper, foam PE core, 92% bare copper braid, PVC jacket, CMG

## **Technical Specifications**

## Product Overview

Suitable Applications:	Surveillance, CCTV Camera		
Construction Details			
RG Type:	6		
Conductor			
Size Stranding Nom. D	iameter Material		
18 AWG Solid 0.040 in	BC - Bare Copper		
Insulation			
Material No	m. Insulation Diameter		
PE - Polyethylene (Foam) 0.1	PE - Polyethylene (Foam) 0.180 in (4.57 mm)		
Outer Shield			
Outer Shield Type Mater	rial Coverage		
Braid Bare Copp	per (BC) 92%		
Outer Jacket			
Material No	m. Diameter		
PVC - Polyvinyl Chloride 0.266 in (6.76 mm)			
Overall Cable Diameter (Nominal): 0.266 in (6.76 mm)			
Electrical Characteristics			
	ICS		

## Attenuation

Frequency	Nom. Attenuation
1 MHz	0.24 dB/100ft
10 MHz	0.72 dB/100ft
50 MHz	1.50 dB/100ft
100 MHz	2.00 dB/100ft
200 MHz	2.90 dB/100ft
400 MHz	4.20 dB/100ft
700 MHz	5.60 dB/100ft
900 MHz	6.40 dB/100ft
1000 MHz	7.00 dB/100ft
Electricals	

Nom. Conductor DCR	Nom. Outer Shield DCR	Nom. Capacitance Cond-to-Shield	Nom. Characteristic impedance	Nom. Velocity of Prop.
6.4 Ohm/1000ft (21 Ohm/km)	2.7 Ohm/1000ft (8.9 Ohm/km)	16.3 pF/ft (53.5 pF/m)	75 Ohm	83%

## **Mechanical Characteristics**

#### Temperature

UL Temperature	Operating
75°C	-30°C to +75°C

#### Bend Radius

Installation Min.	
2.7 in	
Max. Pull Tension:	56 lbs (25 kg)
Bulk Cable Weight:	37 lbs/1000ft

### **Standards and Compliance**

Environmental Suitability:	Indoor/Outdoor, Indoor, Sunlight Resistance, Aerial - Black only, When supported by messenger wire			
Sustainability:	CA Prop 65, Product Lens™, Environmental Product Declaration (EPD) Available			
Flammability / Reaction to Fire:	UL1685 FT4 Loading, Limited Smoke, FT4			
CPR Compliance:	CPR Euroclass: Eca			
NEC / UL Compliance: CMG   CEC / C(UL) Compliance: CMG   European Directive Compliance: EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), REACH, EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/E				
		UK Regulation Compliance:	UKCA Mark	
		APAC Compliance:	China RoHS II (GB/T 26572-2011)	
Other Standard Compliance(s):	P-07-KA110035-MSHA			

### History

Update and Revision:

Revision Number: 0.388 Revision Date: 12-19-2022

### **Part Numbers**

#### Variants

ltem #	Color	Putup Type	Length	UPC
533945 010500	Black	Reel	500 ft	612825161066
533945 0101000	Black	Reel	1,000 ft	612825161059
533945 010U1000	Black	UnReel	1,000 ft	612825161042
533945 0091000	White	Reel	1,000 ft	612825161035
533945 009U1000	White	UnReel	1,000 ft	612825161028

### © 2023 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or guality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.