Data sheet 2186.2 AP/SI-2 BG





End plate, Width: 1.5 mm, Colour: Beige

Business data

| 2186.2 |
|---------------|
| AP/SI-2 BG |
| 4044211050061 |
| 50 |
| PC |
| 1.98 g |
| 1.99 g |
| G |
| 85389099 |
| DE |
| 2186.2 |
| End plate |
| |

Data sheet





| 48 mm |
|---------------|
| 1.5 mm |
| 1.5 mm |
| 24.3 mm |
| |
| Polyamide 6.6 |
| V-2 |
| -40 °C |
| 105 °C |
| |
| ✓ |
| ✓ |
| |
| yes |
| 2022-06-10 |
| No |
| yes |
| |

Data sheet 2186.2 AP/SI-2 BG



Media



Accessories

##INVERSE##CONTA-CONNECT



Fuse-disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1078.2 | STK 2 BG | 4044211013745 | 100 |



Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|-------------------|
| 1190.2 | STK 2/15 BG | 4044211026585 | 100 |



Disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1381.2 | STK 2/K BG | 4044211044213 | 100 |



Disconnect terminal, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Width: 8 mm, Colour: Blue

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 1382.5 | STK 2/15/K BU | 4044211126278 | 100 |



Disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1383.2</u> | STKD 1/K BG | 4044211044244 | 50 |