



End support, Mounting type: Mounting rail TS 15/5.5, Width: 9 mm, Colour: Beige

Business data

2945.2
EH 15 BG
4044211056728
50
PC
3.69 g
3.72 g
G
85389099
DE
End support
Beige

Data sheet 2945.2 EH 15 BG



Technical data	
Dimensions	
Length	31 mm
Width	9 mm
Terminal width	9.00 mm
Height	28 mm
Materials	
Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	TS 15
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet 2945.2 EH 15 BG



Media

Data sheet 2945.2 EH 15 BG



Accessories

##INVERSE##CONTA-CONNECT



Ex feed-through terminal for direct mount ATEX-certified, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1406.2	BKA 4/1 Ex BG	4044211044534	100



Ex feed-through terminal for direct mount ATEX-certified, Screw connection, Mounting type: Mounting surface, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1407.2	BKA 10/1 Ex BG	4044211044541	100



Ex feed-through terminal for direct mount ATEX-certified, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1405.2	BKA 2,5/1 Ex BG	4044211044527	100



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1320.2	BKA 2,5/1 BG	4044211042967	100



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2158.2	BKA 4/1 BG	4044211049782	100