






REV	ECO	DATE
001	57433	11/22/2019




TABLE 1

MODEL NUMBER	"L"	MARKER 
21-20-12	12	21-20-12 14949 #####
21-20-24	24	21-20-24 14949 #####
21-20-36	36	21-20-36 14949 #####
21-20-60	60	21-20-60 14949 #####
21-20-72	72	21-20-72 14949 #####
21-20-120	120	21-20-120 14949 #####
21-20-240	240	21-20-240 14949 #####



NOTES: UNLESS OTHERWISE SPECIFIED.

1. WORKMANSHIP PER IPC/WHMA-A-620, CLASS 3, SECTION 13.
-  2. TOLERANCE PER IPC/WHMA-A-620, SECTION 11.1
3. TESTING:
  - 3.1 CONTINUITY
  - 3.2 DWV: 400 VRMS
4. BEND RADIUS (MIN): 1.5
-  5. MARKERS:
  - 5.1 MARKER PER TABLE 1.
  - 5.2 ##### = LOT CODE

 <small>This PROPRIETARY Document is property of Cinch Connectivity Solutions. It is confidential in nature, non-transferable, and issued with the clear understanding that it is not to be traced or copied without permission and is returnable upon demand.</small> <small>INTERPRET DRAWING ACCORDANCE WITH ASME Y14.5-2009.</small>	Model No.	21-20	Title: TROMPETER		
	RoHS2 <input checked="" type="checkbox"/> 2011/65/EU	Cage Code	14949	CABLE ASSEMBLY, TRB PLUG TO TRB PLUG	
	UNLESS OTHERWISE SPECIFIED UNITS: INCH	3RD ANGLE PROJECTION		Drawing No.	C_21-20
		Drawn By:	M. Souriphong	Rev.	001
	Date:	11/25/2019	SIZE	DO NOT SCALE DRAWING	
			Workmanship Std:	SEE NOTES	
			SHEET	1 OF 1	