


20 19 18 17 16 15 14 13 12 11 9 8 7 6 5 4 3 2 1

VIEW ON MATING SIDE



A = 96 STANDARD CONTACTS STRAIGHT L = 4

MARKING	STANDARD
PERFORMANCE LEVEL	G2/0 = CONTACT AREA LEVEL2 / TERMINATION TIN
FLUX PROOF	NO
FIXING CLIP	NO
DIMENSIONS	SD-85003-0001 SHT 3

A	G2/0	a1-32, b1-32, c1-32
CONTACT SYMBOL	PERFORMANCE LEVEL	CONTACT POSITION NUMBER

EC NO. I 2004-XXXX DRAWN BY: 09/09/03 CHK'd G.L.: 09/09/03 APPR'd G.L.: 09/09/03	QUALITY SYMBOLS MAJOR $\nabla$ <sub>1</sub> CRITICAL $\nabla$ <sub>2</sub>	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE	DESIGN UNITS <input checked="" type="checkbox"/> MM <input type="checkbox"/> INCH	DIMENSIONS: <input type="checkbox"/> DIM INCH <input type="checkbox"/> DIM MM <input checked="" type="checkbox"/> DIM ONLY	THIRD ANGLE PROJECTION <input type="checkbox"/> FIRST ANGLE	SHEET REV SHT 1 REV		
		4 PLACES $\pm 0.$		mm					mm	TITLE: 96 POS MALE CONNECTOR ACCORDING DIN 41612 STYLE C CONTACTS ARRANGEMENT (STRAIGHT) MOLEX INCORPORATED
		3 PLACES $\pm 0.$		mm					mm	
		2 PLACES $\pm 0.$		mm					mm	
		1 PLACE $\pm 0.$		mm					mm	
C	REV	DESCRIPTION	ANGULAR $\pm$	CAD FILENAME	MATERIAL NO.	DRAWING NO.	SHEET NO.			
				SD-85003-0218_S01	85003-0218	SD-85003-0218	1 OF 1			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						SIZE D		

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1