

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0621005800](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Backplane Insertion Tool for Signal Contact


Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

| | |
|--------------------------------|---|
| Product Family | Application Tooling |
| Series | 207123 |
| Comments | See Tooling Specification (PDF) Above |
| Function | Insertion |
| Geographic Area | Global |
| Level of Automation | Manual |
| More Detailed Tech Information | applicationtooling@molex.com |
| Overview | Application Tooling |
| Product Name | Impact |
| Tool Type | Insertion Hand Tool |
| UPC | 883906035532 |
| Warranty Disclaimer | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |

Material Info

Reference - Drawing Numbers
Application Tooling Documents [ATS-621005800, TM-622018799](#)



EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2020)9139-DC (19
Jan 2021)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Not Relevant

Not Contained

Search Parts in this Series

[207123 Series](#)

Use With

Impact Backplane Signal Contact Series,
[76155](#) , [76055](#) , [76145](#) , [76165](#)

Application Tooling | **FAQ**

| | |
|--------------------|------------------|
| Description | Product # |
|--------------------|------------------|

| | |
|---|---------------------------|
| Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free | 760551103 |
|---|---------------------------|

| | |
|---|---------------------------|
| Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 | 760551104 |
|---|---------------------------|

Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551105
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551106
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551107
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551108
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551113
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551114
5 Pair Vertical
Backplane Header,
Unguided, Left

Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551115
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551116
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551117
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551118
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551123
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551124
5 Pair Vertical
Backplane Header,

Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760551125](#)

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760551126](#)

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760551127](#)

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760551128](#)

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760551133](#)

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760551134](#)

5 Pair Vertical

Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760551135](#)

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760551136](#)

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760551137](#)

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760551138](#)

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760551603](#)

5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

| | |
|----------------------|------------------|
| Impact 100 Ohm | <u>760551604</u> |
| 5 Pair Vertical | |
| Backplane Header, | |
| Unguided, Open | |
| Endwall, 16 | |
| Columns, 240 | |
| Circuits, Pin Length | |
| 4.90mm, Plated | |
| Through Hole | |
| Dimension 0.46mm, | |
| Lead-Free | |
| Impact 100 Ohm | <u>760551605</u> |
| 5 Pair Vertical | |
| Backplane Header, | |
| Unguided, Open | |
| Endwall, 16 | |
| Columns, 240 | |
| Circuits, Pin Length | |
| 5.50mm, Plated | |
| Through Hole | |
| Dimension 0.46mm, | |
| Lead-Free | |
| Impact 100 Ohm | <u>760551606</u> |
| 5 Pair Vertical | |
| Backplane Header, | |
| Unguided, Open | |
| Endwall, 16 | |
| Columns, 240 | |
| Circuits, Pin Length | |
| 4.50mm, Plated | |
| Through Hole | |
| Dimension 0.39mm, | |
| Lead-Free | |
| Impact 100 Ohm | <u>760551607</u> |
| 5 Pair Vertical | |
| Backplane Header, | |
| Unguided, Open | |
| Endwall, 16 | |
| Columns, 240 | |
| Circuits, Pin Length | |
| 4.90mm, Plated | |
| Through Hole | |
| Dimension 0.39mm, | |
| Lead-Free | |
| Impact 100 Ohm | <u>760551608</u> |
| 5 Pair Vertical | |
| Backplane Header, | |
| Unguided, Open | |
| Endwall, 16 | |
| Columns, 240 | |
| Circuits, Pin Length | |
| 5.50mm, Plated | |
| Through Hole | |
| Dimension 0.39mm, | |
| Lead-Free | |
| Impact 100 Ohm | <u>760551613</u> |
| 5 Pair Vertical | |
| Backplane Header, | |
| Unguided, Left | |
| Endwall, 16 | |
| Columns, 240 | |
| Circuits, Pin Length | |
| 4.50mm, Plated | |
| Through Hole | |

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551614

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16

Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551615

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16

Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551616

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16

Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551617

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16

Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551618

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16

Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551623

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16

Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551624
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551625
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551626
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551627
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551628
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551633
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length

4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551634
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551635
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551636
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551637
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551638
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551828
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
120 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553103

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760553104

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760553105

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760553106

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553107

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553108

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553603

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760553604

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760553605

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760553606

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553607

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760553608

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,

16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760553614
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free
Impact 100 Ohm 760553615
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free
Impact 100 Ohm 760555103
5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760555104
5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760555105
5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760555106
5 Pair Vertical

Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760555107](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760555108](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760555603](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760555604](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760555605](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

| | |
|--|------------------|
| Impact 100 Ohm | <u>760555606</u> |
| 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free | |
| Impact 100 Ohm | <u>760555607</u> |
| 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free | |
| Impact 100 Ohm | <u>760555608</u> |
| 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free | |
| Impact 100 Ohm | <u>760555615</u> |
| 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Key Orientation A, Lead-Free | |
| Impact 100 Ohm | <u>760555617</u> |
| 5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm , Key Orientation A, Lead-Free | |
| Impact 100 Ohm | <u>760557103</u> |
| 5 Pair Vertical Backplane Header, Left Guided, Right Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated | |

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760557104
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760557105
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760557106
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760557107
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760557108
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760557156
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length

4.50mm, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation E,
Lead-Free

Impact 100 Ohm 760557603

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length

4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557604

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length

4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557605

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length

5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557606

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length

4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557607

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length

4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557608

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,

16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559103

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559104

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559105

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559106

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559107

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559108

5 Pair Vertical
Backplane Header,
Right Guided,

Left Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760559114](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm [760559115](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm [760559117](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm ,
Key Orientation A,
Lead-Free

Impact 100 Ohm [760559127](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm ,
Key Orientation B,
Lead-Free

Impact 100 Ohm [760559603](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559604

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559605

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559606

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559607

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559608

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761451103

6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451104
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451105
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451106
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451107
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451108
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451113
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length

4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451114
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451115
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451116
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451117
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451118
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451123
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761451124

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761451125

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761451126

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761451127

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761451128

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761451133

6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10

Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451134
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451135
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451136
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451137
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451138
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451603
6 Pair Vertical
Backplane Header,
Unguided, Open

Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451604
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451605
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451606
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451607
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451608
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451613
6 Pair Vertical
Backplane Header,

Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451614
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451615
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451616
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451617
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451618
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451623
6 Pair Vertical

Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761451624](#)

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761451625](#)

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761451626](#)

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761451627](#)

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761451628](#)

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

| | |
|--|------------------|
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761451633</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761451634</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761451635</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761451636</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761451637</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole | <u>761451638</u> |

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453103

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761453104

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761453105

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761453106

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453107

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453108

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761453116
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free
Impact 100 Ohm 761453118
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free
Impact 100 Ohm 761453603
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761453604
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761453605
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761453606
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,

16 Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761453607
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761453608
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761453614
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Keying Orientation A,
Lead-Free
Impact 100 Ohm 761453667
6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation F,
Lead-Free
Impact 100 Ohm 761455103
6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761455104
6 Pair Vertical

Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761455105](#)

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761455106](#)

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761455107](#)

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761455108](#)

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761455118](#)

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free

| | |
|---|------------------|
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761455603</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761455604</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761455605</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761455606</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761455607</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole | <u>761455608</u> |

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761455614

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm ,
Keying Orientation A,
Lead-Free

Impact 100 Ohm 761455617

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm ,
Keying Orientation A,
Lead-Free

Impact 100 Ohm 761457103

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761457104

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761457105

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761457106

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761457107

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761457108

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761457603

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761457604

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761457605

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761457606

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,

16 Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761457607
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761457608
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761457636
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position C, Lead
Free
Impact 100 Ohm 761459103
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761459104
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761459105
6 Pair Vertical

Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761459106

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761459107

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761459108

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761459114

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm 761459603

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

| | |
|---|------------------|
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761459604</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761459605</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761459606</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761459607</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761459608</u> |
| Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole | <u>761459616</u> |

Dimension 0.39mm,
Lead Free

Impact 100 Ohm 761551103

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551104

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551105

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551106

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551107

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551108

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 120
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551113
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551114
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551115
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551116
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551117
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551118
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length

5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551123
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551124
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551125
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551126
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551127
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551128
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551133
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551134
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551135
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551136
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551137
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551138
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10

Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551303
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 761551304
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551305
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 761551307
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551308
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551316
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551317](#)

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551318](#)

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551323](#)

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761551324](#)

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761551325](#)

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761551326](#)

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551327](#)

4 Pair Vertical
Backplane Header,

Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551328
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551336
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551337
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551338
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551603
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551604
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length

4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551605
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551606
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551607
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551608
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551613
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551614
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551615
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551616
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551617
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551618
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551623
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551624
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16

Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551625
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551626
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551627
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551628
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551633
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551634
4 Pair Vertical
Backplane Header,
Unguided, Right

Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551635
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551636
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551637
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551638
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551803
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551804
4 Pair Vertical
Backplane Header,
Unguided, Open

Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551805

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551806

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551807

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551808

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551813

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551814

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551815

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551816

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551817

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551818

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551823

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551824

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551825

4 Pair Vertical
Backplane Header,

Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551826

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551827

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551828

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551833

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551834

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551835

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551836

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551837

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551838

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553103

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553104

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553105

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

| | |
|---|------------------|
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761553106</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761553107</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761553108</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Key Position A, Lead Free | <u>761553118</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Key Position E, Lead Free | <u>761553158</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole | <u>761553304</u> |

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553307

4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553603

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553604

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553605

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553606

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553607

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553608

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553618

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm ,
Orientation Key A,
Lead-Free

Impact 100 Ohm 761553803

4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553804

4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553805

4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553806

4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553807
4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553808
4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761555103
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761555104
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761555105
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761555106
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761555107
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761555108
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761555117
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Key Position A, Lead
Free

Impact 100 Ohm 761555127
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Key Position B, Lead
Free

Impact 100 Ohm 761555137
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Key Position C, Lead
Free

Impact 100 Ohm 761555304
4 Pair Vertical
Backplane Header,
Right Guided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,

Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761555307

4 Pair Vertical
Backplane Header,
Right Guided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761555603

4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761555604

4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761555605

4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761555606

4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761555607

4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761555608
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761555618
4 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm ,
Orientation Key A,
Lead-Free
Impact 100 Ohm 761555803
4 Pair Vertical
Backplane Header,
Right Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761555804
4 Pair Vertical
Backplane Header,
Right Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761555805
4 Pair Vertical
Backplane Header,
Right Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761555806
4 Pair Vertical
Backplane Header,
Right Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761555807

4 Pair Vertical
Backplane Header,
Right Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761555808

4 Pair Vertical
Backplane Header,
Right Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761557103

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761557104

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761557105

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761557106

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761557107

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761557108

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761557118

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm ,
Key Orientation A,
Lead-Free

Impact 100 Ohm 761557307

4 Pair Vertical
Backplane Header,
Left Guided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761557308

4 Pair Vertical
Backplane Header,
Left Guided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761557603

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761557604

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761557605

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761557606

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761557607

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761557608

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761557618

4 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm ,
Key Orientation A,
Lead-Free
Impact 100 Ohm 761557803
4 Pair Vertical
Backplane Header,
Left Guided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761557804
4 Pair Vertical
Backplane Header,
Left Guided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761557805
4 Pair Vertical
Backplane Header,
Left Guided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761557806
4 Pair Vertical
Backplane Header,
Left Guided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761557807
4 Pair Vertical
Backplane Header,
Left Guided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761557808
4 Pair Vertical
Backplane Header,
Left Guided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

| | |
|---|------------------|
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761559103</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761559104</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free | <u>761559105</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761559106</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free | <u>761559107</u> |
| Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole | <u>761559108</u> |

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761559114

4 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm 761559165

4 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Key Position F, Lead
Free

Impact 100 Ohm 761559603

4 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761559604

4 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761559605

4 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761559606

4 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 192

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761559607

4 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 192

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761559608

4 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 192

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761559615

4 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 192

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Key Position A, Lead
Free

Impact 100 Ohm 761559803

4 Pair Vertical
Backplane Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761559804

4 Pair Vertical
Backplane Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761559805

4 Pair Vertical
Backplane Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761559806

4 Pair Vertical
Backplane Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761559807

4 Pair Vertical
Backplane Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761559808

4 Pair Vertical
Backplane Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761559817

4 Pair Vertical
Backplane Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm ,
Key Orientation A,
Lead-Free

Impact 100 Ohm 761559827

4 Pair Vertical
Backplane Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm ,
Key Orientation B,
Lead-Free

Impact 100 Ohm 761559837

4 Pair Vertical
Backplane Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm ,

Key Orientation C,
Lead-Free

Impact 100 Ohm 761651103

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651104

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651105

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651106

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651107

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651108

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10

Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651113

3 Pair Vertical
Backplane Header,

Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761651114](#)
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761651115](#)
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761651116](#)
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761651117](#)
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761651118](#)
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761651123](#)
3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651124

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10

Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651125

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10

Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651126

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10

Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651127

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10

Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651128

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10

Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651133

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10

Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651134

3 Pair Vertical
Backplane Header,

Unguided, Right
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651135

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651136

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651137

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651138

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651304

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651307

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651308](#)

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651316](#)

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651317](#)

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651318](#)

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
54 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651323](#)

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761651324](#)

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761651325](#)

3 Pair Vertical
Backplane Header,

Unguided, Dual
Endwall, 6 Columns,
54 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761651326](#)

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651327](#)

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm [761651328](#)

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
54 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651337](#)

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651338](#)

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
54 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651603](#)

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651604
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651605
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651606
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651607
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651608
3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651613
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 144
Circuits, Pin Length

4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651614
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651615
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651616
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 144
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651617
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651618
3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651623
3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 144

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651624

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16

Columns, 144

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651625

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16

Columns, 144

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651626

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16

Columns, 144

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651627

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16

Columns, 144

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651628

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16

Columns, 144

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651633

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16

Columns, 144
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651634
3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651635
3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761651636
3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 144
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651637
3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651638
3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761651803
3 Pair Vertical
Backplane Header,
Unguided, Open

Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651804

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651805

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651806

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651807

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651808

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651813

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651814

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651815

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651816

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.50mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651817

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651818

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651823

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651824

3 Pair Vertical
Backplane Header,

Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651825

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651826

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651827

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651828

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651833

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651834

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761651835](#)

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761651836](#)

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.50mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651837](#)

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651838](#)

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761653103](#)

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 90 Circuits,

Pin Length 4.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761653104](#)

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 90 Circuits,

Pin Length 4.90mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761653105](#)

3 Pair Vertical
Backplane Header,

Left Guide, Open
Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761653106

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761653107

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761653108

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761653115

3 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Key Position A, Lead
Free

Impact 100 Ohm 761653304

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761653307

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,

Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761653308

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761653317

3 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Key Position A, Lead
Free

Impact 100 Ohm 761653337

3 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Key Position C, Lead
Free

Impact 100 Ohm 761653357

3 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Key Position E, Lead
Free

Impact 100 Ohm 761653377

3 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 6 Columns,
54 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Key Position G, Lead
Free

Impact 100 Ohm 761653603

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761653604
3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761653605
3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761653606
3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761653607
3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761653608
3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 02/26/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION