

# Cable housing - KGS-MSTB 2,5/18 - 1805592

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Cable housing, Pitch: 0 mm, Number of positions: 18, Dimension a: 90 mm, Color: green

The illustration shows an 8-position version



## Key commercial data

Packing unit	1
Minimum order quantity	10
Catalog page	Page 194 (CC-2005)
GTIN	 4 017918 046606
Custom tariff number	85472000
Country of origin	POLAND

## Technical data

Product type	Cable housing
Number of positions	18

## Classifications

### eclass

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402

### etim

ETIM 3.0	EC001121
ETIM 4.0	EC002637

## Cable housing - KGS-MSTB 2,5/18 - 1805592

### Classifications

unspsc

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

### Accessories

Accessories

Cable/conductor

Accessories - KD-KGS-MSTB - 1804658




Molded cable strain relief, suitable for KGS-... cable housings, prevents the cable from being bent

---

### Marking

Cable housing - KGS-MSTB 2,5/ DST - 1784914



Transparent label carrier, can be marked with marker strips SBS 2.5/7.5

---

Marking card for terminal marking - SBS 2,5/7,5 - 1007604




Marking card for terminal marking, Card, white, Unlabeled, Can be labeled with: Plotter, Perforated, Mounting type: Snap into tall marker groove, Snap into flat marker groove, For terminal block width: 2.5 mm, Lettering field: 15 x 7.5 mm

---

### Drawings

## Cable housing - KGS-MSTB 2,5/18 - 1805592

Dimensioned drawing



© Phoenix Contact 2012 - all rights reserved  
<http://www.phoenixcontact.com>