



Your Source for Automation Components

# Enclosed Boat Lift Switch Single Phase / Three Phase

- **ASI P02xxxS-RH-EKIT** is a Series of Motor Reversing Drum Switches
- **-EKIT** IP65 High Impact Thermoplastic Enclosure
- **-PKIT** Rear Panel Mounted, IP20 Screw Terminals
- Red Operating Handle
- Fwd/Rev and Up/Dwn Labels
- For use with Single or Three Phase Motors
- Manual Maintained Return
- Momentary Return
- Up to 5 Horsepower for Single Phase Motors
- Up to 20 Horsepower for Three Phase Motors
- cULus Listed
- Ideal for AC Motors in all types of Industrial Applications



<b>Motor Reversing MAINTAINED Switch</b>					
	<b>Single Phase</b>		<b>Three Phase</b>		
<b>Part Number</b>	<b>120 Vac</b>	<b>240 Vac</b>	<b>208 Vac</b>	<b>240 Vac</b>	<b>480 Vac</b>
P0202499S-RH-EKIT	1.5HP Max	2HP Max	-	-	-
P0202518S-RH-EKIT	-	-	5HP Max	5HP Max	10HP Max
<b>Motor Reversing MOMENTARY Switch</b>					
P0202500S-RH-EKIT	1.5HP Max	2HP Max	-	-	-
P0202827S-RH-EKIT	-	-	5HP Max	5HP Max	10HP Max




Your Source for Automation Components

# Motor Reversing Switches with Enclosure-EKIT


Specification:	P020XXXX-EKIT(-PKIT)	C040XXXX-EKIT(-PKIT)
<b>Certification:</b>	cULus Listed Drum Switch	cULus Listed Drum Switch
<b>Voltage (V):</b>	600V	600V
<b>Current (A):</b>	20A	40A
<b>Single Phase:</b>		
<b>Standard Motor Load 120 Vac</b>	1.5HP Max, 20A	3HP Max, 34A
<b>Standard Motor Load 240 Vac</b>	2HP Max, 12A	5HP Max, 32.2A
<b>Three Phase:</b>		
<b>Standard Motor Load 208 Vac</b>	5HP Max, 17.5A	10HP Max, 28A
<b>Standard Motor Load 240 Vac</b>	5HP Max, 12.5A	10HP Max, 27A
<b>Standard Motor Load 480 Vac</b>	10HP Max, 14A	20HP Max, 22A
<b>Wire Range (AWG):</b>	18-10 AWG sol/str	14-6 AWG sol/str
<b>Terminal Screw (M):</b>	M3.5	M4
<b>Torque (lb-in):</b>	7.5 lb-in	12 lb-in
<b>Contacts:</b>	Double Breaking	Double Breaking
<b>Operating Angle (°):</b>	45°	45°
<b>Operating Temperature (°C):</b>	-40°C to +85°C	-40°C to +85°C
<b>Storage Temperature (°C):</b>	-40°C to +70°C	-40°C to +70°C
<b>Mechanical Life @ 120 Operations per Hour</b>	1,000,000 Cycles	1,000,000 Cycles
<b>Electrical Life @ 120 Operations per Hour</b>	750,000 Cycles	750,000 Cycles

### Single Phase



### 3 Phase

#### MAINTAINED



#### MOMENTARY

