



Reducing sleeve, Width: 51 mm, Pitch size: 5.1 mm, Colour: Black

**RAL:** 9005

### Business data

---

|  |                     |
|--|---------------------|
| Article number                             | <u>3752.4</u>       |
| Article name                               | ZRH 2,5/0,75-1,0 BK |
| GTIN (EAN)                                 | 4044211060619       |
| Packaging unit                             | 1000                |
| Quantity unit                              | PC                  |
| Weight per piece (not including packaging) | 2 g                 |
| Weight per piece (including packaging)     | 2.1 g               |
| Unit of weight                             | G                   |
| Customs number                             | 85389099            |
| Country of origin                          | DE                  |
| Product description                        | Reducing sleeve     |
| Colour                                     | Black               |

---

### Technical data

---

#### Dimensions

|            |        |
|------------|--------|
| Length     | 5 mm   |
| Width      | 51 mm  |
| Height     | 9.3 mm |
| Pitch size | 5.1 mm |

#### Connection data

|                          |                      |
|--------------------------|----------------------|
| Wire cross-section, min. | 0.75 mm <sup>2</sup> |
| Wire cross-section, max. | 1 mm <sup>2</sup>    |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2022-06-10 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

### Media

---

### Accessories

#### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name                | GTIN (EAN)    | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| <u>3568.2</u>  | ZRKD 2,5/LED1(RD)/24V DC BG | 4044211059125 | 100 ST         |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name                | GTIN (EAN)    | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| <u>3569.2</u>  | ZRKD 2,5/LED2(RD)/24V DC BG | 4044211059132 | 100 ST         |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3572.2</u>  | ZRKD 2,5/D3 BG | 4044211059163 | 100            |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3573.2</u>  | ZRKD 2,5/D4 BG | 4044211059170 | 100            |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3574.2</u>  | ZRKD 2,5/D5 BG | 4044211059187 | 100 ST         |



## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour:Beige

| Article number | Article name                | GTIN (EAN)    | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| <u>3645.2</u>  | ZRKD 2,5/LED(RD)/230V AC BG | 4044211146733 | 100 ST         |




Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3570.2</u>  | ZRKD 2,5/D1 BG | 4044211059149 | 100            |




Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3571.2</u>  | ZRKD 2,5/D2 BG | 4044211059156 | 100            |




Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>3528.2</u>  | ZIZA 1,5/3 BG | 4044211058722 | 100 ST         |



Initiator terminal / actuator terminal / block variant, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3529.2</u>  | ZIZA 1,5/3/B BG | 4044211058739 | 50             |




Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>3530.2</u>  | ZIZA 1,5/3/LED(RD)/24V BG | 4044211058746 | 50 ST          |


## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT




Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>3533.2</u>  | ZIZA 1,5/4 BG | 4044211058784 | 100 ST         |




Initiator terminal / actuator terminal / block variant, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name                | GTIN (EAN)    | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| <u>3535.2</u>  | ZIZA 1,5/4/B/LED(RD)/24V BG | 4044211058807 | 50 ST          |




Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Width: 5.1 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3647.2</u>  | ZIZA 1,5/3/E BG | 4044211172305 | 20 ST          |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Width: 5.1 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3648.2</u>  | ZIZA 1,5/4/E BG | 4044211172312 | 20 ST          |



Initiator terminal / actuator terminal / block variant, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name                | GTIN (EAN)    | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| <u>3531.2</u>  | ZIZA 1,5/3/B/LED(RD)/24V BG | 4044211058760 | 50 ST          |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>3536.2</u>  | ZIZA 1,5/4/LED(RD)/24V BG | 4044211058814 | 100 ST         |

## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 51 mm, Colour: Green-yellow

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>3532.2</u>  | ZIZA 1,5/3/PE GNYE | 4044211058777 | 20 ST          |



Initiator terminal / actuator terminal / block variant, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3534.2</u>  | ZIZA 1,5/4/B BG | 4044211058791 | 50 ST          |



Ex feed-through terminal for direct mount, ATEX-certified, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 25 mm<sup>2</sup>, Width: 51 mm, Colour: Beige

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>1729.2</u>  | ZSRK 2,5/2A-D Ex BG | 4044211129699 | 100 ST         |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>3537.2</u>  | ZIZA 1,5/4/PE GNYE | 4044211058821 | 20 ST          |



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>3588.2</u>  | ZSRK 2,5/2A-D BG | 4044211151966 | 100            |



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3587.2</u>  | ZSRK 2,5/2A-RC BG | 4044211151942 | 100            |

## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 11.1 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>3595.2</u>  | ZSRK 2,5/2A/D/F BG | 4044211059545 | 50             |



Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3616.2</u>  | ZTRK 2,5/2A/ZS BG | 4044211059804 | 100            |



Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3621.2</u>  | ZTRK 2,5/3A/ZS BG | 4044211059859 | 100            |



Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3626.2</u>  | ZTRK 2,5/4A/ZS BG | 4044211059903 | 100            |




Disconnect-blade terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3605.2</u>  | ZTRK 2,5/4A/MT BG | 4044211059699 | 100            |



Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3611.2</u>  | ZTRK 2,5/4A/OT BG | 4044211059750 | 100            |




Ex triple-level terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>1708.2</u>  | ZIKD 2,5 Ex BG | 4044211107932 | 50             |


## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3590.2</u>  | ZIKD 2,5 BG  | 4044211059460 | 50             |




Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>3592.2</u>  | ZIKD 2,5/PE/L/L BG | 4044211059507 | 50             |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>3593.2</u>  | ZIKD 2,5/SV/PE GNYE | 4044211059521 | 50 ST          |




Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>3594.2</u>  | ZIKD 2,5/PE/L/N BG | 4044211059538 | 50 ST          |



Disconnect-blade terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3603.2</u>  | ZTRK 2,5/2A/MT BG | 4044211059675 | 100            |




Disconnect-blade terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3604.2</u>  | ZTRK 2,5/3A/MT BG | 4044211059682 | 100            |

## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT




Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3609.2</u>  | ZTRK 2,5/2A/OT BG | 4044211059736 | 100            |



Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3610.2</u>  | ZTRK 2,5/3A/OT BG | 4044211059743 | 100            |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17037.2</u> | ZIKD 2,5/L-L-N BG | 4044211155742 | 50 ST          |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>1728.2</u>  | ZSLD 2,5 Ex GNYE | 4044211126230 | 100 ST         |



Protective-earth double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>3567.2</u>  | ZSLD 2,5 GNYE | 4044211059118 | 100 ST         |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3575.2</u>  | ZRKD 2,5/ZBA BG | 4044211059194 | 100            |




## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT




Protective-earth double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number         | Article name      | GTIN (EAN)    | Packaging unit |
|------------------------|-------------------|---------------|----------------|
| <a href="#">3580.2</a> | ZSLD 2,5/ZBA GNYE | 4044211059262 | 100 ST         |




Motor-connection terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name | GTIN (EAN)    | Packaging unit |
|------------------------|--------------|---------------|----------------|
| <a href="#">3582.2</a> | ZVMAK 2,5 BG | 4044211059309 | 50             |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name   | GTIN (EAN)    | Packaging unit |
|------------------------|----------------|---------------|----------------|
| <a href="#">3591.2</a> | ZIKD 2,5/SV BG | 4044211059484 | 50             |



Motor-connection terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name          | GTIN (EAN)    | Packaging unit |
|------------------------|-----------------------|---------------|----------------|
| <a href="#">3646.2</a> | ZVMAK 2,5 N/L/L/PE BG | 4044211171322 | 50 ST          |



Ex double-level terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name   | GTIN (EAN)    | Packaging unit |
|------------------------|----------------|---------------|----------------|
| <a href="#">1707.2</a> | ZRKD 2,5 Ex BG | 4044211110949 | 100            |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name | GTIN (EAN)    | Packaging unit |
|------------------------|--------------|---------------|----------------|
| <a href="#">3562.2</a> | ZRKD 2,5 BG  | 4044211151836 | 100            |

## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3563.2</u>  | ZRKD 2,5/SV BG | 4044211059064 | 100            |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>3576.2</u>  | ZRKD 2,5/SV/ZBA BG | 4044211059217 | 100            |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>1712.2</u>  | ZSLN 2,5/3A Ex GNYE | 4044211059668 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1713.2</u>  | ZSL 2,5/2A Ex GNYE | 4044211058548 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1714.2</u>  | ZSL 2,5/3A Ex GNYE | 4044211110956 | 100 ST         |



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3512.2</u>  | ZSL 2,5/4A GNYE | 4044211058562 | 100 ST         |



## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>3584.2</u>  | ZSLN 2,5/2A GNYE | 4044211151881 | 100 ST         |



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>3601.2</u>  | ZSLN 2,5/3A/15 GNYE | 4044211152048 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name           | GTIN (EAN)    | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>1709.2</u>  | ZSLN 2,5/2A/15 Ex GNYE | 4044211059385 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name           | GTIN (EAN)    | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>1710.2</u>  | ZSLN 2,5/3A/15 Ex GNYE | 4044211059651 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>1711.2</u>  | ZSLN 2,5/2A Ex GNYE | 4044211059347 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1715.2</u>  | ZSL 2,5/4A Ex GNYE | 4044211058555 | 100 ST         |

## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number         | Article name    | GTIN (EAN)    | Packaging unit |
|------------------------|-----------------|---------------|----------------|
| <a href="#">3510.2</a> | ZSL 2,5/2A GNYE | 4044211151720 | 100 ST         |



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number         | Article name        | GTIN (EAN)    | Packaging unit |
|------------------------|---------------------|---------------|----------------|
| <a href="#">3586.2</a> | ZSLN 2,5/2A/15 GNYE | 4044211151935 | 100 ST         |



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number         | Article name     | GTIN (EAN)    | Packaging unit |
|------------------------|------------------|---------------|----------------|
| <a href="#">3602.2</a> | ZSLN 2,5/3A GNYE | 4044211152055 | 100 ST         |




Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name     | GTIN (EAN)    | Packaging unit |
|------------------------|------------------|---------------|----------------|
| <a href="#">1704.2</a> | ZRK 2,5/2A Ex BG | 4044211058401 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name  | GTIN (EAN)    | Packaging unit |
|------------------------|---------------|---------------|----------------|
| <a href="#">3501.2</a> | ZRK 2,5/3A BG | 4044211151690 | 100            |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name                    | GTIN (EAN)    | Packaging unit |
|------------------------|---------------------------------|---------------|----------------|
| <a href="#">3505.2</a> | ZRK 2,5/2x2A/LED1(RD)/24V DC BG | 4044211058531 | 100 ST         |


## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3511.2</u>  | ZSL 2,5/3A GNYE | 4044211151737 | 100 ST         |




Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name                    | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------------|---------------|----------------|
| <u>3543.2</u>  | ZRK 2,5/2x2A/LED2(RD)/24V DC BG | 4044211058845 | 100 ST         |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1169.2</u>  | ZSRK 2,5/2A/SAS BG | 4044211128647 | 100            |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name         | GTIN (EAN)    | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>1700.2</u>  | ZSRK 2,5/2A/15 Ex BG | 4044211059354 | 100            |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1702.2</u>  | ZSRK 2,5/2A Ex BG | 4044211059316 | 100            |




Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>1705.2</u>  | ZRK 2,5/3A Ex BG | 4044211110925 | 100            |

## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>3500.2</u>  | ZRK 2,5/2A BG | 4044211151683 | 100            |




Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3583.2</u>  | ZSRK 2,5/2A BG | 4044211151874 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3585.2</u>  | ZSRK 2,5/2A/15 BG | 4044211151904 | 100            |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1703.2</u>  | ZSRK 2,5/3A Ex BG | 4044211059620 | 100            |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>1706.2</u>  | ZRK 2,5/4A Ex BG | 4044211058463 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3503.2</u>  | ZRK 2,5/2x2A BG | 4044211058494 | 100            |


## 3752.4 ZRH 2,5/0,75-1,0 BK

### ##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour:Beige

| Article number         | Article name       | GTIN (EAN)    | Packaging unit |
|------------------------|--------------------|---------------|----------------|
| <a href="#">3504.2</a> | ZRK 2,5/2x2A/D1 BG | 4044211058524 | 100 ST         |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name      | GTIN (EAN)    | Packaging unit |
|------------------------|-------------------|---------------|----------------|
| <a href="#">3599.2</a> | ZSRK 2,5/3A/15 BG | 4044211152024 | 100            |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name         | GTIN (EAN)    | Packaging unit |
|------------------------|----------------------|---------------|----------------|
| <a href="#">1701.2</a> | ZSRK 2,5/3A/15 Ex BG | 4044211059590 | 100            |




Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name  | GTIN (EAN)    | Packaging unit |
|------------------------|---------------|---------------|----------------|
| <a href="#">3502.2</a> | ZRK 2,5/4A BG | 4044211151713 | 100            |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name       | GTIN (EAN)    | Packaging unit |
|------------------------|--------------------|---------------|----------------|
| <a href="#">3542.2</a> | ZRK 2,5/2x2A/D2 BG | 4044211058838 | 100 ST         |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number         | Article name   | GTIN (EAN)    | Packaging unit |
|------------------------|----------------|---------------|----------------|
| <a href="#">3600.2</a> | ZSRK 2,5/3A BG | 4044211152031 | 100            |