

## The product advantages



The unique, patented hinged catch has two functions:

- Fast, easy, toolless fitting of the lid
- Swivel the lid open – your choice of hinge side



On request, the enclosures can also be screwed. The hinged catch conceals the screws.

Bocube has very few parts, so it is very light and easy to mount – toolless. Use a size 3 slotted-head screwdriver to open it.



The enclosures in 2 basic colours – optionally with a transparent lid – can be combined with coloured hinged catches as required. Alternatively, manually-operated catches are available.



The blanking plug allows selection of the side to be hinged. In this way, connections between the base and the lid can be protected against damage when the lid is opened.



**Quick-Finder:**  
[www.bopla.de/96](http://www.bopla.de/96)

## Examples of use





**BOPLA**

A Phoenix Mecano Company

# Bocube



## Colour:

- Light grey, similar to RAL 7035
- Graphite grey, similar to RAL 7024

Special colours on request


## Protection class:

IP66 / IP68 (1.2 m - 2 h) DIN EN 60529


## Material:

Enclosure: ABS or PC V-0  
(material is suitable for outdoor use;  
f1-listing according to UL 746C)  
Seal: PU foamed

For details see technical information.




## Enclosure sizes



## Design types




Coloured  
hinged catches



**Front panels**

or PCBs can be mounted in the base and in the lid.

**Easy opening of the hinge**






**BOPLA**





A Phoenix Mecano Company

# Bocube

Hinged catch for manual operation



Manual closing



## Dimensions

Model	A	B	C
B 0808...	89	80	47
B 1008...	113	80	40 / 60 / 90
B 1408...	151	80	40 / 60 / 90
B 1413...	151	125	60 / 90
B 1808...	191	80	60 / 90
B 1813...	191	125	40 / 60 / 90
B 2213...	231	125	40 / 60 / 90
B 2613...	271	125	60
B 2617...	271	170	40 / 60 / 90 / 120
B 2330...	239	300	120 / 160
B 2736...	284	364	120 / 160


## Accessories



Wall brackets




Pressure compensation membrane DAE



Blank plug to determine the hinge side




Distance bolt



DIN rails  
TH 15, G 32, TH 35



Mast mounting



Front and mounting panels in different versions

# Bocube

## ABS, single-colored



### Enclosures, ABS, single-coloured

Model	Order no.	A	B	C	a1	a2	b1	b2	c1	Colour
B 080805 ABS 7024	96031114	89	80	47	50	52.6	68	73.6	40.5	Graphite grey
B 080805 ABS 7035	96031115	89	80	47	50	52.6	68	73.6	40.5	Light grey
B 100804 ABS 7024	96032144	113	80	40	74	76.4	68	73.4	32	Graphite grey
B 100804 ABS 7035	96032145	113	80	40	74	76.4	68	73.4	32	Light grey
B 100806 ABS 7024	96032124	113	80	60	74	76.4	68	73.4	52	Graphite grey
B 100806 ABS 7035	96032125	113	80	60	74	76.4	68	73.4	52	Light grey
B 100809 ABS 7024	96032134	113	80	90	74	75.9	68	72.9	82	Graphite grey
B 100809 ABS 7035	96032135	113	80	90	74	75.9	68	72.9	82	Light grey
B 140804 ABS 7024	96033144	151	80	40	112	114.8	68	73.8	32	Graphite grey
B 140804 ABS 7035	96033145	151	80	40	112	114.8	68	73.8	32	Light grey
B 140806 ABS 7024	96033124	151	80	60	112	114.4	68	73.4	52	Graphite grey
B 140806 ABS 7035	96033125	151	80	60	112	114.4	68	73.4	52	Light grey
B 140809 ABS 7024	96033134	151	80	90	112	113.9	68	72.9	82	Graphite grey
B 140809 ABS 7035	96033135	151	80	90	112	113.9	68	72.9	82	Light grey
B 141306 ABS 7024	96033224	151	125	60	112	114.4	113	118.4	52	Graphite grey
B 141306 ABS 7035	96033225	151	125	60	112	114.4	113	118.4	52	Light grey
B 141309 ABS 7024	96033234	151	125	90	112	113.9	113	117.9	82	Graphite grey
B 141309 ABS 7035	96033235	151	125	90	112	113.9	113	117.9	82	Light grey
B 180806 ABS 7024	96034124	191	80	60	152	154.4	68	73.4	52	Graphite grey
B 180806 ABS 7035	96034125	191	80	60	152	154.4	68	73.4	52	Light grey
B 180809 ABS 7024	96034134	191	80	90	152	153.9	68	72.9	82	Graphite grey
B 180809 ABS 7035	96034135	191	80	90	152	153.9	68	72.9	82	Light grey
B 181304 ABS 7024	96034244	191	125	40	152	154.6	113	118.8	32	Graphite grey
B 181304 ABS 7035	96034245	191	125	40	152	154.6	113	118.8	32	Light grey
B 181306 ABS 7024	96034224	191	125	60	152	154.4	113	118.4	52	Graphite grey
B 181306 ABS 7035	96034225	191	125	60	152	154.4	113	118.4	52	Light grey
B 181309 ABS 7024	96034234	191	125	90	152	153.9	113	117.9	82	Graphite grey
B 181309 ABS 7035	96034235	191	125	90	152	153.9	113	117.9	82	Light grey
B 221304 ABS 7024	96035244	231	125	40	192	194.6	113	118.8	32	Graphite grey
B 221304 ABS 7035	96035245	231	125	40	192	194.6	113	118.8	32	Light grey
B 221306 ABS 7024	96035224	231	125	60	192	194.4	113	118.4	52	Graphite grey
B 221306 ABS 7035	96035225	231	125	60	192	194.4	113	118.4	52	Light grey
B 221309 ABS 7024	96035234	231	125	90	192	194.1	113	117.9	82	Graphite grey
B 221309 ABS 7035	96035235	231	125	90	192	194.1	113	117.9	82	Light grey
B 261306 ABS 7024	96036224	271	125	60	232	234.4	113	118.4	51.5	Graphite grey
B 261306 ABS 7035	96036225	271	125	60	232	234.4	113	118.4	51.5	Light grey
B 261704 ABS 7024	96036344	271	170	40	232	234.8	158	163.8	31.5	Graphite grey
B 261704 ABS 7035	96036345	271	170	40	232	234.8	158	163.8	31.5	Light grey
B 261706 ABS 7024	96036324	271	170	60	232	234.4	158	163.4	51.5	Graphite grey
B 261706 ABS 7035	96036325	271	170	60	232	234.4	158	163.4	51.5	Light grey
B 261709 ABS 7024	96036334	271	170	90	232	234.1	158	163.1	81.5	Graphite grey
B 261709 ABS 7035	96036335	271	170	90	232	234.1	158	163.1	81.5	Light grey
B 261712 ABS 7024	96036364	271	170	120	232	233.4	158	162.4	111.5	Graphite grey
B 261712 ABS 7035	96036365	271	170	120	232	233.4	158	162.4	111.5	Light grey
B 233012 ABS 7024	96038564	239	300	120	186	188.1	288	289.5	109	Graphite grey
B 233012 ABS 7035	96038565	239	300	120	186	188.1	288	289.5	109	Light grey
B 233016 ABS 7024	96038574	239	300	160	186	187.4	288	288.8	149	Graphite grey
B 233016 ABS 7035	96038575	239	300	160	186	187.4	288	288.8	149	Light grey
B 273612 ABS 7024	96037664	284	364	120	231	233.1	352	353.5	109	Graphite grey
B 273612 ABS 7035	96037665	284	364	120	231	233.1	352	353.5	109	Light grey

# Bocube

ABS, single-colored


## Enclosures, ABS, single-coloured

Model	Order no.	A	B	C	a1	a2	b1	b2	c1	Colour
B 273616 ABS 7024	<b>96037674</b>	284	364	160	231	232.4	352	352.8	149	Graphite grey
B 273616 ABS 7035	<b>96037675</b>	284	364	160	231	232.4	352	352.8	149	Light grey



**Scope Of Delivery:** Lid and base, hinged quick-release catches

**Notes:** Material shrinkage may result in ABS enclosures being approx. 0.1 – 0.25 % larger.





# Bocube

## PC UL 94 V0, single-coloured



### Enclosures, polycarbonate UL 94 V0, single-coloured

Model	Order no.	A	B	C	a1	a2	b1	b2	c1	Colour
B 080805 PC-V0 7024	96011114	89	80	47	50	52.6	68	73.6	40.5	Graphite grey
B 080805 PC-V0 7035	96011115	89	80	47	50	52.6	68	73.6	40.5	Light grey
B 100804 PC-V0 7024	96012144	113	80	40	74	76.4	68	73.4	32	Graphite grey
B 100804 PC-V0 7035	96012145	113	80	40	74	76.4	68	73.4	32	Light grey
B 100806 PC-V0 7024	96012124	113	80	60	74	76.4	68	73.4	52	Graphite grey
B 100806 PC-V0 7035	96012125	113	80	60	74	76.4	68	73.4	52	Light grey
B 100809 PC-V0 7024	96012134	113	80	90	74	75.9	68	72.9	82	Graphite grey
B 100809 PC-V0 7035	96012135	113	80	90	74	75.9	68	72.9	82	Light grey
B 140804 PC-V0 7024	96013144	151	80	40	112	114.8	68	73.8	32	Graphite grey
B 140804 PC-V0 7035	96013145	151	80	40	112	114.8	68	73.8	32	Light grey
B 140806 PC-V0 7024	96013124	151	80	60	112	114.4	68	73.4	52	Graphite grey
B 140806 PC-V0 7035	96013125	151	80	60	112	114.4	68	73.4	52	Light grey
B 140809 PC-V0 7024	96013134	151	80	90	112	113.9	68	72.9	82	Graphite grey
B 140809 PC-V0 7035	96013135	151	80	90	112	113.9	68	72.9	82	Light grey
B 141306 PC-V0 7024	96013224	151	125	60	112	114.4	113	118.4	52	Graphite grey
B 141306 PC-V0 7035	96013225	151	125	60	112	114.4	113	118.4	52	Light grey
B 141309 PC-V0 7024	96013234	151	125	90	112	113.9	113	117.9	82	Graphite grey
B 141309 PC-V0 7035	96013235	151	125	90	112	113.9	113	117.9	82	Light grey
B 180806 PC-V0 7024	96014124	191	80	60	152	154.4	68	73.4	52	Graphite grey
B 180806 PC-V0 7035	96014125	191	80	60	152	154.4	68	73.4	52	Light grey
B 180809 PC-V0 7024	96014134	191	80	90	152	153.9	68	72.9	82	Graphite grey
B 180809 PC-V0 7035	96014135	191	80	90	152	153.9	68	72.9	82	Light grey
B 181304 PC-V0 7024	96014244	191	125	40	152	154.6	113	118.8	32	Graphite grey
B 181304 PC-V0 7035	96014245	191	125	40	152	154.6	113	118.8	32	Light grey
B 181306 PC-V0 7024	96014224	191	125	60	152	154.4	113	118.4	52	Graphite grey
B 181306 PC-V0 7035	96014225	191	125	60	152	154.4	113	118.4	52	Light grey
B 181309 PC-V0 7024	96014234	191	125	90	152	153.9	113	117.9	82	Graphite grey
B 181309 PC-V0 7035	96014235	191	125	90	152	153.9	113	117.9	82	Light grey
B 221304 PC-V0 7024	96015244	231	125	40	192	194.6	113	118.8	32	Graphite grey
B 221304 PC-V0 7035	96015245	231	125	40	192	194.6	113	118.8	32	Light grey
B 221306 PC-V0 7024	96015224	231	125	60	192	194.4	113	118.4	52	Graphite grey
B 221306 PC-V0 7035	96015225	231	125	60	192	194.4	113	118.4	52	Light grey
B 221309 PC-V0 7024	96015234	231	125	90	192	194.1	113	117.9	82	Graphite grey
B 221309 PC-V0 7035	96015235	231	125	90	192	194.1	113	117.9	82	Light grey
B 261306 PC-V0 7024	96016224	271	125	60	232	234.4	113	118.4	51.5	Graphite grey
B 261306 PC-V0 7035	96016225	271	125	60	232	234.4	113	118.4	51.5	Light grey
B 261704 PC-V0 7024	96016344	271	170	40	232	234.8	158	163.8	31.5	Graphite grey
B 261704 PC-V0 7035	96016345	271	170	40	232	234.8	158	163.8	31.5	Light grey
B 261706 PC-V0 7024	96016324	271	170	60	232	234.4	158	163.4	51.5	Graphite grey
B 261706 PC-V0 7035	96016325	271	170	60	232	234.4	158	163.4	51.5	Light grey
B 261709 PC-V0 7024	96016334	271	170	90	232	234.1	158	163.1	81.5	Graphite grey
B 261709 PC-V0 7035	96016335	271	170	90	232	234.1	158	163.1	81.5	Light grey
B 261712 PC-V0 7024	96016364	271	170	120	232	233.4	158	162.4	111.5	Graphite grey
B 261712 PC-V0 7035	96016365	271	170	120	232	233.4	158	162.4	111.5	Light grey
B 233012 PC-V0 7024	96018564	239	300	120	186	188.1	288	289.5	109	Graphite grey
B 233012 PC-V0 7035	96018565	239	300	120	186	188.1	288	289.5	109	Light grey
B 233016 PC-V0 7024	96018574	239	300	160	186	187.4	288	288.8	149	Graphite grey
B 233016 PC-V0 7035	96018575	239	300	160	186	187.4	288	288.8	149	Light grey
B 273612 PC-V0 7024	96017664	284	364	120	231	233.1	352	353.5	109	Graphite grey
B 273612 PC-V0 7035	96017665	284	364	120	231	233.1	352	353.5	109	Light grey


# Bocube

PC UL 94 V0, single-coloured

## Enclosures, polycarbonate UL 94 V0, single-coloured

Model	Order no.	A	B	C	a1	a2	b1	b2	c1	Colour
B 273616 PC-V0 7024	<b>96017674</b>	284	364	160	231	232.4	352	352.8	149	Graphite grey
B 273616 PC-V0 7035	<b>96017675</b>	284	364	160	231	232.4	352	352.8	149	Light grey

Scope Of Delivery: Lid and base, hinged quick-release catches





# Bocube

PC UL 94 V0, crystal-clear lid



## Enclosures, polycarbonate UL 94 V0, crystal-clear lid

Model	Order no.	A	B	C	a1	a2	b1	b2	c1	Colour
B 080805 PC-V0-G 7024	96021114	89	80	47	50	52.6	68	73.6	40.5	Graphite grey
B 080805 PC-V0-G 7035	96021115	89	80	47	50	52.6	68	73.6	40.5	Light grey
B 100804 PC-V0-G 7024	96022144	113	80	40	74	76.4	68	73.4	32	Graphite grey
B 100804 PC-V0-G 7035	96022145	113	80	40	74	76.4	68	73.4	32	Light grey
B 100806 PC-V0-G 7024	96022124	113	80	60	74	76.4	68	73.4	52	Graphite grey
B 100806 PC-V0-G 7035	96022125	113	80	60	74	76.4	68	73.4	52	Light grey
B 100809 PC-V0-G 7024	96022134	113	80	90	74	75.9	68	72.9	82	Graphite grey
B 100809 PC-V0-G 7035	96022135	113	80	90	74	75.9	68	72.9	82	Light grey
B 140804 PC-V0-G 7024	96023144	151	80	40	112	114.8	68	73.8	32	Graphite grey
B 140804 PC-V0-G 7035	96023145	151	80	40	112	114.8	68	73.8	32	Light grey
B 140806 PC-V0-G 7024	96023124	151	80	60	112	114.4	68	73.4	52	Graphite grey
B 140806 PC-V0-G 7035	96023125	151	80	60	112	114.4	68	73.4	52	Light grey
B 140809 PC-V0-G 7024	96023134	151	80	90	112	113.9	68	72.9	82	Graphite grey
B 140809 PC-V0-G 7035	96023135	151	80	90	112	113.9	68	72.9	82	Light grey
B 141306 PC-V0-G 7024	96023224	151	125	60	112	114.4	113	118.4	52	Graphite grey
B 141306 PC-V0-G 7035	96023225	151	125	60	112	114.4	113	118.4	52	Light grey
B 141309 PC-V0-G 7024	96023234	151	125	90	112	113.9	113	117.9	82	Graphite grey
B 141309 PC-V0-G 7035	96023235	151	125	90	112	113.9	113	117.9	82	Light grey
B 180806 PC-V0-G 7024	96024124	191	80	60	152	154.4	68	73.4	52	Graphite grey
B 180806 PC-V0-G 7035	96024125	191	80	60	152	154.4	68	73.4	52	Light grey
B 180809 PC-V0-G 7024	96024134	191	80	90	152	153.9	68	72.9	82	Graphite grey
B 180809 PC-V0-G 7035	96024135	191	80	90	152	153.9	68	72.9	82	Light grey
B 181304 PC-V0-G 7024	96024244	191	125	40	152	154.6	113	118.8	32	Graphite grey
B 181304 PC-V0-G 7035	96024245	191	125	40	152	154.6	113	118.8	32	Light grey
B 181306 PC-V0-G 7024	96024224	191	125	60	152	154.4	113	118.4	52	Graphite grey
B 181306 PC-V0-G 7035	96024225	191	125	60	152	154.4	113	118.4	52	Light grey
B 181309 PC-V0-G 7024	96024234	191	125	90	152	153.9	113	117.9	82	Graphite grey
B 181309 PC-V0-G 7035	96024235	191	125	90	152	153.9	113	117.9	82	Light grey
B 221304 PC-V0-G 7024	96025244	231	125	40	192	194.6	113	118.8	32	Graphite grey
B 221304 PC-V0-G 7035	96025245	231	125	40	192	194.6	113	118.8	32	Light grey
B 221306 PC-V0-G 7024	96025224	231	125	60	192	194.4	113	118.4	52	Graphite grey
B 221306 PC-V0-G 7035	96025225	231	125	60	192	194.4	113	118.4	52	Light grey
B 221309 PC-V0-G 7024	96025234	231	125	90	192	194.1	113	117.9	82	Graphite grey
B 221309 PC-V0-G 7035	96025235	231	125	90	192	194.1	113	117.9	82	Light grey
B 261306 PC-V0-G 7024	96026224	271	125	60	232	234.4	113	118.4	51.5	Graphite grey
B 261306 PC-V0-G 7035	96026225	271	125	60	232	234.4	113	118.4	51.5	Light grey
B 261704 PC-V0-G 7024	96026344	271	170	40	232	234.8	158	163.8	31.5	Graphite grey
B 261704 PC-V0-G 7035	96026345	271	170	40	232	234.8	158	163.8	31.5	Light grey
B 261706 PC-V0-G 7024	96026324	271	170	60	232	234.4	158	163.4	51.5	Graphite grey
B 261706 PC-V0-G 7035	96026325	271	170	60	232	234.4	158	163.4	51.5	Light grey
B 261709 PC-V0-G 7024	96026334	271	170	90	232	234.1	158	163.1	81.5	Graphite grey
B 261709 PC-V0-G 7035	96026335	271	170	90	232	234.1	158	163.1	81.5	Light grey
B 261712 PC-V0-G 7024	96026364	271	170	120	232	233.4	158	162.4	111.5	Graphite grey
B 261712 PC-V0-G 7035	96026365	271	170	120	232	233.4	158	162.4	111.5	Light grey
B 233012 PC-V0-G 7024	96028564	239	300	120	186	188.1	288	289.5	109	Graphite grey
B 233012 PC-V0-G 7035	96028565	239	300	120	186	188.1	288	289.5	109	Light grey
B 233016 PC-V0-G 7024	96028574	239	300	160	186	187.4	288	288.8	149	Graphite grey
B 233016 PC-V0-G 7035	96028575	239	300	160	186	187.4	288	288.8	149	Light grey
B 273612 PC-V0-G 7024	96027664	284	364	120	231	233.1	352	353.5	109	Graphite grey
B 273612 PC-V0-G 7035	96027665	284	364	120	231	233.1	352	353.5	109	Light grey


# Bocube

PC UL 94 V0, crystal-clear lid

## Enclosures, polycarbonate UL 94 V0, crystal-clear lid

Model	Order no.	A	B	C	a1	a2	b1	b2	c1	Colour
B 273616 PC-V0-G 7024	<b>96027674</b>	284	364	160	231	232.4	352	352.8	149	Graphite grey
B 273616 PC-V0-G 7035	<b>96027675</b>	284	364	160	231	232.4	352	352.8	149	Light grey

Scope Of Delivery: Lid and base, hinged quick-release catches



# Bocube

## Hinged catches

### Hinged quick-release catches (Set), polycarbonate UL 94 V0 or ABS



Model	Order no.	Colour	Note
B SC 08 PC-V0 1023	96310103	Traffic yellow	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 ABS 1023	96330103	Traffic yellow	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 PC-V0 7035	96310105	Light grey	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 ABS 7035	96330105	Light grey	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 PC-V0 7024	96310104	Graphite grey	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 ABS 7024	96330104	Graphite grey	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 PC-V0 6029	96310109	Mint green	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 ABS 6029	96330109	Mint green	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 PC-V0 5002	96310102	Ultramarine blue	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 ABS 5002	96330102	Ultramarine blue	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 PC-V0 3000	96310100	Flame red	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 08 ABS 3000	96330100	Flame red	For B 0808.., B 1008.., B 1408.., B 1808..
B SC 13 PC-V0 1023	96310203	Traffic yellow	For B 1413.., B 1813.., B 2213..
B SC 13 ABS 1023	96330203	Traffic yellow	For B 1413.., B 1813.., B 2213..
B SC 13 PC-V0 7035	96310205	Light grey	For B 1413.., B 1813.., B 2213..
B SC 13 ABS 7035	96330205	Light grey	For B 1413.., B 1813.., B 2213..
B SC 13 PC-V0 7024	96310204	Graphite grey	For B 1413.., B 1813.., B 2213..
B SC 13 ABS 7024	96330204	Graphite grey	For B 1413.., B 1813.., B 2213..
B SC 13 PC-V0 6029	96310209	Mint green	For B 1413.., B 1813.., B 2213..
B SC 13 ABS 6029	96330209	Mint green	For B 1413.., B 1813.., B 2213..
B SC 13 PC-V0 5002	96310202	Ultramarine blue	For B 1413.., B 1813.., B 2213..
B SC 13 ABS 5002	96330202	Ultramarine blue	For B 1413.., B 1813.., B 2213..
B SC 13 PC-V0 3000	96310200	Flame red	For B 1413.., B 1813.., B 2213..
B SC 13 ABS 3000	96330200	Flame red	For B 1413.., B 1813.., B 2213..
B SC 17 PC-V0 1023	96310303	Traffic yellow	For B 2617..
B SC 17 ABS 1023	96330303	Traffic yellow	For B 2617..
B SC 17 PC-V0 7035	96310305	Light grey	For B 2617..
B SC 17 ABS 7035	96330305	Light grey	For B 2617..
B SC 17 PC-V0 7024	96310304	Graphite grey	For B 2617..
B SC 17 ABS 7024	96330304	Graphite grey	For B 2617..
B SC 17 PC-V0 6029	96310309	Mint green	For B 2617..
B SC 17 ABS 6029	96330309	Mint green	For B 2617..
B SC 17 PC-V0 5002	96310302	Ultramarine blue	For B 2617..
B SC 17 ABS 5002	96330302	Ultramarine blue	For B 2617..
B SC 17 PC-V0 3000	96310300	Flame red	For B 2617..
B SC 17 ABS 3000	96330300	Flame red	For B 2617..
B SC PC-V0 1023	96310003	Traffic yellow	For B 233012, B 273612
B SC ABS 1023	96330003	Traffic yellow	For B 233012, B 273612
B SC PC-V0 3000	96310000	Flame red	For B 233012, B 273612
B SC ABS 3000	96330000	Flame red	For B 233012, B 273612
B SC PC-V0 5002	96310002	Ultramarine blue	For B 233012, B 273612
B SC ABS 5002	96330002	Ultramarine blue	For B 233012, B 273612
B SC PC-V0 6029	96310009	Mint green	For B 233012, B 273612
B SC ABS 6029	96330009	Mint green	For B 233012, B 273612
B SC PC-V0 7024	96310004	Graphite grey	For B 233012, B 273612
B SC ABS 7024	96330004	Graphite grey	For B 233012, B 273612
B SC PC-V0 7035	96310005	Light grey	For B 233012, B 273612
B SC ABS 7035	96330005	Light grey	For B 233012, B 273612

Scope Of Delivery: B SC 08 - B SC 17 = 2 pcs. tool-operated; B SC = 4 pcs. tool-operated

# Bocube

## Hinged catches

### Hand-operated hinged catch (set), polycarbonate UL 94 V0 or ABS

Model	Order no.	Colour	Note
B SC HB 08 PC-V0 1023	<b>96910103</b>	Traffic yellow	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 ABS 1023	<b>96930103</b>	Traffic yellow	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 PC-V0 7035	<b>96910105**</b>	Light grey	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 ABS 7035	<b>96930105**</b>	Light grey	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 PC-V0 7024	<b>96910104**</b>	Graphite grey	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 ABS 7024	<b>96930104**</b>	Graphite grey	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 PC-V0 6029	<b>96910109</b>	Mint green	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 ABS 6029	<b>96930109</b>	Mint green	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 PC-V0 5002	<b>96910102</b>	Ultramarine blue	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 ABS 5002	<b>96930102</b>	Ultramarine blue	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 ABS 3000	<b>96930100</b>	Flame red	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 08 PC-V0 3000	<b>96910100</b>	Flame red	For B 0808.., B 1008.., B 1408.., B 1808..
B SC HB 13 PC-V0 1023	<b>96910203</b>	Traffic yellow	For B 1413.., B 1813.., B 2213..
B SC HB 13 ABS 1023	<b>96930203</b>	Traffic yellow	For B 1413.., B 1813.., B 2213..
B SC HB 13 PC-V0 7035	<b>96910205**</b>	Light grey	For B 1413.., B 1813.., B 2213..
B SC HB 13 ABS 7035	<b>96930205**</b>	Light grey	For B 1413.., B 1813.., B 2213..
B SC HB 13 PC-V0 7024	<b>96910204**</b>	Graphite grey	For B 1413.., B 1813.., B 2213..
B SC HB 13 ABS 7024	<b>96930204**</b>	Graphite grey	For B 1413.., B 1813.., B 2213..
B SC HB 13 PC-V0 6029	<b>96910209</b>	Mint green	For B 1413.., B 1813.., B 2213..
B SC HB 13 ABS 6029	<b>96930209</b>	Mint green	For B 1413.., B 1813.., B 2213..
B SC HB 13 PC-V0 5002	<b>96910202</b>	Ultramarine blue	For B 1413.., B 1813.., B 2213..
B SC HB 13 ABS 5002	<b>96930202</b>	Ultramarine blue	For B 1413.., B 1813.., B 2213..
B SC HB 13 PC-V0 3000	<b>96910200</b>	Flame red	For B 1413.., B 1813.., B 2213..
B SC HB 13 ABS 3000	<b>96930200</b>	Flame red	For B 1413.., B 1813.., B 2213..
B SC HB 17 PC-V0 1023	<b>96910303</b>	Traffic yellow	For B 2617..
B SC HB 17 ABS 1023	<b>96930303</b>	Traffic yellow	For B 2617..
B SC HB 17 PC-V0 7035	<b>96910305**</b>	Light grey	For B 2617..
B SC HB 17 ABS 7035	<b>96930305**</b>	Light grey	For B 2617..
B SC HB 17 PC-V0 7024	<b>96910304**</b>	Graphite grey	For B 2617..
B SC HB 17 ABS 7024	<b>96930304**</b>	Graphite grey	For B 2617..
B SC HB 17 PC-V0 6029	<b>96910309</b>	Mint green	For B 2617..
B SC HB 17 ABS 6029	<b>96930309</b>	Mint green	For B 2617..
B SC HB 17 PC-V0 5002	<b>96910302</b>	Ultramarine blue	For B 2617..
B SC HB 17 ABS 5002	<b>96930302</b>	Ultramarine blue	For B 2617..
B SC HB 17 PC-V0 3000	<b>96910300</b>	Flame red	For B 2617..
B SC HB 17 ABS 3000	<b>96930300</b>	Flame red	For B 2617..
B SC HB PC-V0 1023	<b>96910003</b>	Traffic yellow	For B 233012, B 273612
B SC HB ABS 1023	<b>96930003</b>	Traffic yellow	For B 233012, B 273612
B SC HB PC-V0 7035	<b>96910005**</b>	Light grey	For B 233012, B 273612
B SC HB ABS 7035	<b>96930005**</b>	Light grey	For B 233012, B 273612
B SC HB PC-V0 7024	<b>96910004**</b>	Graphite grey	For B 233012, B 273612
B SC HB ABS 7024	<b>96930004**</b>	Graphite grey	For B 233012, B 273612
B SC HB PC-V0 6029	<b>96910009</b>	Mint green	For B 233012, B 273612
B SC HB ABS 6029	<b>96930009</b>	Mint green	For B 233012, B 273612
B SC HB PC-V0 5002	<b>96910002</b>	Ultramarine blue	For B 233012, B 273612
B SC HB ABS 5002	<b>96930002</b>	Ultramarine blue	For B 233012, B 273612
B SC HB PC-V0 3000	<b>96910000</b>	Flame red	For B 233012, B 273612
B SC HB ABS 3000	<b>96930000</b>	Flame red	For B 233012, B 273612




**Scope Of Delivery:** B SC 08 - B SC 17 = 1 pc. tool-operated and 1 pc. manually-operated; B SC = 2 pcs. tool-operated and 2 pcs. manually-operated

**Notes:** IP protection class only guaranteed with closed hinged catch. \*\* To order ONLY the hand-operated hinge, please order the a.m. article number plus ".E" (e.g. 96930105.E)

# Bocube


## Front and mounting panels



### Front panels, natural-coloured anodised aluminium

Model	Order no.	Note
B FP 1008	96702100	For B 1008.., front panel thickness 1.5 mm
B FP 1408	96703100	For B 1408.., front panel thickness 1.5 mm
B FP 1413	96703200	For B 1413.., front panel thickness 1.5 mm
B FP 1808	96704100	For B 1808.., front panel thickness 2.0 mm
B FP 1813	96704200	For B 1813.., front panel thickness 2.0 mm
B FP 2213	96705200	For B 2213.., front panel thickness 2.0 mm
B FP 2330	96708500	For B 2330.., front panel thickness 2.5 mm
B FP 2613	96706200	For B 2613.., front panel thickness 2.0 mm
B FP 2617	96706300	For B 2617.., front panel thickness 2.5 mm
B FP 2736	96707600	For B 2736.., front panel thickness 2.5 mm

Scope Of Delivery: 1 front panel



### Mounting panels, laminated paper, 2 mm

Model	Order no.	Note
B M 0808	96601100	For B 0808..
B M 1008	96602100	For B 1008..
B M 1408	96603100	For B 1408..
B M 1413	96603200	For B 1413..
B M 1808	96604100	For B 1808..
B M 1813	96604200	For B 1813..
B M 2213	96605200	For B 2213..
B M 2330	96608500	For B 2330..
B M 2613	96606200	For B 2613..
B M 2617	96606300	For B 2617..
B M 2736	96607600	For B 2736..

Scope Of Delivery: 1 mounting panel

# Bocube

## Accessories

### Mast mounting, stainless steel V2A, uncoated

Model	Order no.
MH 080	96500080
MH 122	96500122
MH 167	96500167
MH 220	96500220
MH 265	96500265

**Scope Of Delivery:** MH: 1 set (2 pieces) BFS: 20 pieces

**Notes:** Please order the assembly kit and mast clamp as per the table.



### Assembly kit for mast mounting

Model	Order no.	Note
BFS MH 1	96500001	Fixing kit
BFS MH 2	96500002	Fixing kit
BFS MH 3	96500003	Fixing kit

**Scope Of Delivery:** 20 pieces (for 5 sets of mast mountings)

**Notes:** Details of the matching mast mounting for each enclosure size and the accompanying assembly kit can be found in the table (see "Product information").



### Clamp for mast mounting, stainless steel

Model	Order no.	Note
MH S 32-50	96500050	Terminal area 32-50 mm
MH S 50-70	96500070	Terminal area 50-70 mm
MH S 70-90	96500090	Terminal area 70-90 mm
MH S 90-110	96500110	Terminal area 90-110 mm
MH S 110-130	96500130	Terminal area 110-130 mm
MH S 130-150	96500150	Terminal area 130-150 mm
MH S 150-170	96500175	Terminal area 150-170 mm
MH S 170-190	96500190	Terminal area 170-190 mm
MH S 190-210	96500210	Terminal area 190-210 mm

**Scope Of Delivery:** 10 pieces





**Verwendung der Mastbefestigung für Bocube**  
**Use of the mast mounting for Bocube**

Bitte wählen Sie anhand dieser Tabelle je nach Größe und Ausrichtung des Gehäuses die passende Mastbefestigung und den dazugehörigen Befestigungssatz aus.

*Please use this table to select the appropriate mast mounting and the associated mounting kit, depending on the size and alignment of the enclosure.*

**Ausrichtung des Gehäuses / Alignment of the enclosure :**

H = horizontal                      V = vertical

Gehäuse Enclosure		Mastbefestigung Mast mounting		Befestigungssatz Mounting kit
B 080805 H	=	MH 080	+	BFS MH 1
B 080805 V	=	MH 080	+	BFS MH 1
B 100804 H	=	MH 122	+	BFS MH 1
B 100804 V	=	MH 080	+	BFS MH 1
B 100806 H	=	MH 122	+	BFS MH 1
B 100806 V	=	MH 080	+	BFS MH 1
B 100809 H	=	MH 122	+	BFS MH 1
B 100809 V	=	MH 080	+	BFS MH 1
B 140804 H	=	MH 167	+	BFS MH 1
B 140804 V	=	MH 080	+	BFS MH 1
B 140806 H	=	MH 167	+	BFS MH 1
B 140806 V	=	MH 080	+	BFS MH 1
B 140809 H	=	MH 167	+	BFS MH 1
B 140809 V	=	MH 080	+	BFS MH 1
B 141304 H	=	MH 167	+	BFS MH 1
B 141304 V	=	MH 122	+	BFS MH 1
B 141306 H	=	MH 167	+	BFS MH 1
B 141306 V	=	MH 122	+	BFS MH 1
B 141309 H	=	MH 167	+	BFS MH 1
B 141309 V	=	MH 122	+	BFS MH 1
B 180804 H	=	MH 220	+	BFS MH 1
B 180804 V	=	MH 080	+	BFS MH 1
B 180806 H	=	MH 220	+	BFS MH 1
B 180806 V	=	MH 080	+	BFS MH 1
B 180809 H	=	MH 220	+	BFS MH 1
B 180809 V	=	MH 080	+	BFS MH 1
B 181304 H	=	MH 220	+	BFS MH 1
B 181304 V	=	MH 122	+	BFS MH 1
B 181306 H	=	MH 220	+	BFS MH 1
B 181306 V	=	MH 122	+	BFS MH 1
B 181309 H	=	MH 220	+	BFS MH 1
B 181309 V	=	MH 122	+	BFS MH 1
B 221304 H	=	MH 220	+	BFS MH 1
B 221304 V	=	MH 122	+	BFS MH 1
B 221306 H	=	MH 220	+	BFS MH 1
B 221306 V	=	MH 122	+	BFS MH 1
B 221309 H	=	MH 220	+	BFS MH 1
B 221309 V	=	MH 122	+	BFS MH 1
B 233012 V	=	MH 220	+	BFS MH 2
B 233016 V	=	MH 220	+	BFS MH 2
B 261306 H	=	MH 265	+	BFS MH 1
B 261306 V	=	MH 122	+	BFS MH 1
B 261704 H	=	MH 265	+	BFS MH 1
B 261704 V	=	MH 167	+	BFS MH 1
B 261706 H	=	MH 265	+	BFS MH 1
B 261706 V	=	MH 167	+	BFS MH 1
B 261709 H	=	MH 265	+	BFS MH 1
B 261709 V	=	MH 167	+	BFS MH 1
B 261712 H	=	MH 265	+	BFS MH 1
B 261712 V	=	MH 167	+	BFS MH 1
B 273612 V	=	MH 265	+	BFS MH 2
B 273616 V	=	MH 265	+	BFS MH 2



# Bocube

## Accessories

### Wall brackets

Model	Order no.	Colour	Note
B WL 7024	<b>96510004</b>	Graphite grey	For B 08... - B 26...
B WL 7035	<b>96510005</b>	Light grey	For B 08... - B 26...
B WL-2 7024	<b>96510604</b>	Graphite grey	For B 2330.., B 2736..
B WL-2 7035	<b>96510605</b>	Light grey	For B 2330.., B 2736..

Scope Of Delivery: 4 wall brackets (polycarbonate UL 94 V0), 4 screws



### Sets of screws

Model	Order no.	Note
B FP-SHR	<b>96700000</b>	A (for fixing front panels)
B M-SHR 0808	<b>96600000</b>	B (for fixing mounting panels B M 0808)
B M-SHR	<b>96600010</b>	C (for fixing mounting panels B M 1008-2736)
B SHR	<b>96300000</b>	D (for optional screwing of enclosures B 0808 - 2617)
B SHR-2	<b>96300002</b>	E (for optional screwing of enclosures B 2330, B 2736)

Scope Of Delivery: PU = 4 pcs. (exception: B M-SHR 0808, PU = 2 pcs)



### Distance bolts

Model	Order no.	Note
DIBLZ AK 30x5/IM3/8	<b>96708000</b>	ND = 2,4 - 2,6, for B...04
DIBLZ AK 30x5/IM3/28	<b>96728000</b>	ND = 2.4 - 2.6, for B...06
DIBLZ AK 30x7/IM3/26	<b>96726000</b>	ND = 2.4 - 2.6, for B...06 if a mounting plate is used
DIBLZ AK 30x5/IM3/58	<b>96758000</b>	ND = 2.4 - 2.6, for B...09
DIBLZ AK 30x7/IM3/56	<b>96756000</b>	ND = 2.4-2.6, for B...09 if a mounting plate is used
DIBLZ AK 30x5/IM3/88	<b>96788000</b>	ND = 2.4 - 2.6, for B...12
DIBLZ AK 30x7/IM3/86	<b>96786000</b>	ND = 2.4 - 2.6, for B...12 if a mounting plate is used
DIBLZ AK 30x5/IM3/76	<b>96776000</b>	ND = 2,4 - 2,6, for B 233012, B 273612
DIBLZ AK 30x7/IM3/74	<b>96774000</b>	ND = 2,4 - 2,6, for B 233012, B 273612 if a mounting plate is used
DIBLZ AK 30x5/IM3/116	<b>96711600</b>	ND = 2,4 - 2,6, for B 233016, B 273616
DIBLZ AK 30x7/IM3/114	<b>96711400</b>	ND = 2,4 - 2,6, for B 233016, B 273616 if a mounting plate is used

Scope Of Delivery: 4 distance bolts

Notes: ND = boss internal diameter



### Blanking plugs to determine the hinge side


Model	Order no.	Colour
B VS 7024	<b>96410004</b>	Graphite grey
B VS 7035	<b>96410005</b>	Light grey
B VS 3000	<b>96410000</b>	Flame red

Scope Of Delivery: Blanking plugs (PC UL 94 V0), PU = 10 pieces



# Bocube

## Accessories



### Pressure compensation membrane DAE

Model	Order no.	Note
DAE-D11	<b>52011000</b>	Self-adhesive membrane ø 11 mm

Scope Of Delivery: 5 pieces

**Notes:** Air, which may create a vacuum in the enclosure when it cools, can suck in water etc. through the seal into the enclosure, which means that ingress protection can no longer be guaranteed. BOPLA's product range includes the pressure compensation element to compensate such variations in pressure caused by differences in temperature. Processing of the enclosure and mounting on request.



### DIN rails DIN EN 60715 TH 15, galvanised steel

Model	Order no.	Note
TS 15	<b>22150701</b>	For EM/ET 207-210, EM/ET 225, B 1008..
TS 15	<b>22151101</b>	For EM/ET 213, EM/ET 215-217, EM/ET 227, B 1408.., B 1413..
TS 15	<b>22151851</b>	For BCD 160, 165 terminal compartment up, B 2330.. (crosswise)
TS 15	<b>22151901</b>	For EM/ET 214, EM/ET 221-223, EM/ET 232, EM/ET 237, BCD 200, B 2213..
TS 15	<b>22151501</b>	For EM/ET 220, EM/ET 229-231, EM/ET 238, B 1808.., B 1813..
TS 15	<b>22152851</b>	For B 2330..
TS 15	<b>22152301</b>	For EM/ET 224, EM/ET 233-236, EM/ET 239-242, B 2617.., B 2613.., B 2736.. (crosswise)
TS 15	<b>22153451</b>	For B 2736..

Scope Of Delivery: 1 DIN rail



### DIN rails DIN EN 60715 G 32, galvanised steel

Model	Order no.	Note
TS 32	<b>22320701</b>	For EM/ET 208-210, EM/ET 225, B 1008..
TS 32	<b>22321101</b>	For EM/ET 213, EM/ET 215-217, EM/ET 227, B 1408.., B 1413..
TS 32	<b>22321851</b>	For B 2330.. (crosswise)
TS 32	<b>22321901</b>	For EM/ET 214, EM/ET 221-223, EM/ET 232, EM/ET 237, B 22130.
TS 32	<b>22321501</b>	For EM/ET 220, EM/ET 229-231, EM/ET 238, B 1808.., B 1813..
TS 32	<b>22322301</b>	For EM/ET 224, EM/ET 233-236, EM/ET 239-242, B 2617.., B 2613.., B 2736.. (crosswise)
TS 32	<b>22322851</b>	For B 2330..
TS 32	<b>22323451</b>	For B 2736..

Scope Of Delivery: 1 DIN rail



### DIN rails DIN EN 60715 TH 35, galvanised steel

Model	Order no.	Note
TS 35	<b>22350701</b>	For EM/ET 208-210, EM/ET 225, B 1008..
TS 35	<b>22351101</b>	For EM/ET 213, EM/ET 215-217, EM/ET 227, B 1408.., B 1413..
TS 35	<b>22351851</b>	For B 2330.. (crosswise)
TS 35	<b>22351901</b>	For EM/ET 214, EM/ET 221-223, EM/ET 232, EM/ET 237, BCD 200, B 2213..
TS 35	<b>22351501</b>	For EM/ET 220, EM/ET 229-231, EM/ET 238, B 1808.., B 1813..
TS 35	<b>22352851</b>	For B 2330..
TS 35	<b>22352301</b>	For EM/ET 224, EM/ET 233-236, EM/ET 239-242, B 2617.., B 2613.., B 2736.. (crosswise)
TS 35	<b>22353451</b>	For B 2736..

Scope Of Delivery: 1 DIN rail



**BOPLA**

A Phoenix Mecano Company