



Crimping tool for non-insulated crimp lugs in ring and fork shape. Easy to use, Auto-lock for proper and complete crimping, Wire can be fed in from the side, Self-opening with built-in spring.

Business data

| | |
|--|---------------|
| Article number | 1470.0 |
| Article name | PZN 10 |
| GTIN (EAN) | 4044211045159 |
| Packaging unit | 1 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 544 g |
| Weight per piece (including packaging) | 723 g |
| Unit of weight | G |
| Customs number | 82032000 |
| Country of origin | DE |
| Product description | Crimping tool |

Technical data

Dimensions

| | |
|--------|--------|
| Length | 225 mm |
|--------|--------|

Application

| | |
|-------------|--------------|
| Crimp shape | Indent crimp |
|-------------|--------------|

| | |
|----------------------|---------------------|
| Crimping range, min. | 0.1 mm ² |
|----------------------|---------------------|

| | |
|----------------------|--------------------|
| Crimping range, max. | 10 mm ² |
|----------------------|--------------------|

| | |
|---|---------------------|
| Non-insulated crimp cross-section, min. | 0.1 mm ² |
|---|---------------------|

| | |
|---|--------------------|
| Non-insulated crimp cross-section, max. | 10 mm ² |
|---|--------------------|

Environmental Product Compliance

| | |
|---------------|-----|
| REACH Conform | yes |
|---------------|-----|

| | |
|----------------------|------------|
| REACH Reference date | 2022-06-10 |
|----------------------|------------|

| | |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

| | |
|--------------|-----|
| RoHS Conform | yes |
|--------------|-----|

Media

Accessories
