

NOTES:

- ① MAT'L: COPPER (STOCK TKN. $\frac{.031}{.79}$ $\frac{+.001}{.001}$)
PLATING: ELECTRO TIN (.0003 MIN)
- ② TIN-PLATED BRASS FUNNEL FERRULE

STUD SIZES: ($\pm .005$)


- 02 = .094
- 04 = .119
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390

"UL" LISTING # E32244
"CSA" LISTING # 18689

WIRE SIZE: 16-14 AWG
1.0-2.5 MM²

ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$

(MWID) DENOTES MAXIMUM WIRE INSULATION DIAMETER



FILE NO.

BB-CD-401-02

PART NUMBER	"W" ±.010	"C" MIN.	"L" MAX.	REFERENCE	SCALE: NTS	DATE	TITLE:	DWG. NO.	CUSTOMER DWG
BB-419-	$\frac{.350}{8.89}$	$\frac{.271}{6.88}$	$\frac{.872}{22.15}$				HOOK TONGUE TERMINAL VIBRAKRIMP 400-SERIES	A	



CUSTOMER DWG