Data sheet 3135.0 PZD 3





Crimping tool for crimping wire-end ferrules with and without plastic collars. Cross-section range: 0.5-6 mm² (AWG 2-10). Easy to use, Auto-lock for proper and complete crimping, Wires fed in from the front, Self-opening with built-in spring.

Business data

Dusiness data	
Article number	<u>3135.0</u>
Article name	PZD 3
GTIN (EAN)	4044211078898
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	371.8 g
Weight per piece (including packaging)	446.2 g
Unit of weight	G
Customs number	82032000
Country of origin	SE
Product description	Crimping tool

Data sheet





Technical data	
Dimensions	
Length	197 mm
Application	
Crimp shape	Square crimp
Crimping range, min.	0.5 mm²
Crimping range, max.	6 mm²
Crimping range AWG, min.	2
Crimping range AWG, max.	10
Wire-end ferrule cross-section, min.	0.5 mm²
Max wire-end ferrule cross-section	6 mm²
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet 3135.0 PZD 3



Media

Data sheet 3135.0 PZD 3



Accessories