

# Data sheet

## 3134.3 AP 0/D OG



Mounting plate for direct mount to locking base system RS-SP 0. Enables profile to be mounted on mounting plates using M5 screw, colour: orange

### Business data

Article number	3134.3
Article name	AP 0/D OG
GTIN (EAN)	4044211058395
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	2.4 g
Weight per piece (including packaging)	2.5 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	End plate

# Data sheet

## 3134.3 AP 0/D OG

---

### Technical data

---

#### Dimensions

Length	46.6 mm
Width	16.5 mm
Height	19 mm

#### Materials

Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C

#### Further technical data

Mounting type	Screws
---------------	--------

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

# Data sheet

## 3134.3 AP 0/D OG



---

### Media

---

---

### Accessories

---

#### ##INVERSE##CONTA-ELECTRONICS

---



Extruded profile for locking base system, length: 2000 mm, lower part, width: 46.5 mm, width of PCB: 42.5 mm, colour: orange, Note: required profile length = PCB length - 4 mm

Article number	Article name	GTIN (EAN)	Packaging unit
<u>5675.3</u>	RS-SP 0 2000 mm OG	4044211068615	1 M

---