

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

MATERIAL

Polyethylene (PE), RAL 9005 (C9) black colour or RAL 7042 (C34) grey colour, satin finish.

STANDARD EXECUTIONS

- **NIL.Q:** for square tubes.
- **NIL.R:** for rectangular tubes.
- **NIL.T:** for round tubes.

FITTING

Their fitting to the round, square or rectangular section tube or profile ends can be made either by hand or by a mallet.


SPECIAL EXECUTIONS ON REQUEST

RAL 9003 white coloured inserts.



mm	inch	mm	inch	mm	inch	mm	inch
10	0.39	25	0.98	42	1.65	80	3.15
12	0.47	26	1.02	45	1.77	85	3.35
13	0.51	27	1.06	46	1.71	88	3.46
14	0.55	28	1.10	48	1.89	90	3.54
15	0.59	30	1.18	50	1.97	95	3.74
16	0.63	32	1.26	55	2.16	100	3.94
18	0.71	34	1.34	60	2.36	110	4.33
19	0.74	35	1.38	65	2.56	120	4.72
20	0.79	36	1.42	70	2.75	140	5.51
22	0.86	37	1.46	75	2.95	150	5.90
23	0.90	38	1.50	76	2.99		
24	0.94	40	1.57	76.2	3.00		

NIL.Q



* Complete with colour index, example: 435210-C9 NIL.Q-10-C9




METRIC

NIL.Q

Code	Description	B	h	h1	Tube external diameter	Tube thickness
435210.*	NIL.Q-10.*	10	12	4	10	0,8+2,5
435212.*	NIL.Q-12.*	12	12	4	12	1+2
435213.*	NIL.Q-13.*	13	12	4	13	0,5+2
435215.*	NIL.Q-15.*	15	11.5	3	15	1+2
435216.*	NIL.Q-16.*	16	11.5	5	16	1+2,5
435218.*	NIL.Q-18.*	18	11.5	5	18	1,5+3
435220.*	NIL.Q-20.*	20	11.5	5	20	1+3
435222.*	NIL.Q-22.*	22	12	5	22	1+3,5
435225.*	NIL.Q-25.*	25	11.5	5	25	1+3
435228.*	NIL.Q-28.*	28	11.5	5	28	1+3
435230.*	NIL.Q-30.*	30	11.5	5	30	1+3
435232.*	NIL.Q-32.*	32	11.5	5	32	1+3,5
435234.*	NIL.Q-34.*	34	14.5	5	34	1+3
435235.*	NIL.Q-35.*	35	11.5	5	35	1+3
435238.*	NIL.Q-38.*	38	14.5	5	38	1+3,5
435240.*	NIL.Q-40.*	40	14.5	5	40	1+3
435245.*	NIL.Q-45.*	45	14.5	5	45	1+3

NIL.Q

Code	Description	B	h	h1	Tube external diameter	Tube thickness
435250.*	NIL.Q-50.*	50	14.5	5	50	1+2,5
435370.*	NIL.Q-50-2.6.*	50	24	5.5	50	2.6+4
435255.*	NIL.Q-55.*	55	14.5	5	55	2+4,5
435260.*	NIL.Q-60.*	60	15	5	60	1,5+3,5
435265.*	NIL.Q-65.*	65	21	5	65	1+3
435270.*	NIL.Q-70.*	70	22	5	70	2+5
435275.*	NIL.Q-75.*	75	21	6	75	2+4,5
435276.*	NIL.Q-76,2.*	76.2	21	6	76.2	2,5+5
435280.*	NIL.Q-80.*	80	21	6	80	1,5+4
435290.*	NIL.Q-90.*	90	21	6	90	3+5
435295.*	NIL.Q-95.*	95	21.5	6	95	3,5+5,5
435300.*	NIL.Q-100.*	100	21	7	100	1+4
435310.*	NIL.Q-110.*	110	24	6	110	3+5
435320.*	NIL.Q-120.*	120	30	5	120	2,5+6
435340.*	NIL.Q-140.*	140	34	3	140	4+7
435350.*	NIL.Q-150.*	150	28	7	150	5+8




* Complete with colour index, example: 435410-C9 NIL.R-20x10-C9

C9 RAL9005 **C34** RAL7042

NIL.R								NIL.R							
Code	Description	B	L	h	h1	Tube external diameter	Tube thickness	Code	Description	B	L	h	h1	Tube external diameter	Tube thickness
435410*	NIL.R-20x10-*	20	10	12	3	20x10	0,8+2	435534*	NIL.R-50x40-*	50	40	15	5	50x40	1,5+3
435411*	NIL.R-20x15-*	20	15	11.5	5	20x15	1+2	435550*	NIL.R-60x20-*	60	20	14.5	5	60x20	1+3
435430*	NIL.R-25x10-*	25	10	11.5	3	25x10	0,8+2	435551*	NIL.R-60x25-*	60	25	15	5	60x25	1+3
435431*	NIL.R-25x15-*	25	15	11.5	5	25x15	1+2,5	435552*	NIL.R-60x30-*	60	30	15	5	60x30	1+2,5
435432*	NIL.R-25x20-*	25	20	11.5	5	25x20	1+3	435553*	NIL.R-60x35-*	60	35	15	5	60x35	1,5+3,5
435450*	NIL.R-30x10-*	30	10	11.5	3	30x10	1+2	435554*	NIL.R-60x40-*	60	40	14	5	60x40	1+3
435451*	NIL.R-30x15-*	30	15	11.5	5	30x15	1+2,5	435555*	NIL.R-60x45-*	60	45	15	5	60x45	1,5+4
435452*	NIL.R-30x20-*	30	20	11.5	5	30x20	1+3	435556*	NIL.R-60x50-*	60	50	14.5	5	60x50	1,5+3,5
435470*	NIL.R-35x10-*	35	10	11.5	3.5	35x10	1+2	435570*	NIL.R-70x20-*	70	20	19	5	70x20	1+3,5
435471*	NIL.R-35x20-*	35	20	11.5	5	35x20	1+2,5	435571*	NIL.R-70x25-*	70	25	18	5	70x25	1,5+2,5
435472*	NIL.R-35x25-*	35	25	11.5	5	35x25	1+3	435572*	NIL.R-70x30-*	70	30	15	5	70x30	1+3
435490*	NIL.R-40x15-*	40	15	12	5	40x15	1+2	435573*	NIL.R-70x35-*	70	35	15	5	70x35	1,5+3,5
435491*	NIL.R-40x20-*	40	20	12	5	40x20	1+3	435574*	NIL.R-70x40-*	70	40	20	5	70x40	1,5+3
435492*	NIL.R-40x25-*	40	25	11.5	5	40x25	1+3	435590*	NIL.R-80x20-*	80	20	18	5	80x20	1+3
435493*	NIL.R-40x30-*	40	30	11	5	40x30	1+3	435591*	NIL.R-80x30-*	80	30	14.5	5	80x30	1+2,5
435494*	NIL.R-40x35-*	40	35	12	5	40x35	1+3	435592*	NIL.R-80x40-*	80	40	14.5	5	80x40	1+3
435510*	NIL.R-45x15-*	45	15	11	5	45x15	1,5+2	435593*	NIL.R-80x50-*	80	50	22	5	80x50	1,5+4
435511*	NIL.R-45x20-*	45	20	11.5	5	45x20	1+3	435594*	NIL.R-80x60-*	80	60	25	5	80x60	1,5+3,5
435512*	NIL.R-45x25-*	45	25	12	5	45x25	1+3	435610*	NIL.R-90x20-*	90	20	14.5	5	90x20	1+2,5
435513*	NIL.R-45x30-*	45	30	12	5	45x30	1+2,5	435611*	NIL.R-90x40-*	90	40	15	5	90x40	2+4
435514*	NIL.R-45x35-*	45	35	12	5	45x35	1+3,5	435612*	NIL.R-90x50-*	90	50	22	5	90x50	2+4,5
435530*	NIL.R-50x20-*	50	20	15	5	50x20	1+3	435630*	NIL.R-100x30-*	100	30	15	5	100x30	1,5+3,5
435531*	NIL.R-50x25-*	50	25	11.5	5	50x25	1+3	435631*	NIL.R-100x40-*	100	40	14.5	5	100x40	1,5+4
435532*	NIL.R-50x30-*	50	30	12	5	50x30	1+3	435632*	NIL.R-100x50-*	100	50	24	5	100x50	1,5+4,5
435533*	NIL.R-50x35-*	50	35	14.5	5	50x35	1+3,5	435633*	NIL.R-100x60-*	100	60	25	6	100x60	1,5+4,5


METRIC

Leveling feet and supports



Leveling feet and supports

4



* Complete with colour index, example: 435010-C9 NIL.T-10-C9

C9
RAL9005

C34
RAL7042

METRIC

NIL.T	Code	Description	D	h	h1	Tube external diameter	Tube thickness
	435010.*	NIL.T-10.*	10	11	3.5	10	1+2
	435012.*	NIL.T-12.*	12	11	3.5	12	1+2
	435013.*	NIL.T-13.*	13	11	4	13	1+2
	435014.*	NIL.T-14.*	14	11.5	5	14	1+2
	435015.*	NIL.T-15.*	15	11.5	3	15	1+2
	435016.*	NIL.T-16.*	16	11	5	16	1+2
	435018.*	NIL.T-18.*	18	11.5	5	18	1+2
	435019.*	NIL.T-19.*	19	11.5	5	19	1+2,5
	435020.*	NIL.T-20.*	20	11.5	5	20	1+2,5
	435022.*	NIL.T-22.*	22	11.5	5	22	1+2
	435023.*	NIL.T-23.*	23	11.5	5	23	1+2,5
	435024.*	NIL.T-24.*	24	11.5	5	24	1+2,5
	435025.*	NIL.T-25.*	25	11.5	5	25	1+3
	435026.*	NIL.T-26.*	26	11.5	5	26	1+3
	435027.*	NIL.T-27.*	27	11.5	5	27	1+3
	435028.*	NIL.T-28.*	28	11.5	5	28	1+3
	435030.*	NIL.T-30.*	30	11.5	5	30	1+2,5
	435032.*	NIL.T-32.*	32	12	5	32	1+3
	435034.*	NIL.T-34.*	34	11.5	5	34	1+3
	435035.*	NIL.T-35.*	35	11.5	5	35	1+3
	435036.*	NIL.T-36.*	36	11.5	5	36	1+3
	435037.*	NIL.T-37.*	37	11.5	5	37	1+3
	435038.*	NIL.T-38.*	38	11.5	5	38	1+3,5

NIL.T	Code	Description	D	h	h1	Tube external diameter	Tube thickness
	435040.*	NIL.T-40.*	40	11.5	5	40	1+3
	435042.*	NIL.T-42.*	42	11.5	5	42	1+3
	435045.*	NIL.T-45.*	45	11	5	45	1+3
	435046.*	NIL.T-46.*	46	11.5	5	46	1,5+3,5
	435048.*	NIL.T-48.*	48	11.5	5	48	1,2+3,6
	435050.*	NIL.T-50.*	50	14.5	5	50	1+2,5
	435150.*	NIL.T-50-2.5.*	50	11.5	5	50	2,5+4,5
	435052.*	NIL.T-52.*	52	14.5	5	52	1,5+3,5
	435055.*	NIL.T-55.*	55	11.5	5	55	1+3
	435155.*	NIL.T-55-3.*	55	14.5	5	55	3+5
	435060.*	NIL.T-60.*	60	14.5	5	60	1,5+3
	435160.*	NIL.T-60-3.*	60	17.5	5	60	3+5
	435065.*	NIL.T-65.*	65	14.5	5	65	1,5+3,5
	435070.*	NIL.T-70.*	70	21	5	70	1,5+3,5
	435075.*	NIL.T-75.*	75	21.5	6	75	1+3,5
	435076.*	NIL.T-76.*	76	21.5	6	76	1,6+4
	435080.*	NIL.T-80.*	80	22	5	80	1,5+3
	435085.*	NIL.T-85.*	85	21	6	85	1,5+4
	435088.*	NIL.T-88.*	88	21.5	6	88	1,5+4
	435090.*	NIL.T-90.*	90	21	6	90	1,5+5
	435095.*	NIL.T-95.*	95	21	6	95	1,5+4
	435110.*	NIL.T-100.*	100	28.5	6	100	2+4,5