


# Tilt Wall Mount for 37" to 70" TVs and Monitors


## MODEL NUMBER: DWT3770X











Low-profile mount hangs a flat-panel television, monitor or other display on the wall. Ideal for home theaters, classrooms, boardrooms, hotels, bars and restaurants. Tilts to provide optimal viewing angles.

### Description

The VESA-compliant DWT3770X Tilt Wall Mount allows you to mount your flat-panel television, monitor or other display on the wall. Ideal for home theaters, classrooms, boardrooms, hotels, bars and restaurants, it fits most flat-panel displays from 37 to 70 inches. A -10° to 0° tilt capability minimizes glare and provides comfortable viewing from multiple angles.

Low-profile mount is concealed behind the display to give a sleek, professional appearance. Frame is open for easy wall access. Mounting rails adjust horizontally to compensate for off-center wall studs. Builtin bubble level allows accurate display leveling. Durable all-metal frame with scratch-resistant powder-coated finish supports up to 200 lbs (90.7 kgs). Mounting hardware included. Conforms to VESA-compliant displays with any of the following mounting hole patterns:  $200 \times 200 \text{ mm}$ ,  $200 \times 300 \text{ mm}$ ,  $200 \times 300 \text{ mm}$ ,  $300 \times 200 \text{ mm}$ ,  $300 \times 300 \text{ mm}$ ,  $300 \times 400 \text{ mm}$ ,  $400 \times 200 \text{ mm}$ ,  $400 \times 300 \text{ mm}$ ,  $400 \times 400 \text{ mm}$ ,  $400 \times 40$ 

### **Features**

**Mounts Your TV or Monitor to the Wall**Fits most flat-panel televisions, monitors and other displays from 37 to 70 in.ldeal for home theaters, classrooms, boardrooms, hotels, bars and restaurantsMounts out of sight behind display for sleek, professional appearanceMounting hardware included

**Convenient One-Touch Adjustment**-10° to 0° tilt capability provides comfortable viewing from multiple anglesImproves viewing angles in applications where audience is below the display

**Durable Metal Construction**Supports up to 200 lbs (90.7 kgs)Open frame allows easy wall accessAdjustable mounting rails compensate for off-center wall studsBuilt-in bubble level for accurate display levelingScratch-resistant powder-coated finish

**VESA Compliance**Supports the following VESA mounting hole patterns:  $200 \times 200$  mm,  $200 \times 300$  mm,  $200 \times 400$  mm,  $300 \times 200$  mm,  $300 \times 300$  mm,  $300 \times 400$  mm,  $400 \times 200$  mm,  $400 \times 300$  mm,  $400 \times 3$ 

# **Specifications**

#### OVERVIEW

### **Highlights**

- Fits most flat-panel displays from 37 to 70 in.
- Hangs out of sight for a sleek, professional appearance
- -10° to 0° tilt capability for comfortable viewing
- Supports up to 200 lbs (90.7 kgs)

### **Package Includes**

- DWT3770X Tilt Wall Mount for 32" to 70" TVs and Monitors
- (4) M5 x 14 screws
- (4) M6 x 14 screws
- (4) M6 x 30 screws
- (4) M8 x 20 screws
- (4) M8 x 30 screws
- (4) Washers
- (8) Small spacers
- (4) Big spacers
- (6) Anchor bolts
- (6) Concrete anchors
- (6) D6 washers
- Owner's manual



UPC Code	037332183613	
Device Compatibility	Monitor/HDTV	
PHYSICAL		
Color	Black	
Material of Construction	Steel	
VESA Pattern (mm)	200x200; 200x300; 200x400; 300x200; 300x300; 300x400; 400x200; 400x300; 400x400; 500x300; 500x400; 600x300; 600x400; 800x300; 800x400	
Motion	Tilt	
Mounting Location	Wall	
Degrees of Motion	-10/+0 Tilt	
Distance from Wall (in.)	1.77	
Distance from Wall (cm)	5	
Distance from Wall (mm)	45	
Minimum Screen Size (in.)	37	
Minimum Screen Size (cm)	93.98	
Maximum Screen Size (in.)	70	
Maximum Screen Size (cm)	177.8	
Maximum Weight Capacity (lbs.)	200	
Maximum Weight Capacity (kg)	91	
Number of Displays	1	
Shipping Dimensions (hwd / in.)	8.40 x 2.60 x 35.00	
Shipping Dimensions (hwd / cm)	21.34 x 6.60 x 88.90	
Shipping Weight (lbs.)	7.18	
Shipping Weight (kg)	3.26	
Unit Dimensions (hwd / in.)	17.320 x 34.020 x 1.800	
Unit Dimensions (hwd / cm)	44 x 86 x 4.77	
Unit Weight (lbs.)	7.26	
Unit Weight (kg)	3.29	
Assembly Required	Yes	
FEATURES & SPECIFICATIONS		
Cord Management	No	
Antimicrobial	No	
Tools Necessary	Yes	
Security Lock	No	
<b>V</b>		



STANDARDS & COMPLIANCE		
Product Compliance	RoHS; RoHS3; REACH	
WARRANTY & SUPPORT		
Product Warranty Period (Worldwide)	5-year limited warranty	



© 2023 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.