

External 48V 4U Rack/Tower Battery Pack for select UPS Systems (BP48V48RT4U)

MODEL NUMBER: BP48V48RT4U



Description

BP48V48RT4U - 4u rack/tower external battery pack offers extended battery runtime when used in conjunction with expandable 48V Tripp Lite rackmount and tower UPS systems. 4u reduced-depth configuration with included 2 post mounting accessories is ideal for use with Tripp Lite Compact Rackmount models SMART2200CRMXL and SMART3000CRMXL. Includes heavy gauge cabling with high current DC connector for safe, simple installation. Included daisychain connector enables the connection of additional compatible 48V external battery packs to the host UPS. Included mounting accessories support 4U balanced 2 point center-mounting rackmount installation in 2 post racks. Options for 4 post mounting and upright tower installation available.

Compatible with these UPS Systems - SMART2200CRMXL, SMART3000CRMXL, and other Tripp Lite UPS systems that specify the use of this battery pack. (Note: BP48V48RT4U, SMART2200CRMXL and SMART3000CRMXL include hardware for 2-post rackmount installation; most other rackmount UPS systems and battery packs include hardware for 4-post rackmount installation.)

Features

- Offers extended-run UPS operation when used in conjunction with compatible 48V DC Tripp Lite UPS systems
- Reduced-depth configuration is ideal for use with Tripp Lite Compact Rackmount UPS systems SMART2200CRMXL and SMART3000CRMXL
- Includes heavy gauge cabling with high current DC connectors for simple installation
- Daisychain connector enables the connection of additional compatible 48V external battery packs to the host UPS
- Included mounting brackets support rackmount installation in 4 post racks using only 4 rack spaces (4U)
- 4POSTRAILKIT option supports 4 post rackmount installation
- 2-9USTAND option enables upright tower placement

Specifications

Highlights

- Extends the runtime of Tripp Lite 48V DC Tripp Lite UPS Systems
- 4U reduced-depth configuration with included 2 post mounting accessories is ideal for use with Tripp Lite SMART2200CRMXL and SMART3000CRMXL UPS systems
- Included daisychain connector supports the addition of multiple compatible external battery packs
- Supports 4U rackmount installation; 2 post installation accessories included
- Options for 4 post rackmount and tower installation available

Applications

- Ideal means of lengthening the battery runtime provided by compatible Tripp Lite UPS systems

Package Includes

- BP48V48RT4U external battery pack with attached DC cabling
- 2 post compatible mounting hardware
- Owner's manual



OUTPUT	
Overload Protection	180A DC output fuse system
BATTERY	
Expandable Battery Runtime	Includes a second input/output connector to daisy-chain multiple BP48V48RT4U battery packs
DC System Voltage (VDC)	48
UPS Connection	Attached 20.5 inch cabling with UPS specific DC connector (52.1 cm length, 4 gauge cable)
Typical Battery Lifespan	4-6 years typical (North America)
Expandable Runtime	Yes
PHYSICAL	
Installation Form Factors Supported with Included Accessories	2 post 19 inch rackmount
Installation Form Factors Supported with Optional Accessories	4 post rackmount (4POSTRAILKIT); Tower (2-9USTAND)
Shipping Dimensions (hwd / in.)	14.4 x 25.2 x 22.8
Shipping Dimensions (hwd / cm)	36.6 x 64 x 58
Shipping Weight (lbs.)	169.8
Shipping Weight (kg)	76.4
Unit Dimensions (hwd / in.)	7 x 17.3 x 16.75
Unit Dimensions (hwd / cm)	17.78 x 44 x 42.5
Unit Weight (lbs.)	143.3
Unit Weight (kg)	64.5
Material of Construction	Black steel cabinet
External Battery Pack Form Factor	Rack/Tower
WARRANTY	
Product Warranty Period (U.S. & Canada)	2-year limited warranty
Product Warranty Period (International)	1-year limited warranty
Product Warranty Period (Mexico)	1-year limited warranty
Product Warranty Period (Puerto Rico)	1-year limited warranty
Optional Coverage	3 year, 5 year, next day, on-site warranty coverage available



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com