

### SOLISTRAND

TE Internal #: 1-331414-1 Rings & Spades, Ring Tongue, 8AWG Wire Size, 8.36mm<sup>2</sup> Wire Size, 13100 – 20800CMA Wire Size, 5/16 / M8, Stud Diameter 8.33 mm [.328 in]

View on TE.com >

Terminals & Splices > Rings & Spades



Terminal & Splice Type: **Ring Tongue** Wire Size: **13100 – 20800 CMA** 

Stud Size: 5/16, M8

## Features

## **Product Type Features**

| Terminal Features | Sheared       |
|-------------------|---------------|
| Shape Description | RING-049      |
| Stud Size         | 5/16, M8      |
| Barrel Type       | Closed Barrel |
| Sealable          | No            |



| Insulated               | No                 |
|-------------------------|--------------------|
| Wire/Cable Type         | Regular Wire       |
| Support Style           | Insulation Support |
| Configuration Features  |                    |
| Number of Holes         | 1                  |
| Terminal Angle          | Straight           |
| Body Features           |                    |
| Inspection Slot         | No                 |
| Plating Material        | Copper, Tin        |
| Contact Features        |                    |
| Terminal & Splice Type  | Ring Tongue        |
| Terminal Orientation    | Offset             |
| Mechanical Attachment   |                    |
| Wire Insulation Support | Without            |

## 1-331414-1

Rings & Spades, Ring Tongue, 8AWG Wire Size, 8.36mm<sup>2</sup> Wire Size, 13100 – 20800CMA Wire Size, 5/16 / M8, Stud Diameter 8.33 mm [.328 in]



### Dimensions

| Wire Size                   | 13100 – 20800 CMA  |
|-----------------------------|--------------------|
| Stud Diameter               | 8.33 mm[.328 in]   |
| Tongue Thickness            | .79 mm[.031 in]    |
| Overall Length              | 32.33 mm[1.273 in] |
| Barrel Inside Diameter      | 4.5 mm[.177 in]    |
| Usage Conditions            |                    |
| Operating Temperature Range | 170 °C[338 °F]     |
| Operation/Application       |                    |
| Heavy Duty                  | Yes                |
| Industry Standards          |                    |
| Government Qualified        | No                 |
| Packaging Features          |                    |
|                             |                    |
| Packaging Quantity          | 100                |

## **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUN 2020<br>(209)<br>Candidate List Declared Against: JUN 2016<br>(169)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Yet Reviewed for halogen content  |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits


## 1-331414-1

Rings & Spades, Ring Tongue, 8AWG Wire Size, 8.36mm<sup>2</sup> Wire Size, 13100 – 20800CMA Wire Size, 5/16 / M8, Stud Diameter 8.33 mm [.328 in]



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## **Compatible Parts**



# **Customers Also Bought**




 150 EURO TYP R RECEPT EON ASSY
 RQ 1206 357R 0.1% 10PPM 5K RL
 101A094-3/42-0





TE Model / Part #1755067-3 STARX012XSACXA=120VAC/125VDC, 30SEC




TE Model / Part #6-805887-0 ANVIL, COMBINATION



T500-600FR

TE Model / Part #7-1472973-3 7012ZC=RLY,STD,ON,2P,220V,15S



## Documents

## 1-331414-1

Rings & Spades, Ring Tongue, 8AWG Wire Size, 8.36mm<sup>2</sup> Wire Size, 13100 – 20800CMA Wire Size, 5/16 / M8, Stud Diameter 8.33 mm [.328 in]



**Product Drawings** TERMINAL, SOLIS R 8HD 5/16 English **CAD** Files 3D PDF Customer View Model ENG\_CVM\_CVM\_1-331414-1\_F.2d\_dxf.zip English Customer View Model ENG\_CVM\_CVM\_1-331414-1\_F.3d\_igs.zip English Customer View Model ENG\_CVM\_CVM\_1-331414-1\_F.3d\_stp.zip English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Agency Approvals **UL Report** 

English

3D