

2018



Professional Shop Tools







Complete Shop Tools Program

















Wiha Wrenches Index

	Description	Page
	Open End Inch/Metric	4-5
	Soft Grip Wrenches	6
	Combination Inch/Metric	7-8
	Box Wrenches Inch/Metric	10














Wiha Torx® & Hex Bit Sockets Index

	Description	Page
	Torx® 1/4" Square Drive	11
	Torx® 3/8" Square Drive	11
	Torx® 3/8"-5/16" Bits	11
	Security Torx® 1/4" & 3/8" Sq. Drive	11
	Security Torx® 3/8"-5/16" Bits	11
	TorxPlus® 1/4" & 3/8" Sq. Dr.	11
	Hex 1/4" Sq. Dr. Bit Sockets	13
	Hex 3/8" Sq. Dr. Bit Sockets	13


Wiha 1/2" Square Drive Bit Sockets Index

	Description	Page
	Torx® 1/2" Sq. Drive	12
	Security Torx® 1/2" Sq. Dr.	12
	Slotted 1/2" Square Drive	12
	Phillips 1/2" Square Drive	12




Wiha Sockets Index

	Description	Page
	External Torx® Sockets 1/4", 3/8", 1/2"	12
	6" Bit Sockets 1/4" & 3/8" Drive	14
	1/4" Hex to Sq. Adapter	12
	Socket Sets on Molded Rails	15
	1/4" Sockets & Sets	16
	1/4" Socket Accessories	16
	3/8" Sockets & Sets	18-19
	3/8" Socket Accessories	20
	3/8" Spark Plug Socket	19
	1/2" Sockets & Sets	21
	1/2" Socket Accessories	22-23
	1/2" Spark Plug Socket	23
	Socket Rail System	23



Wiha Impact Bit Holding Sockets Index

	Description	Page
	Impact Bit Holding Sockets 1/4" Drive Bits	12



Wiha Scrapers & Awls Index

	Description	Page
	SoftFinish Scraper Handle & Blades	24
	Square Reaming Awls	24
	Gasket Scraper	24









Wiha Metric Punches Index

	Description	Page
	Tapered Punches	24
	Parallel Pin Punches	24






Wiha Maxiflex Hose System Index

	Description	Page
	Maxiflex Hose System 1/4"	26
	Maxiflex Hose System 1/2"	26

Wiha Hammers Index

	Description	Page
	Dead Blow Hammers	28
	Sledge Hammers	28
	Hammer Faces	28
	Hickory Handles	28
	Split Head Mallets	29
	Mallet Housing	30
	Split Head Mallet Handles	30
	Split Head Hammer Sets	30

Wiha Calipers/Rulers/Levels Index


	Description	Page
	Digital Caliper	31
	Dial Caliper-ESD & Standard	31
	Vernier Caliper	31
	Torpedo Level	31
	Maxiflex Folding Rulers	32



Wiha Open End Wrenches

Meets DIN 3110 / ISO10102 Specifications

31CRV3 tool steel forgings
Precision formed for an exact fit



Narrow profile for better access in tight locations

Satin Chromed Sure Grip Body

Wide I-beam for better gripping

Specified by BMW, Mercedes & Rolls Royce



35096 7 Pc. Set Metric Open End Wrenches
Item No. 35096 Includes: 6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0mm
lbs. 1.50



35094 10 Pc. Set Metric Open End Wrenches
Item No. 35094 Includes: 6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0, 20.0 x 22.0, 21.0 x 23.0, 24.0 x 26.0mm
lbs. 3.31



- Made from 31CRV3 high performance tool steel
- Satin chromed sure grip body
- Precision formed for exact fit

35090 12 Pc. Set Metric Open End Wrenches
Item No. 35090 Includes: 4.0 x 5.0, 5.0 x 5.5, 6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0, 21.0 x 23.0, 20.0 x 22.0, 24.0 x 26.0mm
lbs. 3.30



35092 15 Pc. Set Metric Open End Wrenches In tool box
Item No. 35092 Includes: 6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0, 20.0 x 22.0, 21.0 x 23.0, 24.0 x 26.0, 25.0 x 28.0, 27.0 x 29.0, 30.0 x 32.0, 36.0 x 41.0, 46.0 x 50.0mm
lbs. 15.00



350 Open End Wrenches Metric DIN 3110 / ISO 10102 Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.


Item No.	mm	mm	mm	Inch	mm	mm	mm	lbs.	pkg.
35001	4.0 x 5.0	103	4.0	3.3	11.6	13.7	.02	10	
35002	5.0 x 5.5	104	4.1	3.3	13.7	14.7	.02	10	
35003	5.5 x 7.0	122	4.8	3.6	15.7	17.7	.04	10	
35004	6.0 x 7.0	122	4.8	3.6	15.7	17.7	.04	10	
35006	8.0 x 9.0	140	5.5	3.9	20.8	22.9	.07	10	
35007	8.0 x 10.0	140	5.5	3.9	20.8	22.9	.07	10	
35008	10.0 x 11.0	156	6.1	4.8	23.9	26.9	.12	10	
35009	10.0 x 13.0	172	6.7	5.3	24.0	30.0	.15	10	
35010	12.0 x 13.0	172	6.7	5.3	28.0	31.0	.13	10	
35011	12.0 x 14.0	172	6.7	5.3	28.0	31.0	.13	10	
35012	13.0 x 14.0	190	7.5	5.7	32.5	34.9	.20	10	
35013	14.0 x 15.0	190	7.5	5.7	32.5	34.9	.20	10	
35014	16.0 x 17.0	204	8.0	5.9	36.1	39.2	.23	10	
35015	16.0 x 18.0	204	8.0	5.9	36.1	39.2	.23	10	
35016	18.0 x 19.0	223	8.7	6.5	40.2	42.3	.33	1	
35017	19.0 x 22.0	236	9.3	6.8	44.9	48.4	.42	1	
35018	20.0 x 22.0	236	9.3	6.8	44.9	48.4	.41	1	
35019	21.0 x 23.0	250	9.8	7.3	47.4	51.5	.58	1	
35020	22.0 x 24.0	250	9.8	7.3	47.4	51.5	.57	1	
35021	24.0 x 26.0	265	10.4	7.8	52.5	58.6	.70	1	
35022	24.0 x 27.0	265	10.4	7.8	52.5	58.6	.68	1	
35023	25.0 x 28.0	280	11.0	8.1	55.2	61.3	.77	1	
35024	27.0 x 29.0	280	11.0	8.1	58.6	64.4	.79	1	
35025	27.0 x 30.0	280	11.0	8.1	58.6	64.4	.78	1	
35026	30.0 x 32.0	302	11.8	8.6	64.8	70.3	1.06	1	
35027	32.0 x 36.0	325	12.7	8.8	66.5	74.5	1.21	1	
35028	36.0 x 41.0	358	14.0	8.8	74.5	84.0	1.61	1	
35029	46.0 x 50.0	450	17.6	10.8	93.5	105.0	3.23	1	

- Made from 31CRV3 high performance tool steel
- Satin chromed sure grip body
- Precision formed for exact fit




35098 5 Pc. Set Metric Open End Wrenches
Item No. 35098 Includes: 4.0 x 5.0, 5.0 x 5.5, 6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0mm
lbs. .55

Wiha Open End Wrenches



- Made from 31CRV3 high performance tool steel
- Satin chromed sure grip body
- Precision formed for exact fit

35095 10 Piece Set Inch Open End Wrenches In tool box


Item No. 35095 Includes:  lbs. 8.92
 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x25/32,
 13/16x7/8, 15/16x1, 1-1/16x1-1/4,
 1-1/8x1-5/16, 1-1/4x1-3/8, 1-5/16x1-1/2"



35091 11 Piece Set Inch Open End Wrenches In tool box

Item No. 35091 Includes:  lbs. 8.92
 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16,
 5/8x11/16, 3/4x25/32, 13/16x7/8, 15/16x1,
 1x1-1/8, 1-1/16x1-1/4, 1-1/8x1-5/16"


350 Open End Wrenches Inch DIN 3110 / ISO 10102 Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	AF	AF	OAL	OAL	H	D ¹	D ²		pkg.
	Inch	Inch	mm	Inch	mm	mm	mm	lbs.	
35032	1/4	x 5/16	130	5.1	5.7	32.5	34.9	.20	10
35033	5/16	x 3/8	140	5.5	5.9	36.1	39.2	.23	10
35034	3/8	x 7/16	157	6.2	6.8	44.9	48.4	.45	10
35035	7/16	x 1/2	170	6.7	7.3	47.4	51.5	.58	10
35036	1/2	x 9/16	190	7.5	5.7	32.5	34.9	.20	10
35037	9/16	x 5/8	190	7.5	5.7	32.5	34.9	.20	10
35038	19/32	x 11/16	204	8.0	5.9	36.1	29.2	.24	10
35039	5/8	x 11/16	204	8.0	5.9	36.1	29.2	.23	10
35040	5/8	x 3/4	223	8.7	6.5	40.2	42.3	.34	1
35041	11/16	x 3/4	223	8.7	6.5	40.2	42.3	.33	1
35042	3/4	x 25/32	236	9.3	6.8	44.9	48.4	.42	1
35043	3/4	x 7/8	236	9.3	6.8	44.9	48.4	.41	1
35044	13/16	x 7/8	236	9.3	6.8	44.9	48.4	.40	1
35045	7/8	x 15/16	250	9.8	7.3	47.4	51.5	.57	1
35046	15/16	x 1	265	10.4	7.8	52.5	58.6	.68	1
35047	1	x 1-1/8	280	11.0	8.1	55.7	61.3	.76	1
35048	1-1/16	x 1-1/4	302	11.8	8.6	59.7	69.9	1.01	1
35049	1-1/8	x 1-5/16	302	11.8	8.6	64.8	70.3	1.06	1
35050	1-3/16	x 1-5/16	302	11.8	8.6	64.8	70.3	1.03	1
35051	1-1/4	x 1-3/8	325	12.7	8.8	66.5	74.5	1.22	1
35052	1-5/16	x 1-1/2	325	12.7	8.8	66.5	74.5	1.19	1
35054	1-1/2	x 1-5/8	358	14.0	8.8	74.5	84.0	1.56	1
35056	1-13/16	x 2	450	17.6	10.8	93.5	105.0	3.22	1

- Made from 31CRV3 high performance tool steel
- Satin chromed sure grip body
- Precision formed for exact fit




35099 5 Pc. Set Inch Open End Wrenches


Item No. 35099 Includes:
 3/8x7/16, 1/2x9/16, 9/16x5/8,
 11/16x3/4, 13/16x7/8"
 lbs. 1.55



35097 7 Pc. Set Inch Open End Wrenches

Item No. 35097 Includes:
 1/4x5/16, 3/8x7/16, 1/2x9/16, 5/8x11/16,
 3/4x25/32, 13/16x7/8, 15/16x1"
 lbs. 2.70

Wiha Soft Grip Wrenches



- Made from 31CRV3 high performance tool steel
- Precision formed for exact fit
- Soft grip body

• In Roll Up Pouch




50089 15 Pc. Set Inch Combo Wrenches

Item No. 50089 Includes: lbs. 7.24
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8

500 Soft Grip Wrenches Inch DIN 3113A/ISO 3318 - ISO 7738

Item No.	AF	OAL	OAL	H ¹	H ²	D ¹	D ²		
No.	Inch	mm	Inch	mm	mm	mm	mm	lbs.	pkg.
50043	1/4	100	3.9	5.0	3.9	10.1	15.7	.03	1
50044	5/16	120	4.7	5.9	4.4	12.9	19.0	.05	1
50045	3/8	140	5.5	6.9	5.0	15.9	22.8	.09	1
50046	7/16	150	5.9	7.4	5.2	17.3	25.4	.11	1
50047	1/2	170	6.7	8.4	5.8	20.2	29.3	.14	1
50048	9/16	180	7.1	8.9	6.1	21.6	31.2	.19	1
50050	5/8	200	7.8	9.8	6.6	24.6	34.5	.23	1
50051	11/16	210	8.2	10.3	6.9	25.9	37.3	.30	1
50052	3/4	230	9.0	11.1	7.3	28.8	40.4	.34	1
50054	13/16	250	9.8	11.7	7.7	31.7	44.2	.45	1
50055	7/8	260	10.2	12.0	7.9	33.0	46.6	.51	1
50056	15/16	280	11.0	12.7	8.3	35.8	50.1	.63	1
50057	1	290	11.4	13.0	8.5	37.3	52.8	.65	1
50058	1-1/16	310	12.2	13.6	8.9	40.2	55.9	.83	1
50059	1-1/8	330	13.0	14.2	9.3	42.8	59.8	.98	1



- Made from 31CRV3 high performance tool steel
- Precision formed for exact fit
- Soft grip body

• In Roll Up Pouch




50087 15 Pc. Set Metric Combo Wrenches

Item No. 50087 Includes: lbs. 5.32
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24mm

500 Soft Grip Wrenches Metric DIN 3113A/ISO 3318 - ISO 7738

Item No.	MM	OAL	OAL	H ¹	H ²	D ¹	D ²		
No.	mm	mm	Inch	mm	mm	mm	mm	lbs.	pkg.
50004	8.0	120	4.7	5.9	4.4	12.9	19.0	.05	1
50005	9.0	130	5.1	6.4	4.7	14.5	20.9	.07	1
50006	10.0	140	5.5	6.9	5.0	15.9	22.8	.09	1
50007	11.0	150	5.9	7.4	5.2	17.3	25.4	.11	1
50008	12.0	160	6.3	7.9	5.5	18.7	26.7	.13	1
50009	13.0	170	6.7	8.4	5.8	20.2	29.3	.14	1
50011	14.0	180	7.1	8.9	6.1	21.6	31.2	.19	1
50012	15.0	190	7.5	9.3	6.3	23.1	33.0	.21	1
50013	16.0	200	7.8	9.8	6.6	24.6	34.5	.23	1
50014	17.0	210	8.2	10.3	6.9	25.4	37.3	.30	1
50015	18.0	220	8.6	10.8	7.1	27.4	38.4	.32	1
50016	19.0	230	9.0	11.1	7.3	28.8	40.4	.34	1
50017	20.0	240	9.4	11.4	7.5	30.2	42.3	.39	1
50019	22.0	260	10.2	12.0	7.9	33.0	46.6	.51	1
50027	24.0	280	11.0	12.7	8.3	35.8	50.1	.62	1

Wiha Inch Combination Wrenches



400 Combination Wrenches Inch DIN 3113A/ISO 3318 - ISO 7738 Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	AF	OAL	OAL	H ¹	H ²	D ¹	D ²	↔	▬
No.	Inch	mm	Inch	mm	mm	mm	mm	lbs.	pkg.
40043	1/4	100	3.9	5.0	3.9	10.1	15.7	.03	10
40044	5/16	120	4.7	5.9	4.4	12.9	19.0	.05	10
40045	3/8	140	5.5	6.9	5.0	15.9	22.8	.09	10
40046	7/16	150	5.9	7.4	5.2	17.3	25.4	.11	10
40047	1/2	170	6.7	8.4	5.8	20.2	29.3	.14	10
40048	9/16	180	7.1	8.9	6.1	21.6	31.2	.19	10
40049	19/32	190	7.5	9.3	6.3	23.1	33.0	.21	10
40050	5/8	200	7.8	9.8	6.6	24.6	34.5	.23	10
40051	11/16	210	8.2	10.3	6.9	25.9	37.3	.30	10
40052	3/4	230	9.0	11.1	7.3	28.8	40.4	.34	1
40053	25/32	240	9.4	11.4	7.5	30.2	42.3	.39	1
40054	13/16	250	9.8	11.7	7.7	31.7	44.2	.45	1
40055	7/8	260	10.2	12.0	7.9	33.0	46.6	.51	1
40056	15/16	280	11.0	12.7	8.3	35.8	50.1	.63	1
40057	1	290	11.4	13.0	8.5	37.3	52.8	.65	1
40058	1-1/16	310	12.2	13.6	8.9	40.2	55.9	.83	1
40059	1-1/8	330	13.0	14.2	9.3	42.8	59.8	.98	1
40060	1-1/4	360	14.1	15.2	9.9	47.2	66.9	1.31	1
40061	1-5/16	360	14.1	15.2	9.9	47.2	66.9	1.28	1
40062	1-3/8	400	15.7	22.8	14.1	54.6	77.5	2.56	1
40063	1-7/16	400	15.7	22.8	14.1	54.6	77.5	2.38	1
40064	1-1/2	400	15.7	22.8	14.1	54.6	77.5	2.33	1
40065	1-5/8	450	17.6	25.8	15.8	62.1	83.7	3.19	1
40066	1-3/4	500	19.6	28.8	17.5	69.6	93.1	4.44	1
40067	1-13/16	500	19.6	28.8	17.5	69.6	93.1	4.31	1
40068	2	540	21.2	31.2	18.9	75.6	102.6	5.72	1

In roll up pouch



40089 15 Pc. Set Inch Combination Wrenches

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Inch:
40089	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8"

In roll up pouch



40091 12 Pc. Set Inch Combination Wrenches

Item No.	Inch:
40091	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

In roll up pouch



40095 10 Pc. Set Inch Combination Wrenches

Item No.	Inch:
40095	7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Wiha Economy Combination Inch & Metric Wrenches



300 Economy Combo Wrenches Inch			
Item No.	MM	OAL	▬
No.	Inch	mm	pkg.
30052	1/4	120	1
30053	5/16	130	1
30054	3/8	140	1
30055	7/16	150	1
30056	1/2	160	1
30057	9/16	170	1
30058	5/8	180	1
30059	11/16	190	1
30060	3/4	200	1
30061	13/16	210	1
30062	7/8	220	1
30063	15/16	230	1
30064	1	240	1
30065	1-1/16	260	1
30066	1-1/8	280	1

300 Economy Combo Wrenches Metric			
Item No.	MM	OAL	▬
No.	mm	mm	pkg.
30008	8.0	120	1
30009	9.0	130	1
30010	10.0	140	1
30011	11.0	150	1
30012	12.0	160	1
30013	13.0	170	1
30014	14.0	180	1
30015	15.0	190	1
30016	16.0	200	1
30017	17.0	210	1
30018	18.0	220	1
30019	19.0	230	1
30020	20.0	240	1
30022	22.0	260	1
30024	24.0	280	1

Wiha Inch Combination Wrenches



40093 7 Pc. Set Inch Combination

Wrenches Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Inch:
40093	3/8, 7/16, 1/2, 9/16,
lbs. 1.60	5/8, 11/16, 3/4"

In tool box



40097 15 Pc. Set Inch Combination

Wrenches Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Inch:
40097	5/16, 3/8, 7/16, 1/2, 9/16, 5/8,
	11/16, 3/4, 13/16, 7/8, 15/16,
lbs. 11.0	1, 1-1/16, 1-1/8, 1-1/4"

In tool box




40099 26 Pc. Set Inch Combination

Wrenches Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Inch:
40099	1/4, 5/16, 3/8, 7/16, 1/2, 9/16,
	19/32, 5/8, 11/16, 3/4, 25/32,
lbs. 38.5	13/16, 15/16, 1, 1-1/16, 1-1/8,
	1-1/4, 1-5/16, 1-3/8, 1-7/16,
	1-1/2, 1-5/8 1-3/4, 1-13/16, 2"

Wiha Metric Combination Wrenches



400 **Combination Wrenches Metric DIN 3113A/ISO 3318 - ISO 7738** Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	ØMM	OAL	OAL	H ¹	H ²	D ¹	D ²	↔	↔
	mm	mm	Inch	mm	mm	mm	mm	lbs.	pkg.
40001	5.5	100	3.9	5.0	3.0	10.1	15.7	.03	10
40002	6.0	100	3.9	5.0	3.9	10.1	15.7	.03	10
40003	7.0	110	4.3	5.5	4.2	11.5	17.0	.04	10
40004	8.0	120	4.7	5.9	4.4	12.9	19.0	.05	10
40005	9.0	130	5.1	6.4	4.7	14.5	20.9	.07	10
40006	10.0	140	5.5	6.9	5.0	15.9	22.8	.09	10
40007	11.0	150	5.9	7.4	5.2	17.3	25.4	.11	10
40008	12.0	160	6.3	7.9	5.5	18.7	26.7	.13	10
40009	13.0	170	6.7	8.4	5.8	20.2	29.3	.14	10
40011	14.0	180	7.1	8.9	6.1	21.6	31.2	.19	10
40012	15.0	190	7.5	9.3	6.3	23.1	33.0	.21	10
40013	16.0	200	7.8	9.8	6.6	24.6	34.5	.23	10
40014	17.0	210	8.2	10.3	6.9	25.4	37.3	.30	10
40015	18.0	220	8.6	10.8	7.1	27.4	38.4	.32	10
40016	19.0	230	9.0	11.1	7.3	28.8	40.4	.34	10
40017	20.0	240	9.4	11.4	7.5	30.2	42.3	.39	1
40018	21.0	250	9.8	11.7	7.7	31.7	44.2	.44	1
40019	22.0	260	10.2	12.0	7.9	33.0	46.6	.51	1
40020	23.0	270	10.6	12.4	8.1	34.5	48.8	.56	1
40027	24.0	280	11.0	12.7	8.3	35.8	50.1	.62	1
40028	25.0	290	11.4	13.0	8.5	37.3	52.8	.66	1
40029	26.0	300	11.8	13.3	8.7	38.7	53.9	.74	1
40030	27.0	310	12.2	13.6	8.9	40.2	55.9	.83	1
40031	28.0	320	12.5	13.9	9.1	41.5	57.8	.88	1
40032	29.0	330	12.9	14.2	9.3	42.8	59.8	.97	1
40033	30.0	340	13.3	14.6	9.5	44.3	62.6	1.08	1
40034	32.0	360	14.1	15.2	9.9	47.2	66.9	1.30	1
40035	34.0	380	14.9	15.8	10.3	50.1	69.5	1.50	1
40036	36.0	400	15.7	22.8	14.1	54.6	77.5	2.40	1
40037	38.0	400	15.7	22.8	14.1	54.6	77.5	2.35	1
40038	41.0	450	17.6	25.8	15.8	62.1	83.7	3.19	1
40039	46.0	500	19.6	28.8	17.5	69.6	93.1	4.31	1
40040	50.0	540	21.1	31.2	18.9	75.6	102.6	5.72	1

Wiha Metric Combination Wrenches



In roll up pouch



In tool box



40086 9 Pc. Set Metric Combination Wrenches Made from 31CRV3 high performance tool steel.

Item No.	Metric:
40086	7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0mm
lbs.	1.3

40087 15 Piece Set Metric Combination Wrenches Made from 31CRV3 high performance tool steel. In roll up pouch

Item No.	Metric:
40087	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 22.0, 24.0mm
lbs.	6.75

40096 15 Pc. Set Metric Combination Wrenches Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
40096	7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0mm
lbs.	6.75


In roll up pouch



In tool box



In tool box



40094 10 Pc. Set Metric Combination Wrenches Made from 31CRV3 high performance tool steel.

Item No.	Metric:
40094	10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0mm
lbs.	2.85

40092 26 Pc. Set Metric Combination Wrenches Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
40092	6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0, 23.0, 24.0, 25.0, 26.0, 27.0, 28.0, 29.0, 30.0, 32.0mm
lbs.	15.3

40098 18 Piece Set Metric Combination Wrenches Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
40098	7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0, 23.0, 24.0mm
lbs.	8.7



In roll up pouch



40088 14 Pc. Set Metric Combination Wrenches Made from 31CRV3 high performance tool steel. In roll up pouch

Item No.	Metric:
40088	6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0mm
lbs.	2.3

Wiha Box Wrenches





475 Box Wrenches Inch DIN 838 / ISO 10104 Satin chromed sure grip body. Made from 31CRV3 high performance forged tool steel. Precision formed for an exact fit. 12 point drive.

Item No.	AF Inch Inch	OAL mm	OAL Inch	H ¹ mm	H ² mm	D ¹ mm	D ² mm	lbs.	pkg.
47518	1/4x5/16	170	6.7	6.0	6.7	12.2	13.5	.12	10
47519	5/16x3/8	180	7.1	6.7	7.5	13.7	16.4	.14	10
47520	3/8x7/16	195	7.6	7.5	8.1	16.4	17.9	.19	10
47521	7/16x1/2	216	8.5	8.4	9.0	18.3	20.9	.24	10
47522	1/2x9/16	239	9.4	9.0	9.3	20.9	22.3	.32	10
47523	9/16x5/8	239	9.4	9.3	9.7	22.3	25.0	.32	10
47524	5/8x11/16	262	10.3	10.2	10.4	25.4	27.0	.42	10
47525	5/8x3/4	290	11.4	10.2	11.0	25.4	29.7	.51	10
47526	11/16x3/4	290	11.4	10.8	11.0	27.8	29.7	.58	1
47527	3/4x25/32	290	11.4	11.0	11.4	29.7	31.8	.57	1
47528	3/4x7/8	320	12.5	11.0	12.2	29.7	34.0	.67	1
47529	13/16x7/8	320	12.5	11.5	12.2	31.8	34.0	.69	1
47530	7/8x15/16	326	12.8	12.2	12.8	34.0	37.0	.77	1
47531	15/16x1	337	13.2	12.8	13.9	37.0	41.0	.98	1
47532	1x1-1/8	346	13.6	13.0	14.2	39.2	43.0	1.1	1
47533	1-1/16x1-1/4	358	14.0	13.9	15.5	42.0	49.0	1.3	1
47535	1-3/16x1-5/16	360	14.1	14.6	15.5	45.5	50.0	1.3	1
47536	1-1/4x1-3/8	412	16.2	17.0	18.2	48.2	53.5	1.8	1
47537	1-5/16x1-1/2	412	16.2	17.0	18.2	48.2	53.5	1.8	1
47539	1-11/16x1-7/8	476	18.7	19.7	21.4	63.0	70.0	2.8	1
47540	1-13/16x2	500	19.6	21.4	22.4	67.0	73.0	3.4	1

47590 10 Pc. Set Metric Box Wrenches

Item No.	mm x mm	mm x mm
47590	5.5 x 7.0	14.0 x 15.0
↺	6.0 x 7.0	16.0 x 17.0
lbs. 3.95	8.0 x 9.0	18.0 x 19.0
	10.0 x 11.0	20.0 x 22.0
	12.0 x 13.0	21.0 x 23.0



475 Box Wrenches Metric DIN 838 / ISO 10104 Satin chromed sure grip body. Made from 31CRV3 high performance forged tool steel. Precision formed for an exact fit. 12 point drive.

Item No.	MM mm mm	OAL mm	OAL Inch	H ¹ mm	H ² mm	D ¹ mm	D ² mm	lbs.	pkg.
47501	5.5 x 7.0	165	6.5	5.8	6.3	10.6	12.2	.09	10
47502	6.0 x 7.0	165	6.5	5.8	6.3	10.6	12.2	.09	10
47541	7.0 x 8.0	170	6.7	6.0	6.7	12.2	13.5	.12	10
47503	8.0 x 9.0	180	7.1	6.7	7.3	13.7	15.1	.13	10
47504	10.0 x 11.0	195	7.6	7.5	8.1	16.4	17.9	.19	10
47505	12.0 x 13.0	216	8.5	8.4	9.0	19.7	20.9	.26	10
47506	14.0 x 15.0	238	9.3	9.6	10.1	22.4	25.0	.33	10
47507	16.0 x 17.0	262	10.3	10.2	10.4	25.4	27.0	.44	10
47508	18.0 x 19.0	290	11.4	10.8	11.0	27.8	29.7	.55	1
47509	20.0 x 22.0	320	12.5	11.5	12.2	31.8	34.0	.75	1
47510	21.0 x 23.0	326	12.8	11.8	12.5	32.4	35.3	.77	1
47511	24.0 x 26.0	337	13.2	12.8	13.9	37.0	41.0	.92	1
47512	25.0 x 28.0	346	13.6	13.0	14.2	29.2	43.0	1.1	1
47513	27.0 x 29.0	346	13.6	13.9	14.6	40.5	45.3	1.1	1
47514	30.0 x 32.0	360	14.1	13.9	15.5	45.5	49.0	1.3	1
47515	30.0 x 34.0	380	14.9	14.8	16.5	45.5	51.8	1.3	1
47516	36.0 x 41.0	440	17.3	18.0	19.5	53.5	60.5	2.5	1
47517	46.0 x 50.0	500	19.6	21.4	22.4	67.0	73.0	3.6	1

47591 8 Piece Set Inch Box Wrenches

Item No.	Inch x Inch	mm x mm
47591	1/4 x 5/16	5/8 x 3/4
↺	3/8 x 7/16	11/16 x 3/4
lbs. 2.55	7/16 x 1/2	13/16 x 7/8
	1/2 x 9/16	
	9/16 x 5/8	

Wiha TORX®, TORXPlus® & Security TORX® Sockets



Set Screw Replaceable Bit

761 TORX® Sockets, 1/4" Square Drive

Item			
No.	Size	mm	lbs.
76106	T6	38	.04
76107	T7	38	.04
76109	T8	38	.04
76111	T9	38	.04
76113	T10	38	.04
76117	T15	38	.04
76119	T20	38	.04
76121	T25	38	.04
76123	T27	38	.04
76129	T30	38	.05
76131	T40	38	.05



716 TORXPlus® Sockets, 1/4" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item			
No.	Size	mm	lbs.
71661	IP6	38	.04
71662	IP7	38	.04
71663	IP8	38	.04
71664	IP9	38	.04
71665	IP10	38	.04
71666	IP15	38	.04
71667	IP20	38	.04
71668	IP25	38	.04
71669	IP27	38	.04
71670	IP30	38	.04
71671	IP40	38	.04



Set Screw Replaceable Bit

763 Security TORX® Sockets

3/8" Square drive, 5/16" bits.

Item			
No.	Size	mm	lbs.
76339	T40s	51	.11
76340	T45s	51	.11
76341	T50s	51	.11
76342	T55s	51	.13



763 TORX® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item			
No.	Size	mm	lbs.
76312	T9	42	.09
76314	T10	42	.09
76316	T15	42	.09
76318	T20	42	.09
76322	T25	42	.09
76324	T27	42	.09
76326	T30	42	.09
76328	T40	42	.09



716 TORXPlus® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item			
No.	Size	mm	lbs.
71673	IP9	42	.09
71674	IP10	42	.09
71675	IP15	42	.09
71676	IP20	42	.09
71677	IP25	42	.09
71678	IP27	42	.09
71680	IP30	42	.09
71681	IP40	42	.09



Set Screw Replaceable Bit

763 Security TORX® Sockets

1/4" Square drive, 1/4" bits.

Item			
No.	Size	mm	lbs.
76329	T7s	38	.04
76330	T8s	38	.04
76331	T9s	38	.04
76332	T10s	38	.04
76333	T15s	38	.04
76334	T20s	38	.04
76335	T25s	38	.04
76336	T27s	38	.04
76337	T30s	38	.05
76338	T40s	38	.05



763 TORX® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 5/16" Bit, 2" OAL

Item			
No.	Size	mm	lbs.
76346	T40	51	.11
76348	T45	51	.11
76352	T50	51	.11
76354	T55	51	.13



Set Screw Replaceable Bit

701 Security TORX® Sockets

3/8" Square drive, 1/4" bits. 2" OAL

Item			
No.	Size	mm	lbs.
70107	T7s	42	.09
70108	T8s	42	.09
70109	T9s	42	.09
70110	T10s	42	.09
70113	T15s	42	.09
70115	T20s	42	.09
70117	T25s	42	.09
70119	T27s	42	.09
70121	T30s	42	.09
70123	T40s	42	.09



Wiha External Sockets



773 TORX® External Sockets

1/4" Square drive socket.

Item	Star	Hex	Tri	Hex
No.	Size	mm	lbs.	
77304	E4	25	.03	
77305	E5	25	.03	
77306	E6	25	.03	
77307	E7	25	.04	
77308	E8	25	.04	
77310	E10	25	.04	

773 TORX® External Sockets

3/8" Square drive socket.

Item	Star	Hex	Tri	Hex
No.	Size	mm	lbs.	
77331	E8	28	.07	
77333	E10	28	.07	
77335	E12	28	.07	
77337	E14	28	.08	



773 TORX® External Sockets

1/2" Square drive socket.

Item	Star	Hex	Tri	Hex
No.	Size	mm	lbs.	
77341	E12	37	.12	
77343	E14	37	.12	
77345	E16	37	.14	
77347	E18	37	.14	
77349	E20	37	.15	
77353	E24	40	.24	

Wiha E-TORX® Socket Set On Molded Rail



77391 8 Piece E-TORX® Socket Set

Item No.	Set includes the following:
77391	lbs. 1/4" drive: E6, E7, E8, E10 .62 3/8" drive: E12, E14 1/2" drive: E16, E18

1/2" Square Drive Sockets



Set Screw Replaceable Bit

764 TORX® Sockets, 1/2" Square Drive

Item	Star	Hex	Tri	Hex
No.	Size	mm	lbs.	pkg.
76403	T30	59	.10	1
76404	T40	59	.10	1
76405	T45	59	.10	1
76406	T50	59	.10	1
76407	T55	59	.11	1
76408	T60	59	.18	1



Set Screw Replaceable Bit

764 Security TORX® Sockets 1/2" Square Drive

Item	Star	Hex	Tri	Hex
No.	Size	mm	lbs.	pkg.
76411	T40s	59	.11	1
76412	T45s	59	.11	1
76413	T50s	59	.11	1
76414	T55s	59	.12	1



Set Screw Replaceable Bit

764 Slotted Bit Sockets, 1/2" Square Drive

Item	Star	Hex	Tri	Hex
No.	mm	mm	lbs.	pkg.
76417	8	59	.12	1
76418	10	59	.12	1
76419	12	59	.12	1



Set Screw Replaceable Bit

764 Phillips Bit Sockets, 1/2" Square Drive

Item	Star	Hex	Tri	Hex
No.	Size	mm	lbs.	pkg.
76422	2	59	.15	1
76423	3	59	.15	1
76424	4	59	.15	1

Impact Bit Holding Sockets



720 Impact Bit Holding Socket With Retaining Ring For 1/4" drive bits.

Item	Star	Hex	Tri	Hex
No.	Bit	mm	Drive	lbs.
72001	1/4	25	1/4"	.05
72002	1/4	30	3/8"	.10
72003	1/4	35	1/2"	.21

72090 3 Piece Bit Holding Socket Set

for use with 1/4" Insert bits

Drive: 1/4", 3/8", 1/2" wt. .40



720 Impact Bit Holding Socket With Retaining Ring For 5/16" drive bits.

Item	Star	Hex	Tri	Hex
No.	Bit	mm	Drive	lbs.
72004	5/16	25	1/4"	.04
72005	5/16	30	3/8"	.04
72006	5/16	35	1/2"	.04

Wiha Socket Adapters



721 Hex To Square 1/4" socket bit adapter.

Item	Star	Hex	Tri	Hex
No.	Size	mm	Drive	lbs.
72110	1/4"	25	1/4"	.03
72115	1/4"	30	3/8"	.05



724 Tool Shaft





1/4" drive socket power adapter.

Item	Star	Hex	Tri	Hex
No.	Drive	mm	Drive	lbs.
72401	1/4"	100	1/4"	.09
72405	1/4"	50	1/4"	.03
72410	1/4"	100	3/8"	.17
72415	1/4"	50	3/8"	.06

Wiha Hex Inch & Metric Sockets







713 Hex Inch Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	Inch	mm	lbs.	
71371	1/16	38	.05	
71370	5/64	38	.05	
71372	3/32	38	.05	
71374	7/64	38	.05	
71376	1/8	38	.05	
71378	9/64	38	.05	
71380	5/32	38	.05	
71382	3/16	38	.05	
71384	7/32	38	.05	
71386	1/4	38	.05	







713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	mm	mm	lbs.	
71300	2.0	42	.09	
71316	2.5	42	.09	
71341	3.0	42	.09	
71331	4.0	42	.09	
71323	5.0	42	.09	
71325	6.0	42	.09	
71320	8.0	42	.10	
71322	10.0	42	.11	







713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item				
No.	mm	mm	lbs.	
71332	12.0	75	.22	







713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item				
No.	Inch	mm	lbs.	
71375	1/8	42	.09	
71377	9/64	42	.09	
71379	5/32	42	.09	
71381	3/16	42	.09	
71383	7/32	42	.09	
71385	1/4	42	.09	
71388	5/16	42	.10	
71390	3/8	42	.10	







761 Security Hex Inch Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	Inch	mm	lbs.	
76164	5/64	42	.09	
76165	3/32	42	.09	
76166	7/64	42	.09	
76167	1/8	42	.09	
76168	9/64	42	.09	
76169	5/32	42	.09	
76170	3/16	42	.09	
76171	7/32	42	.09	
76172	1/4	42	.09	







717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	Inch	mm	lbs.	
71761	3/32	38	.09	
71762	7/64	38	.09	
71763	1/8	38	.09	
71764	9/64	38	.09	
71765	5/32	38	.09	
71766	3/16	38	.09	
71767	7/32	38	.09	
71768	1/4	38	.09	







713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	mm	mm	lbs.	
71301	1.5	38	.04	
71302	2.0	38	.04	
71305	2.5	38	.04	
71313	3.0	38	.04	
71314	4.0	38	.04	
71317	5.0	38	.05	
71319	6.0	38	.05	
71327	8.0	38	.05	
71340	10.0	38	.05	







761 Security Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	mm	mm	lbs.	
76132	2.0	42	.09	
76133	2.5	42	.09	
76134	3.0	42	.09	
76135	4.0	42	.09	
76136	5.0	42	.09	
76137	6.0	42	.09	
76138	8.0	42	.09	



717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	mm	mm	lbs.	
71771	1.5	38	.09	
71772	2.0	38	.09	
71773	2.5	38	.09	
71774	3.0	38	.09	
71775	4.0	38	.09	
71776	5.0	38	.09	
71777	6.0	38	.09	

Wiha Long Blade Sockets & Sets



771 Hex Inch Sockets

1/4" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77128	3/32	6	.12
77130	7/64	6	.12
77132	1/8	6	.12
77134	9/64	6	.12
77136	5/32	6	.12
77138	3/16	6	.12
77139	7/32	6	.12
77141	1/4	6	.12

77191 8 Piece Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" wt. .97



771 Hex Inch Sockets

3/8" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77165	3/32	6	.18
77167	7/64	6	.18
77169	1/8	6	.18
77171	9/64	6	.18
77173	5/32	6	.18
77175	3/16	6	.18
77177	7/32	6	.18
77179	1/4	6	.18



771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77140	2.5	6	.13
77142	3.0	6	.13
77144	4.0	6	.13
77146	5.0	6	.13
77148	6.0	6	.13

77192 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm wt. .70



771 TORX® Sockets

1/4" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77151	T8	6	.12
77153	T9	6	.12
77152	T10	6	.12
77154	T15	6	.12
77156	T20	6	.12
77158	T25	6	.12
77160	T27	6	.13
77162	T30	6	.13
77164	T40	6	.13

77193 7 Piece TORX® Socket Blade Set

TORX®: T10, T15, T20, T25, T27, T30, T40 wt. .87



771 TORX® Sockets

3/8" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77101	T8	6	.12
77103	T9	6	.12
77105	T10	6	.12
77107	T15	6	.12
77109	T20	6	.12
77111	T25	6	.12
77113	T27	6	.12
77115	T30	6	.12
77117	T40	6	.12

77195 9 Piece TORX® Socket Blade Set

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40 wt. 1.08



77198 22 Piece Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40

wt. 2.82


Wiha Socket Sets On Molded Rails



76191 10 pc. TORX® Socket Set

1/4" Square Drive Replaceable Bit Sockets. Bits CVM tool steel. OAL 1.5"

Item No.	Set Includes:
76191	lbs. T7, T8, T9, T10, T15, .49 T20, T25, T27, T30, T40



76194 6 pc. TORX® Socket Set

1/4" Square Drive Replaceable Bit Sockets. Bits CVM tool steel.

Item No.	Set Includes:
76194	lbs. T10, T15, T20, .20 T25, T27, T30



76395 8 pc. TORX® Socket Set

3/8" Square Drive Replaceable Bit Sockets. Bits CVM tool steel. OAL 1.5"

Item No.	Set Includes:
76395	lbs. T9, T10, T15, T20, .75 T25, T27, T30, T40



76396 8 pc. TORX® Socket Set

3/8" Square Drive Replaceable Bit Sockets. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.	Set Includes:
76396	lbs. 1/4": T20, T25, T27, T30, T40 5/16": T45, T50, T55



76490 6 pc. TORX® Socket Set

1/2" Square Drive Replaceable Bit Sockets. Bits CVM tool steel.

Item No.	Set Includes:
76490	lbs. T30, T40, T45 1.06 T50, T55, T60

Wiha Socket Sets On Molded Rails

Security Torx®



70195 10 pc. Security TORX® Socket Set
1/4" Square drive replaceable bit sockets.
1/4" Bits CVM tool steel.

Item No.	↔	Set Includes:
70195	lbs.	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s




71391 10 Piece Hex Inch Socket Set
1/4" Square drive replaceable bit sockets.
Bits CVM tool steel. OAL 1.5"

Item No.	↔	Set Includes:
71391	lbs.	Set includes the following: .48 1/16, 5/64, 3/32, 7/64, 1/8 9/64, 5/32, 3/16, 7/32, 1/4"



71393 5 Piece Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Sockets.
1/4" Bits CVM tool steel.

Item No.	↔	Set Includes:
71393	lbs.	Hex Inch: 1/8, 3/16, .54 1/4, 5/16, 3/8"



76397 9 pc. Security TORX® Socket Set
1/4" & 3/8" Square Drive Replaceable Bit
Sockets. 1/4" & 5/16" Bits CVM tool steel.

Item No.	↔	Set Includes:
76397	lbs.	1/4": T10s, T15s, T20s, .85 T25s, T27s, T30s 3/8": T40s (1/4" bit) 3/8": T45s, T50s (5/16" bit)




71798 8 Pc. Ball End Hex Inch Socket Set
1/4" Square Drive Replaceable Bit Sockets.
1/4" Bits CVM tool steel.

Item No.	↔	Set Includes:
71798	lbs.	Set includes the following: .72 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



71394 5 Piece Hex Metric Socket Set
3/8" Square Drive Replaceable Bit Sockets.
1/4" Bits CVM tool steel.

Item No.	↔	Set Includes:
71394	lbs.	Hex Metric: 4.0, 5.0, .56 6.0, 8.0, 10.0mm



76399 12 pc. Security TORX® Socket Set
1/4" & 3/8" Square Drive Replaceable Bit
Sockets. 1/4" & 5/16" Bits CVM tool steel.

Item No.	↔	Set Includes:
76399	lbs.	1/4": T7s, T8s, T10s, T15s, .80 T20s, T25s, T27s, T30s, T40s 5/16": T45s, T50s, T55s



71398 7 Pc. Ball End Hex Inch Socket Set
1/4" Square Drive Replaceable Bit Sockets.
1/4" Bits CVM tool steel.

Item No.	↔	Set Includes:
71398	lbs.	3/32, 1/8, 9/64, 5/32, .48 3/16, 7/32, 1/4"




71996 9 Piece Hex Metric Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Sockets.
1/4" Bits CVM tool steel. OAL 1.65"

Item No.	↔	Set Includes:
71996	lbs.	1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm 3/8": 5.0, 6.0, 8.0, 10.0mm



71698 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Sockets. Bits CVM tool steel.

Item No.	↔	Set Includes:
71698	lbs.	1/4": IP9, IP10, IP15, IP20 .60 3/8": IP25, IP27, IP30, IP40



71797 7 Pc. Ball End Hex Metric Socket Set
1/4" Square Drive Replaceable Bit Sockets.
1/4" Bits CVM tool steel.

Item No.	↔	Set Includes:
71797	lbs.	Hex Metric: 1.5, 2.0, 2.5, .72 3.0, 4.0, 5.0, 6.0mm



71999 9 Pc. Security Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Sockets.
1/4" Bits CVM tool steel.

Item No.	↔	Set Includes:
71999	lbs.	Security Hex Inch: .86 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



71392 8 Piece Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Sockets.
1/4" Bits CVM tool steel. OAL 1.65"

Item No.	↔	Set Includes:
71392	lbs.	1/8, 9/64, 5/32, 3/16, .78 7/32, 1/4, 5/16, 3/8"



71989 7 Pc. Security Hex Metric Socket Set
3/8" Square Drive Replaceable Bit Sockets.
1/4" Bits CVM tool steel.

Item No.	↔	Set Includes:
71989	lbs.	Security Hex Metric: 2.0, 2.5, .74 3.0, 4.0, 5.0, 6.0, 8.0mm

Wiha 1/4" Sockets & Sets



METRIC

601 1/4" Sockets - 6 Points Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60115	4.0	25	.02
60116	4.5	25	.02
60117	5.0	25	.02
60118	5.5	25	.02
60119	6.0	25	.02
60120	7.0	25	.02
60121	8.0	25	.02
60122	9.0	25	.03
60123	10.0	25	.03
60124	11.0	25	.03
60125	12.0	25	.04
60126	13.0	25	.04
60127	14.0	25	.04



60190 17 Pc. 6 Point Socket Set - Metric 1/4" Square Drive Hex Metric Socket.

Chrome-vanadium sockets.

Item No.	Set Includes:
60190	4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm
60145	1/4" Rev. Ratchet Varicat 32 tooth - 140mm
60131	1/4" Sliding T-handle - 115mm
60133	1/4" Extension Bar - 100mm
60136	1/4" Universal Joint - 35mm
60139	1/4" Spinner Handle - 145mm



60191 17 Piece 6 Point Socket Set - Inch 1/4" Square Drive Hex Inch Socket.

Chrome-vanadium sockets.

Item No.	Set Includes:
60191	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16"
60145	1/4" Rev. Ratchet Varicat 32 tooth - 5.5"
60131	1/4" Sliding T-handle - 14.5"
60133	1/4" Extension Bar - 3.9"
60136	1/4" Universal Joint - 1.4"
60139	1/4" Spinner Handle - 5.7"



INCH

601 1/4" Sockets - 6 Points Hard chrome finish, fully polished with ball retaining groove.

Item No.	Inch	Inch	wt.
60101	1/8	.98	.02
60102	5/32	.98	.02
60103	3/16	.98	.02
60104	7/32	.98	.02
60105	1/4	.98	.02
60106	9/32	.98	.02
60107	5/16	.98	.02
60108	11/32	.98	.03
60109	3/8	.98	.03
60110	7/16	.98	.03
60111	1/2	.98	.04
60112	9/16	.98	.05



60192 12 Pc. 1/4" Sockets 6 Point - Metric 1/4" Square Drive Socket.

Item No.	Set Includes:
60192	1/4" Hex Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm





60193 12 Pc. 1/4" Sockets 6 Point - Inch 1/4" Square Drive Socket.

Item No.	Set Includes:
60193	1/4" Hex Inch: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16"

Wiha 1/4" Socket Accessories





60145 1/4" Reversible Ratchet Varicat - 32 Tooth DIN 3122 D - ISO 3315 Forged body, satin finish, nickel and hard chrome.

Item				
No.	Inch	mm	wt.	
60145	5.5	140	.18	





60135 1/4" Wobble Extension
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item				
No.	Inch	mm	wt.	
60135	3.93	100	.10	





60138 1/4" Spinner Handle
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item				
No.	Inch	mm	wt.	
60138	6.10	155	.25	






60146 1/4" Reversing Ratchet - 20 Tooth, Push Through Type 20 tooth ratchet. DIN 3122 C - ISO 3315 Forged ratchet body, satin finish, nickel and hard chrome.

Item				
No.	Inch	mm	wt.	
60146	6.0	150	.18	





60136 1/4" Universal Joint
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item						
No.	Inch	mm	wt.			
60136	1.4	35	.05			





60139 1/4" Flexible Extension
Hard chrome finish.

Item				
No.	Inch	mm	wt.	
60139	4.72	120	.11	





60131 1/4" Sliding T-handle
DIN 3122 A - ISO 3316 Hard chrome finish, fully polished with spring-loaded retaining ball.

Item				
No.	Inch	mm	wt.	
60131	4.5	114	.09	






60137 1/4" Swivel Handle
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item				
No.	Inch	mm	wt.	
60137	6.10	155	.25	





60140 1/4" Converter To 3/8"
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item						
No.	Inch	mm	wt.			
60140	1.06	27	.04			






601 1/4" Extension Bar
DIN 3123 B - ISO 3316 Hard chrome finish, fully polished with spring-loaded retaining ball.

Item				
No.	Inch	mm	wt.	
60132	2.17	50	.05	
60133	3.93	100	.10	
60134	5.90	150	.14	



60141 1/4" Square Coupler
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item						
No.	Inch	mm	wt.			
60141	.79	20	.01			

Wiha 3/8" Hex Metric Sockets & Sets



METRIC

602 3/8" Sockets - 12 Point - Metric

Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60227	6.0	25.5	.02
60228	7.0	25.5	.02
60229	8.0	25.5	.02
60230	9.0	25.5	.03
60231	10.0	25.5	.03
60232	11.0	25.5	.03
60233	12.0	25.5	.04
60234	13.0	25.5	.04
60235	14.0	26	.04
60236	15.0	27	.04
60237	16.0	27	.04
60238	17.0	27	.04
60239	18.0	27	.04
60240	19.0	29	.04
60241	20.0	29	.04
60242	21.0	29	.04
60243	22.0	31	.04

Notes:



60292 24 Piece 12 Point Socket Set - Metric

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Set Includes:
60292	6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0
	3/8" Slotted Screwdriver Bit Socket
	60266- 3/8" Rev. Ratchet Varicat - 200mm - 32 tooth
	60248- 3/8" Speed Brace - 300mm
	60250- 3/8" Sliding T-handle - 200mm
	60251- 3/8" Extension Bar - 125mm
	60255- 3/8" Extension Bar - 250mm
	60257- 3/8" Universal Joint - 50mm




60294 15 Piece 12 Point Socket Set - Metric

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Set Includes:
60294	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0mm
	60266- 3/8" Rev. Ratchet Varicat - 200mm - 32 tooth
	60251- 3/8" Extension Bar - 125mm
	60257- 3/8" Universal Joint - 50mm

Wiha 3/8" Drive Socket Set On Molded Rails - Metric

METRIC



60296 12 Piece 3/8" Sockets 12 Point - Metric 3/8" Square Drive Socket.

Item No.	Set Includes:
60296	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0mm

Wiha 3/8" Drive Socket Set On Molded Rails - Inch

INCH



60297 12 Piece 3/8" Sockets 12 Point - Inch 3/8" Square Drive Socket.

Item No.	Set Includes:
60297	1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4"

Wiha 3/8" Hex Inch Sockets & Sets



INCH

602 3/8" Sockets - 12 Point - Inch

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Inch	Inch	wt.
60210	1/4	1.00	.02
60211	9/32	1.00	.02
60212	5/16	1.00	.02
60213	11/32	1.00	.02
60214	3/8	1.00	.02
60215	7/16	1.00	.02
60216	1/2	1.00	.02
60217	9/16	1.04	.03
60218	19/32	1.06	.03
60219	5/8	1.06	.03
60220	21/32	1.06	.04
60221	11/16	1.06	.05
60222	3/4	1.14	.05
60223	25/32	1.14	.05
60224	13/16	1.14	.05
60225	7/8	1.22	.05



60293 22 Piece 12 Point Socket Set - Inch

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Set Includes:
60293	1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 21/32, 11/16, 3/4, 25/32, 13/16, 7/8"
	3/8" Slotted Screwdriver Bit Socket
	60266- 3/8" Rev. Ratchet Varicat - 7.9" - 32 tooth
lbs. 4.86	60250- 3/8" Sliding T-handle - 7.9"
	60251- 3/8" Extension Bar - 4.9"
	60255- 3/8" Extension Bar - 9.8"
	60257- 3/8" Universal Joint - 2.0"



60295 15 Piece 12 Point Socket Set - Inch

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Set Includes:
60295	1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 21/32, 11/16, 3/4"
lbs. 3.11	60266- 3/8" Rev. Ratchet Varicat - 7.9" - 32 tooth
	60251- 3/8" Extension Bar - 4.9"
	60257- 3/8" Universal Joint - 2.0"

Notes:

Blank lined area for notes.

Wiha 3/8" Spark Plug Sockets



60262 Spark Plug Socket

DIN 3124 / ISO 2725 Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8" Drive. 12 point

Item No.	Inch	mm	mm	Inch	wt.
60262	13/16"	20.6	65	2.6	.39

60263 Spark Plug Socket

DIN 3124 / ISO 2725 Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8" Drive. 12 point

Item No.	mm	mm	Inch	wt.
60263	18	65	2.6	.28



6 Point

60264 Spark Plug Socket

DIN 3124 / ISO 2725 Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8" Drive. 6 point


Item No.	Inch	mm	mm	Inch	wt.
60264	5/8"	16	65	2.6	.25

Wiha 3/8" Socket Accessories



60265 3/8" Reversible Ratchet


45 tooth ratchet. DIN 3122 D - ISO 3315 hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60265	7.8	198	.63



60266 3/8" Reversible Ratchet Varicat


32 tooth ratchet. DIN 3122 D - ISO 3315 Forged ratchet body, satin finish, nickel & hard chrome finish. Spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60266	7.9	200	.54



60267 3/8" Ratchet Push-Thru Type


30 tooth. DIN 3122 C - ISO 3315 hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60267	7.9	200	.54



60268 3/8" Flexible Head Reversible Ratchet

60 tooth ratchet. hard chrome finish, polished head.


Item			
No.	Inch	mm	wt.
60268	10.04	255	.73



Provides ratcheting feature for non ratcheting tools. Use with extension bars, speed brace, sliding T-handle & swivel handle

60249 3/8" Reversible Ratchet Unit


60 tooth ratchet. DIN 3122 A - ISO 3315 Hard chrome finish, satin finish with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60249	1.97	50	.48



602 3/8" Extension Bar


DIN 3123 B - ISO 3316 Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60252	2.95	75	.14
60251	4.92	125	.20
60255	9.84	250	.38



602 3/8" Wobble Extension

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60253	2.95	75	.13
60254	5.91	150	.23
60256	9.84	250	.36



60248 3/8" Speed Brace


DIN 3122 B - ISO 3315 Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60248	11.97	304	.57



60250 3/8" Sliding T-handle


DIN 3122 A - ISO 3315 Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60250	7.9	200	.35



60257 3/8" Universal Joint


Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60257	1.97	50	.13



60258 3/8" Swivel Handle

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60258	8.82	224	.47



60259 3/8" Converter To 1/4"


Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60259	.98	25	.07



60260 3/8" Converter To 1/2"


Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60260	1.38	35	.11



60261 3/8" Square Coupler

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60261	.98	25	.03

Wiha 1/2" Sockets & Sets



METRIC

603 1/2" Sockets Metric - 12 Point
Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60321	8.0	40	.12
60322	9.0	40	.12
60323	10.0	40	.12
60324	11.0	40	.12
60325	12.0	40	.12
60326	13.0	40	.13
60327	14.0	40	.13
60328	15.0	40	.15
60329	16.0	40	.15
60330	17.0	40	.15
60331	18.0	40	.16
60332	19.0	40	.16
60333	20.0	40	.17
60334	21.0	40	.17
60335	22.0	40	.19
60336	23.0	43	.23
60337	24.0	43	.24
60338	25.0	43	.29
60339	26.0	43	.30
60340	27.0	43	.32
60341	28.0	43	.34
60342	29.0	43	.40
60343	30.0	43	.36
60344	32.0	43	.40
60345	33.0	43	.40
60346	34.0	43	.42



METRIC

60396 24 Pc. 12 Point Socket Set - Metric
1/2" Square Drive Hex Metric Socket.
Chrome-vanadium sockets.

Item No. Set Includes: 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm

60676- 1/2" Rev. Ratchet Varicat
32 tooth - 275mm

60350- 1/2" Speed Brace - 405mm

60352- 1/2" Sliding T-handle-300mm

60353- 1/2" Extension Bar - 125mm

60357- 1/2" Extension Bar - 250mm

60359- 1/2" Universal Joint - 80mm



INCH

603 1/2" Sockets Inch - 12 Point
Hard chrome finish, fully polished with ball retaining groove.

Item No.	Inch	Inch	wt.
60301	3/8	1.57	.12
60302	7/16	1.57	.12
60303	1/2	1.57	.13
60304	9/16	1.57	.13
60305	19/32	1.57	.15
60306	5/8	1.57	.15
60307	11/16	1.57	.16
60308	3/4	1.57	.16
60309	25/32	1.57	.18
60310	13/16	1.57	.17
60311	7/8	1.57	.19
60312	15/16	1.69	.24
60313	31/32	1.69	.28
60314	1	1.69	.30
60315	1-1/16	1.69	.32
60316	1-1/8	1.69	.36
60317	1-3/16	1.69	.37
60318	1-1/4	1.69	.39

INCH



60397 24 Piece 12 Point Socket Set - Inch
1/2" Square Drive Hex Inch Socket.
Chrome-vanadium sockets.

Item No. Set Includes: 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 31/32, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

60676- 1/2" Rev. Ratchet Varicat
32 tooth - 10.8"

60350- 1/2" Speed Brace - 15.9"

60352- 1/2" Sliding T-handle - 11.8"

60353- 1/2" Extension Bar - 4.9"

60357- 1/2" Extension Bar - 9.8"

60359- 1/2" Universal Joint - 3.1"

Wiha 1/2" Drive Socket Set On Molded Rails - Metric



60393 12 Pc. 1/2" Sockets 12 Point Metric
1/2" Square Drive Socket.

Item No. Set Includes:

60393 lbs. 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 22.0mm

Wiha 1/2" Drive Socket Set On Molded Rails - Inch



60395 12 Pc. 1/2" Sockets 12 Point Inch
1/2" Square Drive Socket.

Item No. Set Includes:

60395 lbs. 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Wiha 1/2" Socket Accessories



60375 1/2" Reversible Ratchet

45 tooth ratchet. DIN 3122 D - ISO 3315
hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60375	10.6	270	1.1



60376 1/2" Reversible Ratchet Varicat

32 tooth ratchet. DIN 3122 D - ISO 3315
Forged ratchet body, satin finish, nickel & hard chrome finish. Spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60376	10.8	275	1.2



60377 1/2" Ratchet - Push-thru type

30 tooth. DIN 3122 C - ISO 3315
hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60377	10.6	270	1.1



60378 1/2" Drive Flexible Head

Reversible Ratchet Gears with 60 teeth.
hard chrome finish, polished head.

Item				
No.	Inch	mm	wt.	Pkg.
60378	11.2	285	1.2	5



60379 1/2" Flexible Head Reversible

Ratchet Long 60 tooth ratchet.
hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60379	15.5	395	1.6



Provides ratcheting feature for non ratcheting tools. Use with, extension bars, speed brace, sliding T-handle & swivel handle

60351 1/2" Reversible Ratchet Unit

60 tooth ratchet. DIN 3122 A - ISO 3315
Hard chrome finish, satin finish with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60351	2.17	55	.49



60364 1/2" Converter To 3/8"

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60364	36	.11



60365 1/2" Converter To 3/4"

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60365	45	.26



60366 1/2" Square Coupler

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60366	34	.10



60350 1/2" Speed Brace

DIN 3122 B - ISO 3315 Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60350	15.9	405	1.3



60352 1/2" Sliding T-handle

DIN 3122 A - ISO 3315 Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60352	11.8	300	.88



603 1/2" Swivel Handle

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60360	250	1.0
60361	375	1.5
60362	450	2.1



60363 1/2" Offset Handle



Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60363	200	.59

1/2" Socket Accessories





603 1/2" Extension Bar
DIN 3123 B - ISO 3316 Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60354	2.95	75	.30
60353	4.92	125	.40
60357	9.84	250	.72






603 1/2" Wobble Extension
Hard chrome finish, fully polished with spring-loaded retaining ball.


Item			
No.	Inch	mm	wt.
60355	1.97	50	.20
60356	4.92	125	.40
60358	9.84	250	.72







60359 1/2" Universal Joint
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60359	3.15	80	.35





Spark Plug Sockets - 1/2"



60370 Spark Plug Socket
DIN 3124 / ISO 2725 Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 1/2" Drive

Item				
No.	Inch	mm	mm	wt.
60370	13/16"	20.8	80	.31

60371 Spark Plug Socket
DIN 3124 / ISO 2725 Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 19mm hexagon plug. 1/2" Drive

Item				
No.	Inch	mm	mm	wt.
60371	5/8"	16	80	.28




Notes:

Blank lines for notes.

Wiha Universal Socket Rail System




91095 Universal Rail For 1/4, 3/8 and 1/2" Sockets Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.

Item			
No.	lbs.	pkg.	lbs.
91095	.057	1	.06




91110 Replacement 1/4" Clips For The Universal Socket Rail Package of 10 pieces.

Item No.		lbs.
91110	.03	




91112 Replacement 3/8" Clips For The Universal Socket Rail Package of 10 pieces.

Item No.		lbs.
91112	.03	



91114 Replacement 1/2" Clips For The Universal Socket Rail Package of 10 pieces.

Item No.		lbs.
91114	.05	



Precision Machined Metric Punches



Painted finished bodies

234 Heavy Duty Solid Metric Parallel

Pin Punches Hardened tool steel punches, precision machined to exact tolerances. Heavy duty hex shanks, hardened for optimum long life performance.

Item No.	Tip mm	Tip Inch	Shaft Dia. mm	Shaft Dia. Inch	lbs.	pkg.
23420	2	.08	10	150	.19	1
23421	2.5	.10	10	150	.13	1
23422	3	.12	10	150	.18	1
23423	3.5	.14	10	150	.18	1
23424	4	.16	10	150	.17	1
23425	4.5	.18	10	150	.17	1
23426	5	.20	10	150	.18	1
23427	6	.24	10	150	.15	1
23428	7	.28	10	150	.18	1
23429	8	.32	10	150	.18	1
23432	9	.35	12	150	.24	1
23433	10	.39	12	150	.25	1
23434	12	.47	14	150	.40	1
23437	18	.71	20	200	.95	1
23438	20	.79	22	250	1.56	1



124 H.D. Solid Tapered Metric Punches

Item No.	Tip mm	Tip Inch	Shaft Dia. mm	Shaft Dia. Inch	lbs.	pkg.
12411	1	.04	10	150	.17	1
12424	14	.55	16	175	.60	1



23490 8 Pc. Set Metric Parallel Pin Punches

Item No.	Set Includes:	lbs.	pkg.
23490	2, 2.5, 3, 3.5, 4, 4.5, 5, 6mm	1.3	1



23493 15 Pc. Set Metric Tapered & Parallel Pin Punches

Item No.	Set Includes:	lbs.	pkg.
23493	1 & 14mm Tapered Parallel Pin: 2, 2.5, 3, 3.5, 4, 4.5, 5, 6, 7, 8, 9, 10, 12mm	4.01	1

Wiha Awls Screwdrivers



30002 Square Reaming Awl, With Plastic Handle
Blade CVM steel, hardened, nickel-plated. Round handle cellulose-acetate, impact resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30002	6.0	.236	100	3.9	175	6.9	.15	10



30102 Round Awl, With Plastic Handle
Blade CVM steel, hardened, nickel-plated. Plastic handle cellulose-acetate, impact resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30102	6.0	.236	100	4.0	185	7.3	.15	10

Wiha Universal Razor Edged Scraper



SoftFinish
"Cushion" Grip

43090 Universal Razor Edged Scraper, With Wiha-SoftFinish® Handle

Removes sealing material, glue residue, layers of film and labels. Includes item #43092 - 10 replacement blades.

Item No.	mm	Inch	lbs.	pkg.
43090	170	6.7	.22	1

43040 Universal Razor Edged Scraper, With Wiha-SoftFinish® Handle

SoftFinish® cushion grip, multi-component handle. Holds blades securely. Handle only.

Item No.	mm	Inch	lbs.	pkg.
43040	140	5.5	.15	10

Wiha Gasket Scraper



43020 Extra Heavy Duty Gasket Scraper
1" wide scraper for removing sealers and other gasket materials hardened and tempered tool steel with hard chrome finish.

Item No.	mm	Inch	mm	Inch	lbs.	pkg.
43020	150	5.9	260	10.2	.45	10

43092 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	lbs.
43092	.07



43093 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	lbs.
43093	.07



43094 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	lbs.
43094	.07



43095 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	lbs.
43095	.07



43096 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	lbs.
43096	.07



43097 Replacement Blades for Universal Razor Edged Scraper

Combo Pack. Package of 10 blades - 2 of each blade.

Item No.	lbs.
43097	.07

MagicRing Ball End Hex L-key Sets



Screw Holding Hex Tools!

Hard Chrome Finish

66991	13 Pc. MagicRing Long Inch Ball End Hex L-key Set, In ErgoStar Holder
Blade Chrome-V-Moly, hardened, hard chrome finish.	
Item	Inch: .050*, 1/16*, 5/64*,
No.	3/32*, 7/64*, 1/8, 9/64, 5/32,
66991	3/16, 7/32, 1/4, 5/16, 3/8"

* Standard Ball - No Ring

Ball End Hex L-key Color Coded Sets



36986	13 Piece Inch Ball End Hex Long L-key Set With Color Coded Keys
Chrome-V-Moly, hardened	
Item	Inch: .050, 1/16,
No.	5/64, 3/32, 7/64, lbs.
36986	1/8, 9/64, 5/32, 3/16, 1.08
	7/32, 1/4, 5/16, 3/8"

Ball End Hex L-key Black Finish



36991	13 Piece Inch Ball End Hex Long L-key Set
Blade Chrome-V-Moly, hardened, black finish.	
Item	Inch: .050, 1/16,
No.	5/64, 3/32, 7/64, lbs.
36991	1/8, 9/64, 5/32, 3/16, 1.0
	7/32, 1/4, 5/16, 3/8"



Screw Holding Hex Tools!

Hard Chrome Finish

66990	9 Pc. MagicRing Long Metric Ball End Hex L-key Set, In ErgoStar Holder
Blade Chrome-V-Moly, hardened, hard chrome finish.	
Item No.	Metric: 1.5*, 2.0*, 2.5*,
66990	3.0, 4.0, 5.0, 6.0,
	8.0, 10.0mm

* Standard Ball - No Ring



36987	9 Piece Metric Ball End Hex Long L-key Set With Color Coded Keys
Chrome-V-Moly, hardened	
Item	Metric: 1.5, 2.0,
No.	2.5, 3.0, 4.0, 5.0, lbs.
36987	6.0, 8.0, 10.0mm .90



36990	9 Piece Metric Ball End Hex Long L-key Set
Blade Chrome-V-Moly, hardened, black finish.	
Item No.	Metric: 1.5, 2.0,
No.	2.5, 3.0, 4.0, 5.0, lbs.
36990	6.0, 8.0, 10.0mm .98

Ball End Hex Chrome L-key Sets



36998	13 Piece Inch Ball End Hex Long L-key Set, In Plastic Holder
Blade Chrome-V-Moly, hardened, hard chrome finish.	
Item	Inch: .050, 1/16, 5/64,
No.	3/32, 7/64, 1/8, 9/64, 1.0
36998	5/32, 3/16, 7/32, 1/4,
	5/16, 3/8"



66994	9 Piece Metric Ball End Hex Long L-key Set
Item	Metric: 1.5, 2.0, 2.5,
No.	3.0, 4.0, 5.0, 6.0, lbs.
66994	8.0, 10.0mm .98

36937	13 Piece Inch Mid-Length Ball End Hex L-key Set
Blade Chrome-V-Moly, hardened, black finish.	
Item	Inch: .050, 1/16,
No.	5/64, 3/32, 7/64, lbs.
36937	1/8, 9/64, 5/32, 3/16, .82
	7/32, 1/4, 5/16, 3/8"



36999	9 Piece Metric Mid-Length Ball End Hex L-key Set
Blade Chrome-V-Moly, hardened, black finish.	
Item	Metric: 1.5, 2.0,
No.	2.5, 3.0, 4.0, 5.0, lbs.
36999	6.0, 8.0, 10.0mm .72



Wiha Maxiflex Hose System 1/4"

34490 Maxiflex Starter Kit

2 Threaded Connectors 1/4" & 1/8" NPT
3 Cylindrical Nozzles 1/16", 1/8", 7/32"

22 Segments - 11". lbs. .17

Item No. OAL Seg. pkg.

34490 280mm/11.0" 1

34401 Bulk Segments

1/4" - 28 pc. segments. lbs. 2.38

Item No. OAL pkg.

34401 25.75 ft. 1

34402 Segments 1/4" - Pack with

22 segments 11". lbs. .08

Item No. OAL pkg.

34402 280mm/11.0" 1

34404 1/16" Nozzle

1/4" - Nozzle Ø 1.6mm - 1/16". lbs. .02

Item No. Dia. pkg.

34404 1.6mm/.620" 1

34406 1/8" Nozzle

1/4" - Nozzle Ø 3.2mm - 1/8". lbs. .02

Item No. Dia. pkg.

34406 3.2mm/.125" 1

34408 7/32" Nozzle

1/4" - Nozzle Ø 5.6mm - 7/32". lbs. .02

Item No. Dia. pkg.

34408 5.6mm/.22" 1

34410 Straight Flat Nozzle

1/4" - Flat Nozzle 24mm wide. lbs. .03

Item No. Width pkg.

34410 24mm/.94" 1

34412 Straight Multi Hole Nozzle

1/4" - Multi Hole Nozzle. lbs. .02

Item No. Width pkg.

34412 24mm/.94" 1

34414 1/16" Nozzle 90° Bend 1/4" -

Angular Nozzle Ø 1.6mm-1/16". lbs. .02

Item No. Dia. pkg.

34414 1.6mm/.620" 1

34416 1/8" Nozzle 90° Bend 1/4" -

Angular Nozzle Ø 3.2mm-1/8". lbs. .02

Item No. Dia. pkg.

34416 3.2mm/.125" 1

34418 7/32" Nozzle 90° Bend 1/4" -

Angular Nozzle Ø 5.6mm-7/32". lbs. .02

Item No. Dia. pkg.

34418 5.6mm/.22" 1

34420 Multi Hole Spray Bar 1/4" -

Right Angle Multi Hole Nozzle. lbs. .02

Item No. Width pkg.

34420 24mm/.94" 1



7 Holes
.060 Hole
Diameter

7 Holes
.078 Hole
Diameter

All components are in single unit package

34432 Adapter for LcLn-1/4" lbs. .02

Item No. OAL pkg.

34432 7x2mm 1



34434 Male Double End Segment

Item No. Size lbs. pkg.

34434 1/4" .02 1



34436 Female Double End Segment

Item No. Size lbs. pkg.

34436 1/4" .02 1



34422 BSPT Threaded Connector 1/8"

lbs. .03

Item No. Size pkg.

34422 1/8" 1



34424 BSPT Threaded Connector 1/4"

lbs. .03

Item No. Size pkg.

34424 1/4" 1



34426 NPT Threaded Connector 1/8"

lbs. .02

Item No. Size pkg.

34426 1/8" 1



34428 NPT Threaded Connector 1/4"

lbs. .02

Item No. Size pkg.

34428 1/4" 1



34430 1/4" Y-Junction lbs. .02

Item No. Size pkg.

34430 1/4" 1



34438 In Line Valve lbs. .03

Item No. Size pkg.

34438 1/4" 1



34440 Segment Clip lbs. .02

Item No. Size pkg.

34440 1/4" 1



34442 Separation Wedge lbs. .06

Item No. Size pkg.

34442 1/4" 1



34444 Assembly Pliers lbs. .38

Item No. Size pkg.

34444 1/4" 1



Wiha Maxiflex Hose System 1/2"

All components are in single unit package

34090 Maxiflex Starter Kit

2 Threaded Connectors 1/2" & 3/8" NPT
Straight, 90° Bend & Multi Hole Nozzles
12 Segments - 12.6". lbs. .30
Item No. OAL Seg. █ pkg.
34090 265mm/10.4" 1



34001 Bulk Segments

1/2" - 28 pc. segments. lbs. 5.71
Item No. OAL █ pkg.
34001 24.5 ft. 1



34000 Segments 1/2" - Pack with

12 segments 11". lbs. .21
Item No. OAL █ pkg.
34000 265mm/10.4" 1



34046 1/2" Pipe Segment lbs. .06

Item No. OAL █ pkg.
34046 4.75" 1



34048 1/2" Segment Clamp

Including Screws. lbs. .08
Item No. █ pkg.
34048 1



34002 1/2" Straight Nozzle

1/2" - Nozzles Ø 10mm. lbs. .03
Item No. Dia. █ pkg.
34002 10mm/.393" 1



34008 Straight Multi Hole Nozzle

1/2"-Multi Hole Nozzle. lbs. .04
Item No. Width █ pkg.
34008 30mm/1.2" 1

6 Holes
.118 Hole Diameter



34004 Straight Flat Nozzle

1/2" - Flat Nozzle 30mm wide. lbs. .04
Item No. Width █ pkg.
34004 30mm/1.2" 1



34006 Straight Flat Nozzle

1/2" - Flat Nozzle 60mm wide. lbs. .05
Item No. Width █ pkg.
34006 60mm/2.4" 1



34012 Nozzle 90° Bend

1/2" - Angular Nozzle Ø 7mm. lbs. .03
Item No. Dia. █ pkg.
34012 7mm/.275" 1



34010 Nozzle 90° Bend

1/2" - Angular Nozzle Ø 10mm. lbs. .03
Item No. Dia. █ pkg.
34010 10mm/.393" 1



34014 Multi Hole Angular Nozzle 1/2"

Right Angle Side Spray Nozzle. lbs. .04
Item No. Width █ pkg.
34014 45mm/1.7" 1

8 Holes
.125 Hole Diameter



34028 Reducer Adapter 1/2" to 1/4"

Item No. Size lbs. █ pkg.
34028 1/2" .03 1



34030 Adapter - 1/2" LcLn

Item No. Size lbs. █ pkg.
34030 1/2" .04 1



34034 Female Double End Segment

Item No. Size lbs. █ pkg.
34034 1/2" .04 1



34036 Male Double End Segment

Item No. Size lbs. █ pkg.
34036 1/2" .04 1



34016 BSPT Threaded Connector 3/8"

lbs. .03
Item No. Size █ pkg.
34016 1/8" 1



34018 BSPT Threaded Connector 1/2"

lbs. .03
Item No. Size █ pkg.
34018 1/4" 1



34020 NPT Threaded Connector 3/8"

lbs. .03
Item No. Size █ pkg.
34020 1/8" 1



34022 NPT Threaded Connector 1/2"

lbs. .03
Item No. Size █ pkg.
34022 1/4" 1



34024 Y-Junction lbs. .05

Item No. Size █ pkg.
34024 1/2" 1



34026 Y Reducer Junction 1/2"-1/4"

Item No. Size lbs. █ pkg.
34026 1/2" .05 1



34038 In Line Valve lbs. .07

Item No. Size █ pkg.
34038 1/2" 1



34040 Segment Clip lbs. .03

Item No. Size █ pkg.
34040 1/2" 1



34042 Separation Wedge lbs. .15

Item No. Size █ pkg.
34042 1/2" 1



34044 Assembly Pliers lbs. .42

Item No. Size █ pkg.
34044 1/2" 1



Dead Blow & Sledge Hammers



802 Dead Blow, Medium Hard Face Hammer, Recoilless, Polyurethane, Steel Tube Shaft. "GS" Sign, Cushion Grip.

Preserves sensitive surfaces & edges, increases striking power & avoid hand fatigue. **Application:** Machine tools & gear box construction, sheet metal & repair shops. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Tubular handle, lacquered in blue, cushion grip.

Item	↓ ●	↑ ●	↔	↔	↔	↔	↔	↔	↔
No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.	
80225	25	1.0	106	4.2	288	11.3	18	1	
80230	30	1.2	115	4.5	290	11.4	21	1	
80235	35	1.4	118	4.6	300	11.8	24	1	
80240	40	1.6	125	4.9	305	12.0	30	1	
80245	45	1.8	130	5.1	310	12.2	37	1	
80250	50	2.0	130	5.1	365	14.4	49	1	
80260	60	2.3	156	6.1	375	14.7	72	1	
80270	70	2.8	161	6.3	385	15.1	97	1	



Medium Hard Faces



800 Dead Blow, Recoilless, Polyurethane Face, Hickory Handle **Application:** Tools, engineering gear box construction, Sheet metal & repair shops, heavy industry. Steel head for incredible strength. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.

Item	↓ ●	↑ ●	↔	↔	↔	↔	↔	↔	↔
No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.	
80025	25	1.0	106	4.2	320	12.5	11	1	
80030	30	1.2	113	4.4	350	13.7	16	1	
80035	35	1.4	115	4.5	355	13.9	20	1	
80040	40	1.6	123	4.8	375	14.7	26	1	
80045	45	1.8	130	5.1	380	14.9	35	1	
80050	50	2.0	134	5.3	385	15.1	44	1	
80060	60	2.3	158	6.2	420	16.5	70	1	
80070	70	2.8	158	6.2	430	16.9	91	1	



Medium Hard Faces

802 Dead Blow Sledge, Recoilless, Polyurethane Face, Hickory Handle **Application:** Tools, engineering gear box construction, Sheet metal & repair shops, heavy industry. Polyurethane, shatterproof faces replaceable. Hickory handle.

Item	↓ ●	↑ ●	↔	↔	↔	↔	↔	↔	↔
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
80280	80	3.1	205	8.0	882	34.6	10.0	1	
80299	100	3.9	210	8.2	1002	39.3	15.1	1	




802 Replacement Hammer Faces - Medium

Item	↓ ●	↑ ●	↔	↔
No.	mm	Inch	lbs.	pkg.
80219	80	3.1	.06	1
80222	100	3.9	.10	1



For 800 & 802 Hammers

Medium Hard Faces



Medium Hard Faces

80290 3 Pc. Dead Blow Hammer Set

Item No.	↓ ●	↔	↔	lbs.
80290	80230	30		6.35
	80240	40		
	80250	50		



For Dead Blow Hammers

800 Hickory Replacement Handles

Item	Fits	↔	↔	lbs.	pkg.
No.	Hammer				
80071	80025	25mm	.11		1
80072	80030 & 80035	30/35mm	.19		1
80074	80040 & 80045	40/45mm	.29		1
80076	80050	50mm	.38		1
80078	80060 & 80070	60/70mm	.44		1
80079	80280	80mm	1.76		1
80081	80299	100mm	2.31		1




Extra Hard Nylon

802 Replacement Hammer Faces

Item	↓ ●	↑ ●	↔	↔
No.	mm	Inch	lbs.	pkg.
80203	30	1.2	.04	1
80207	40	1.6	.04	1
80211	50	2.0	.05	1
80214	60	2.3	.07	1


Heavy Duty Split Head Mallets



- Easy replacement with standard components
- Malleable cast iron heads
- Color coded faces
- D-21 to D-80 shore hardness
- Rugged hickory handles



832 Malleable Cast Iron Split Head Mallets With Hickory Handle

Safety ribbed housings for handle & faces. Sturdy Hickory Handles. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable.  Pkg. 1

Item	↓ ● ↑ ●	↔ ↔ ↖ ↗	mm		Inch		lbs.	
No.	mm	Inch	Faces	mm	Inch	mm	Inch	lbs.
83230	30	1.2	Hard/Soft	260	10.2	10.6	oz	
83240	40	1.5	Hard/Soft	280	11.0	1.4		
83250	50	2.0	Hard/Soft	310	12.2	2.4		
83260	60	2.4	Hard/Soft	340	13.3	3.7		
83280	80	3.1	MedSoft/X-hard	400	15.8	6.5		

832 Malleable Cast Iron Split Head Sledge Hammer With Hickory Handle

Item	↓ ● ↑ ●	↔ ↔ ↖ ↗	mm		Inch		lbs.	
No.	mm	Inch	Faces	mm	Inch	mm	Inch	lbs.
83289	80	3.1	MedSoft/X-hard	800	31.5	7.6		



Soft Face

833 Replacement Square Hammer Faces

Item	↓ ● ↑ ●	↔ ↔ ↖ ↗	mm		Inch		lbs.	
No.	mm	Inch	Faces	mm	Inch	mm	Inch	lbs.
83346	Soft-Blue	40	1.57	.10	1			
83347	Medium Hard-yellow	40	1.57	.14	1			




Latex Rubber



Nylon

832 Color Coded Faces For Heavy Duty Split Head Mallets - 80mm Diameter (3.1")

Mallet Faces.  Pkg. 1


Item	↓ ● ↑ ●	Shore		Color		↖ ↗	▬
No.	mm	Type	Hardness	Material	Code	lbs.	pkg.
83282	80	MedSoft	45-D	Latex Rubber	Black	.90	
83285	80	X-Hard	80-D	Nylon	White	.88	



30mm (1.2") Diameter Mallet Faces

832 Color Coded Faces For Heavy Duty Split Head Mallets


Item	↓ ● ↑ ●	Shore		Color		↖ ↗	▬
No.	mm	Inch	Type	Hardness	Material	Code	pkg.
83231	30	1.2	Soft	21-D	TPE	Blue	1
83232	30	1.2	MedSoft	45-D	Latex Rubber	Black	1
83233	30	1.2	MedHard	65-D	Polyurethane	Yellow	1
83234	30	1.2	Hard	72-D	Cell Acetate	Orange	1
83235	30	1.2	X-Hard	80-D	Nylon	White	1



40mm (1.5") Diameter Mallet Faces

832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ● ↑ ●	Shore		Color		↖ ↗	▬
No.	mm	Inch	Type	Hardness	Material	Code	lbs. pkg.
83241	40	1.5	Soft	21-D	TPE	Blue	.15 1
83242	40	1.5	MedSoft	45-D	Latex Rubber	Black	.15 1
83243	40	1.5	MedHard	65-D	Polyurethane	Yellow	.15 1
83244	40	1.5	Hard	72-D	Cell Acetate	Orange	.15 1
83245	40	1.5	X-Hard	80-D	Nylon	White	.15 1



50mm (2.0") Diameter Mallet Faces

832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ● ↑ ●	Shore		Color		↖ ↗	▬
No.	mm	Inch	Type	Hardness	Material	Code	lbs. pkg.
83251	50	2.0	Soft	21-D	TPE	Blue	.26 1
83252	50	2.0	MedSoft	45-D	Latex Rubber	Black	.26 1
83253	50	2.0	MedHard	65-D	Polyurethane	Yellow	.26 1
83254	50	2.0	Hard	72-D	Cell Acetate	Orange	.26 1
83255	50	2.0	X-Hard	80-D	Nylon	White	.26 1




60mm (2.4") Diameter Mallet Faces

832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ● ↑ ●	Shore		Color		↖ ↗	▬
No.	mm	Inch	Type	Hardness	Material	Code	lbs. pkg.
83261	60	2.4	Soft	21-D	TPE	Blue	.42 1
83262	60	2.4	MedSoft	45-D	Latex Rubber	Black	.42 1
83263	60	2.4	MedHard	65-D	Polyurethane	Yellow	.42 1
83264	60	2.4	Hard	72-D	Cell Acetate	Orange	.42 1
83265	60	2.4	X-Hard	80-D	Nylon	White	.42 1

Wiha Long Life Maxiflex Folding Rulers

From KWB division of Wiha in Switzerland



Patented play free joint with steel spring pin, wear resistant & maintenance free

90° positive stop joints

Reinforced with 30% fiberglass, rugged polyimide is scratch resistant

Deep embossed water proof scales

Tough and Flexible, impact resistant

Chemical and weather resistant for outdoor use

Super rigid laminated design



61609 Inside Reading Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear & maintenance free. Inch rules have 16" red stud wall marking. Pkg. 1

Item	No.	Ft.	Width	Sections	Increments	lbs.
	61609	6'	5/8"	12	1/16"	.46



61619 Outside Reading Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear & maintenance free. Inch rules have 16" red stud wall marking. Pkg. 1

Item	No.	Ft.	Width	Sections	Increments	lbs.
	61619	6'	5/8"	12	1/16"	.39



616 Composite Long Life MaxiFlex Folding Rulers Laminated layers with longitudinal fiberglass strands to ensure unmatched rigidity, water proof outdoor grade. Play-free, wear-free, dirt resistant joint with spring pin for constant tension. 90° & 180° joint click. High visibility white on black with permanent deep embossing with protective steel caps. Pkg. 1

Item	No.	Meter	Width	Sections	Increments	lbs.
	61604	2	1/2"	10	1mm w/reverse scale	.28
	61606	2	1/2"	10	1mm & 1/16"	.28



6"/152mm Depth Extension

61615 Outside Reading Metric Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed black scale on both sides of rules. Metric rules have 10cm red marking. Pkg. 1

Item	No.	Meter	Depth	Width	Sections	Increments	lbs.
	61615	2	152mm	15mm	10	1mm	.40


61601 MaxiFlex Folding Rulers Compact Pocket Ruler Pkg. 1

Item	No.	Inch/Meter	Width	Sections	Increments	lbs.
	61601	39"/1	1/2"	10	1/16 & 1mm	.12



61602 Outside Reading Metric Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed scale on both sides of rules. Metric rules have 10cm red marking. Pkg. 1

Item	No.	Meter	Width	Sections	Increments	lbs.
	61602	2	15mm	10	1mm to CM	.40



Deep embossed scale on both sides of ruler

61620 Outside Reading 6" Depth Extension Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear & maintenance free. Deep embossed scale on both sides of rules. Inch rules have 16" red stud wall marking. Pkg. 1

Item	No.	Ft.	Depth	Width	Sections	Increments	lbs.
	61620	6'	6"	5/8"	12	1/16"	.40


61662 Combination Metric & Inch Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical and weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear & maintenance free. Metric rules have 10cm red marking. Pkg. 1

Item	No.	Meter	Inch	Width	Sections	Increments	lbs.
	61662	2	78"	15mm	10	1/16 & 1mm	.31

Numerical Index by Item Number

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
12411	24	34042	27	35047	5	40058	7	47535	10	60138	17
12424	24	34044	27	35048	5	40059	7	47536	10	60139	17
23420	24	34046	27	35049	5	40060	7	47537	10	60140	17
23421	24	34048	27	35050	5	40061	7	47539	10	60141	17
23422	24	34090	27	35051	5	40062	7	47540	10	60145	17
23423	24	34401	26	35052	5	40063	7	47541	10	60146	17
23424	24	34402	26	35054	5	40064	7	47590	10	60190	16
23425	24	34404	26	35056	5	40065	7	47591	10	60191	16
23426	24	34406	26	35090	4	40066	7	50004	6	60192	16
23427	24	34408	26	35091	5	40067	7	50005	6	60193	16
23428	24	34410	26	35092	4	40068	7	50006	6	60210	19
23429	24	34412	26	35094	4	40086	9	50007	6	60211	19
23432	24	34414	26	35095	5	40087	9	50008	6	60212	19
23433	24	34416	26	35096	4	40088	9	50009	6	60213	19
23434	24	34418	26	35097	5	40089	7	50011	6	60214	19
23437	24	34420	26	35098	4	40091	7	50012	6	60215	19
23438	24	34422	26	35099	5	40092	9	50013	6	60216	19
23490	24	34424	26	36937	25	40093	8	50014	6	60217	19
23493	24	34426	26	36986	25	40094	9	50015	6	60218	19
30002	24	34428	26	36987	25	40095	7	50016	6	60219	19
30008	7	34430	26	36990	25	40096	9	50017	6	60220	19
30009	7	34432	26	36991	25	40097	8	50019	6	60221	19
30010	7	34434	26	36998	25	40098	9	50027	6	60222	19
30011	7	34436	26	36999	25	40099	8	50043	6	60223	19
30012	7	34438	26	40001	8	41101	31	50044	6	60224	19
30013	7	34440	26	40002	8	41102	31	50045	6	60225	19
30014	7	34442	26	40003	8	41103	31	50046	6	60227	18
30015	7	34444	26	40004	8	41104	31	50047	6	60228	18
30016	7	34490	26	40005	8	41105	31	50048	6	60229	18
30017	7	35001	4	40006	8	41106	31	50050	6	60230	18
30018	7	35002	4	40007	8	43020	24	50051	6	60231	18
30019	7	35003	4	40008	8	43040	24	50052	6	60232	18
30020	7	35004	4	40009	8	43090	24	50054	6	60233	18
30022	7	35006	4	40011	8	43092	24	50055	6	60234	18
30024	7	35007	4	40012	8	43093	24	50056	6	60235	18
30052	7	35008	4	40013	8	43094	24	50057	6	60236	18
30053	7	35009	4	40014	8	43095	24	50058	6	60237	18
30054	7	35010	4	40015	8	43096	24	50059	6	60238	18
30055	7	35011	4	40016	8	43097	24	50087	6	60239	18
30056	7	35012	4	40017	8	47501	10	50089	6	60240	18
30057	7	35013	4	40018	8	47502	10	60101	16	60241	18
30058	7	35014	4	40019	8	47503	10	60102	16	60242	18
30059	7	35015	4	40020	8	47504	10	60103	16	60243	18
30060	7	35016	4	40027	8	47505	10	60104	16	60248	20
30061	7	35017	4	40028	8	47506	10	60105	16	60249	20
30062	7	35018	4	40029	8	47507	10	60106	16	60250	20
30063	7	35019	4	40030	8	47508	10	60107	16	60251	20
30064	7	35020	4	40031	8	47509	10	60108	16	60252	20
30065	7	35021	4	40032	8	47510	10	60109	16	60253	20
30066	7	35022	4	40033	8	47511	10	60110	16	60254	20
30102	24	35023	4	40034	8	47512	10	60111	16	60255	20
34000	27	35024	4	40035	8	47513	10	60112	16	60256	20
34001	27	35025	4	40036	8	47514	10	60115	16	60257	20
34002	27	35026	4	40037	8	47515	10	60116	16	60258	20
34004	27	35027	4	40038	8	47516	10	60117	16	60259	20
34006	27	35028	4	40039	8	47517	10	60118	16	60260	20
34008	27	35029	4	40040	8	47518	10	60119	16	60261	20
34010	27	35032	5	40043	7	47519	10	60120	16	60262	19
34012	27	35033	5	40044	7	47520	10	60121	16	60263	19
34014	27	35034	5	40045	7	47521	10	60122	16	60264	19
34016	27	35035	5	40046	7	47522	10	60123	16	60265	20
34018	27	35036	5	40047	7	47523	10	60124	16	60266	20
34020	27	35037	5	40048	7	47524	10	60125	16	60267	20
34022	27	35038	5	40049	7	47525	10	60126	16	60268	20
34024	27	35039	5	40050	7	47526	10	60127	16	60292	18
34026	27	35040	5	40051	7	47527	10	60131	17	60293	19
34028	27	35041	5	40052	7	47528	10	60132	17	60294	18
34030	27	35042	5	40053	7	47529	10	60133	17	60295	19
34034	27	35043	5	40054	7	47530	10	60134	17	60296	18
34036	27	35044	5	40055	7	47531	10	60135	17	60297	18
34038	27	35045	5	40056	7	47532	10	60136	17	60301	21
34040	27	35046	5	40057	7	47533	10	60137	17	60302	21

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
60303	21	61604	32	71670	11	76194	14	77153	14	80230	28
60304	21	61606	32	71671	11	76312	11	77154	14	80235	28
60305	21	61609	32	71673	11	76314	11	77156	14	80240	28
60306	21	61615	32	71674	11	76316	11	77158	14	80245	28
60307	21	61619	32	71675	11	76318	11	77160	14	80250	28
60308	21	61620	32	71676	11	76322	11	77162	14	80260	28
60309	21	61662	32	71677	11	76324	11	77164	14	80270	28
60310	21	61670	31	71678	11	76326	11	77165	14	80280	28
60311	21	66990	25	71680	11	76328	11	77167	14	80290	28
60312	21	66991	25	71681	11	76329	11	77169	14	80299	28
60313	21	66994	25	71698	15	76330	11	77171	14	83221	30
60314	21	70107	11	71761	13	76331	11	77173	14	83222	30
60315	21	70108	11	71762	13	76332	11	77175	14	83223	30
60316	21	70109	11	71763	13	76333	11	77177	14	83224	30
60317	21	70110	11	71764	13	76334	11	77179	14	83225	30
60318	21	70113	11	71765	13	76335	11	77191	14	83226	30
60321	21	70115	11	71766	13	76336	11	77192	14	83230	29
60322	21	70117	11	71767	13	76337	11	77193	14	83231	29
60323	21	70119	11	71768	13	76338	11	77195	14	83232	29
60324	21	70121	11	71771	13	76339	11	77198	14	83233	29
60325	21	70123	11	71772	13	76340	11	77304	12	83234	29
60326	21	70195	15	71773	13	76341	11	77305	12	83235	29
60327	21	71300	13	71774	13	76342	11	77306	12	83238	30
60328	21	71301	13	71775	13	76346	11	77307	12	83240	29
60329	21	71302	13	71776	13	76348	11	77308	12	83241	29
60330	21	71305	13	71777	13	76352	11	77310	12	83242	29
60331	21	71313	13	71797	15	76354	11	77331	12	83243	29
60332	21	71314	13	71798	15	76395	14	77333	12	83244	29
60333	21	71316	13	71989	15	76396	14	77335	12	83245	29
60334	21	71317	13	71996	15	76397	15	77337	12	83248	30
60335	21	71319	13	71999	15	76399	15	77341	12	83250	29
60336	21	71320	13	72001	12	76403	12	77343	12	83251	29
60337	21	71322	13	72002	12	76404	12	77345	12	83252	29
60338	21	71323	13	72003	12	76405	12	77347	12	83253	29
60339	21	71325	13	72004	12	76406	12	77349	12	83254	29
60340	21	71327	13	72005	12	76407	12	77353	12	83255	29
60341	21	71331	13	72006	12	76408	12	77391	12	83258	30
60342	21	71332	13	72090	12	76411	12	80025	28	83260	29
60343	21	71340	13	72110	12	76412	12	80030	28	83261	29
60344	21	71341	13	72115	12	76413	12	80035	28	83262	29
60345	21	71370	13	72401	12	76414	12	80040	28	83263	29
60346	21	71371	13	72405	12	76417	12	80045	28	83264	29
60350	22	71372	13	72410	12	76418	12	80050	28	83265	29
60351	22	71374	13	72415	12	76419	12	80060	28	83268	30
60352	22	71375	13	76106	11	76422	12	80070	28	83273	30
60353	23	71376	13	76107	11	76423	12	80071	28	83274	30
60354	23	71377	13	76109	11	76424	12	80072	28	83275	30
60355	23	71378	13	76111	11	76490	14	80074	28	83276	30
60356	23	71379	13	76113	11	77101	14	80076	28	83277	30
60357	23	71380	13	76117	11	77103	14	80078	28	83279	30
60358	23	71381	13	76119	11	77105	14	80079	28	83280	29
60359	23	71382	13	76121	11	77107	14	80081	28	83282	29
60360	22	71383	13	76123	11	77109	14	80200	28	83285	29
60361	22	71384	13	76129	11	77111	14	80202	28	83288	30
60362	22	71385	13	76131	11	77113	14	80203	28	83289	29
60363	22	71386	13	76132	13	77115	14	80204	28	83290	30
60364	22	71388	13	76133	13	77117	14	80206	28	83295	30
60365	22	71390	13	76134	13	77128	14	80207	28	83346	29
60366	22	71391	15	76135	13	77130	14	80208	28	83347	29
60370	23	71392	15	76136	13	77132	14	80210	28	91095	23
60371	23	71393	15	76137	13	77134	14	80211	28	91110	23
60375	22	71394	15	76138	13	77136	14	80213	28	91112	23
60376	22	71398	15	76164	13	77138	14	80214	28	91114	23
60377	22	71661	11	76165	13	77139	14	80216	28		
60378	22	71662	11	76166	13	77140	14	80219	28		
60379	22	71663	11	76167	13	77141	14	80222	28		
60393	21	71664	11	76168	13	77142	14	80225	28		
60395	21	71665	11	76169	13	77144	14				
60396	21	71666	11	76170	13	77146	14				
60397	21	71667	11	76171	13	77148	14				
61601	32	71668	11	76172	13	77151	14				
61602	32	71669	11	76191	14	77152	14				

 **Prop65 WARNING:** This product could expose you to Chrome 6, DEHP & Phthalates. These chemicals are known to the state of California to cause cancer. For more information go to www.P65warnings.ca.gov/

MANUFACTURING
EXCELLENCE
AWARD
BESTES KMU
2014

WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.

wiha 
Tools that work for you



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598




To:

Catalog Item No. 99004.wo
version - 2/1/18

Subject to change
without notice

©2018 Willi Hahn Corporation

©Torx is a registered trademark of
Acument Intellectual Properties LLC.




91330.wo - Tooling Catalog



99006.wo - Tech Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog




99919.wo - Insulated Catalog




99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99951.wo - Bits Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog