

**STRIPAX****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



- Stripping tools with automatic self-adjustment
- For flexible and solid conductors
- Ideally suitable for mechanical and plant engineering, railway and rail traffic, wind energy, robot technology, explosion protection as well as marine, offshore and ship building sectors
- Stripping length adjustable via end stop
- Automatic opening of clamping jaws after stripping
- No fanning-out of individual conductors
- Adjustable to diverse insulation thicknesses
- Double-insulated cables in two process steps without special adjustment
- No play in self-adjusting cutting unit
- Long service life
- Optimised ergonomic design

**General ordering data**

Type	STRIPAX
Order No.	<a href="#">9005000000</a>
Version	Stripping and cutting tool, Flexible and solid conductors with PVC insulation, 10mm <sup>2</sup> , 25mm
GTIN (EAN)	4008190072506
Qty.	1 pc(s).

**STRIPAX****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

**Technical data****Dimensions and weights**

Width	190 mm	Width (inches)	7.48 inch
Height	99 mm	Height (inches)	3.898 inch
Depth	22 mm	Depth (inches)	0.866 inch
Weight	225 g	Net weight	222 g

**Environmental Product Compliance**

REACH SVHC	Lead 7439-92-1
------------	----------------

**Stripping tools**

Cable type	Flexible and solid conductors with PVC insulation	Conductor cross-section (cutting capacity)	6 mm <sup>2</sup>
Conductor cross-section, max.	10 mm <sup>2</sup>	Conductor cross-section, min.	0.08 mm <sup>2</sup>
Conductor cross-section, min. AWG	AWG 28	Stripping length, max.	25 mm
Stripping range, min.	0.08 mm <sup>2</sup>		

**Classifications**

ETIM 3.0	EC000163	ETIM 4.0	EC000163
ETIM 5.0	EC000163	ETIM 6.0	EC002109
UNSPSC	23-17-16-04	eClass 5.1	21-04-03-01
eClass 6.2	21-04-38-90	eClass 7.1	21-04-37-06
eClass 8.1	21-04-37-06	eClass 9.0	21-04-38-90
eClass 9.1	21-04-37-06		

**Approvals**

Approvals



ROHS	Conform
------	---------

**Downloads**

Brochure/Catalogue	<a href="#">CAT 6 TOOLS 15/16 EN</a> <a href="#">CAT 8 SAI 15/16 EN</a>
Engineering Data	<a href="#">STEP</a>

**STRIPAX**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**



**STRIPAX**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

**Accessories / replacement parts**



- Stripping tools with automatic self-adjustment
- For flexible and solid conductors
- Ideally suitable for mechanical and plant engineering, railway and rail traffic, wind energy, robot technology, explosion protection as well as marine, offshore and ship building sectors
- Stripping length adjustable via end stop
- Automatic opening of clamping jaws after stripping
- No fanning-out of individual conductors
- Adjustable to diverse insulation thicknesses
- Double-insulated cables in two process steps without special adjustment
- No play in self-adjusting cutting unit
- Long service life
- Optimised ergonomic design

**General ordering data**

Type	Order No.	Version	GTIN (EAN)	Qty.
ERTE KLBC SPX 10	<a href="#">2571480000</a>	Accessories, Replacement clamping jaw	4050118582109	1 pc(s).
ERME 10 <sup>2</sup> SPX 4	<a href="#">1119030000</a>	Accessories, Cutter holder, 10mm <sup>2</sup>	4032248948420	1 pc(s).