5-862545-4 V ACTIVE

LGH | LGH SGL

TE Internal #: 5-862545-4

Lead Assembly, 10000 VDC, 16 AWG Wire Size, Wire-to-Wire, 1

Position, Wire & Cable, Socket, LGH SGL, Circular Power

Connectors

View on TE.com >



Connectors > Power Connectors > Circular Power > Circular Power Connectors



EU RoHS Compliance: Compliant with Exemptions
EU ELV Compliance: Compliant with Exemptions

Connector Product Type: Lead Assembly

Operating Voltage: 10000 VDC

Wire Size: 16 AWG

Features

Other

EU RoHS Compliance	Compliant with Exemptions
EU ELV Compliance	Compliant with Exemptions
Product Type Features	

Connector System Wire-to-	-Wire
Sealable	

Connector & Contact Terminates To Wire & Cable

Configuration Features

Electrical Characteristics

Operating Voltage	10000 VDC	
-------------------	-----------	--

Body Features

D ::: C. F. I	V A 7° . 1
Positive Stop Ferrule	With

Contact Features

Contact Type	Socket
Contact Protection	Without

Termination Features



Termination Method to Wire & Cable	Pre-Terminated to Cable
Mechanical Attachment	
Mating Alignment	With
Dimensions	
Wire Size	16 AWG
Assembly Length	304.8 mm[12 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Shielded	No
Packaging Features	
Packaging Quantity	20
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (4% in Contact/Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | LGH SGL



Customers Also Bought















Documents

Product Drawings
LEAD, SGL END ASSY, LGH

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-862545-4_AF.2d_dxf.zip

English

Lead Assembly, 10000 VDC, 16 AWG Wire Size, Wire-to-Wire, 1 Position, Wire & Cable, Socket, LGH SGL, Circular Power Connectors



Customer View Model

ENG_CVM_CVM_5-862545-4_AF.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-862545-4_AF.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.