



SERIES	PINS PER ROW	WIRE GAUGE	PLATING OPTION	ASSEMBLY LENGTH	END OPTION	K	LATCH OPTION
<b>MMSD</b> = Double Row PVC Cable	-02, -03, -04, -05,	-20 -20C = Color Coded Cable (MMSD & MMSS only)	-L = 10 μ" (0.25 μm) Gold on contact, Tin on tail	-“XX.XX” = Assembly Length in Inches (82.55 mm) 03.25" min.	-S = Single Ended  -D = Double Ended (Latch Required)	-K = Keyed Polarization	(Metal latches for more rugged environments; -02, -05 & -10 positions only)  -M = Single Ended, Metal Latches (Leave blank for plastic)  Double Ended (-D) Crossed requires MMSD/MMSDT  -LUS = Plastic Latch up, straight  -LDS = Plastic Latch down, straight  -LUX = Plastic Latch up, crossed  -LDX = Plastic Latch down, crossed  -MUS = Metal Latch up, straight  -MDS = Metal Latch down, straight  -MUX = Metal Latch up, crossed  -MDX = Metal Latch down, crossed
<b>MMSDT</b> = Double Row Blue *Teflon® Cable (20, 24, 28, 30 AWG only)	-06, -08, -10, -12,	-22, -24					
<b>MMSS</b> = Single Row PVC Cable	-15, -16, -20, -25 (Standard sizes)	-24C = Color Coded Cable (MMSD & MMSS only)					
<b>MMSST</b> = Single Row Blue *Teflon® Cable (20, 24, 28, 30 AWG only)		-26, -28					
<b>MMSD, MMSDT, MMSS, MMSST</b> Board Mates: IPL1 (Does not mate with IPT1)  Cable Mates: MMTD(T), MMTS(T)  * Dupont™ Teflon® is a registered trademark of E.I. du Pont de Nemours and Company or its affiliates.  Teflon® cable is intended for crimp only. Contact Samtec for solderable cable applications.		-28C = Color Coded Cable (MMSD & MMSS only)  -30					

-20C, -24C, -28C CABLE COLOR CODING	
PIN	COLOR
1	BROWN
2	RED
3	ORANGE
4	YELLOW
5	GREEN
6	BLUE
7	VIOLET
8	GRAY
9	WHITE
10	BLACK
ETC	REPEAT

View complete specifications at: [samtec.com?MMSD](http://samtec.com?MMSD), [samtec.com?MMSDT](http://samtec.com?MMSDT), [samtec.com?MMSS](http://samtec.com?MMSS) & [samtec.com?MMSST](http://samtec.com?MMSST)

IPD1	POSITIONS PER ROW	ROW OPTION	K	LATCH OPTION	SERIES	WIRE GAUGE	01	PLATING OPTION
	-02, -03, -04, -05, -06, -08, -10, -12, -15, -16, -20, -25 (Standard sizes)	-S = Single Row  -D = Double Row	-K = Keyed Polarization	-M = Metal Latch (Metal for more rugged environments) (-02, -05 & -10 positions only)  (Leave blank for plastic latch)	<b>CC79L</b> = Contact, Loose  <b>CC79R</b> = Contact, Full Reel (12,000 Parts per Reel)	-2630 = 26 to 30 AWG  -2024 = 20 to 24 AWG		-L = 10 μ" (0.25 μm) Gold on contact, Tin on tail

### TOOLING

Hand Tool: CAT-HT-179-2030-13 (20-30 AWG)

Mini Applicator: CAT-MC-179-2024-XX-01 (20-24 AWG)

Mini Applicator: CAT-MC-179-2630 XX-01 (26-30 AWG)

Extraction Tool: CAT-EX-179-01

**Not:**  
Some lengths, styles and  
options are non-standard,  
non-returnable.

View complete specifications at: [samtec.com?IPD1](http://samtec.com?IPD1), [samtec.com?CC79L](http://samtec.com?CC79L) & [samtec.com?CC79R](http://samtec.com?CC79R)

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## Samtec:

[MMSS-04-26-L-10.00-D-K-LUS](#) [MMSS-04-30-F-10.00-S-K](#) [MMSS-04-30-L-07.09-S-K](#) [MMSS-05-20C-L-04.00-S-K](#)  
[MMSS-05-30-F-03.95-S-K](#) [MMSS-06-24C-L-18.00-S-K](#) [MMSS-06-24C-L-20.00-S-K](#) [MMSS-06-24-F-03.00-S-K](#)  
[MMSS-06-26-L-24.00-D-K-LUS](#) [MMSS-08-20C-L-14.00-S-K](#) [MMSS-08-20C-L-60.00-D-K-LDS](#) [MMSS-08-20-F-03.00-S-K](#)  
[MMSS-08-28-L-07.00-S-K](#) [MMSS-08-28-L-10.00-D-K-LUS](#) [MMSS-10-24-L-06.00-D-K-MDS](#) [MMSS-12-22-L-14.00-S-K](#)  
[MMSS-15-20C-S-15.00-S-K](#) [MMSS-15-20-L-10.00-D-K-LUS](#) [MMSS-15-22-F-16.00-S-K](#) [MMSS-16-24-L-04.00-S-K](#)  
[MMSS-16-28-L-07.00-D-K-LDS](#) [MMSS-20-20C-F-38.00-S-K](#) [MMSS-25-20-L-07.00-S-K](#) [MMSS-02-20C-L-04.00-S-K-M](#)  
[MMSS-02-20C-L-04.72-D-K-LDS](#) [MMSS-02-20-F-04.00-S-K](#) [MMSS-02-20-L-28.50-D-K-LUS](#) [MMSS-02-20-L-30.00-D-K-LDS](#)  
[MMSS-02-22-F-03.00-S-K](#) [MMSS-02-24C-F-14.00-S-K](#) [MMSS-02-24C-F-18.00-S-K](#) [MMSS-02-24-F-36.00-D-K-LUS](#)  
[MMSS-02-24-L-39.37-S-K](#) [MMSS-02-26C-F-06.00-S-K](#) [MMSS-02-26C-L-16.54-D-K-LDS](#) [MMSS-02-28-L-11.80-D-K-LUS](#)  
[MMSS-03-20C-L-08.00-S-K](#) [MMSS-03-24C-L-05.90-S-K](#) [MMSS-03-24C-L-16.00-D-K-LUS](#) [MMSS-03-24C-L-24.00-D-K-MDS](#)  
[MMSS-03-26-F-12.00-S-K](#) [MMSS-03-26-L-03.94-D-K-LDS](#) [MMSS-03-28-L-08.00-S-K](#) [MMSS-04-20C-L-24.00-S-K](#)  
[MMSS-04-20-L-11.00-S-K](#) [MMSS-04-20-L-18.00-S-K](#) [MMSS-04-24C-F-10.00-S-K-M](#) [MMSS-04-24C-L-18.00-D-K-LUS](#)  
[MMSS-04-24C-L-20.00-S-K](#) [MMSS-04-24C-L-40.00-S-K](#) [MMSS-04-24-L-24.00-D-K-LDS](#) [MMSS-04-26-F-04.00-D-K-LUS](#)  
[MMSS-04-28-L-04.00-S-K-M](#) [MMSS-04-28-L-04.75-D-K-LDS](#) [MMSS-05-26C-F-15.00-S-K-M](#) [MMSS-05-26-L-05.00-D-K-LUS](#)  
[MMSS-05-26-L-05.90-S-K](#) [MMSS-06-20C-L-32.00-S-K](#) [MMSS-06-20C-L-79.00-S-K](#) [MMSS-06-20C-S-18.00-S-K](#)  
[MMSS-06-22-L-16.00-S-K](#) [MMSS-06-24-S-12.00-D-K-LUS](#) [MMSS-04-26-L-09.00-S-K](#) [MMSS-05-20-L-06.88-S-K](#)  
[MMSS-05-20-L-10.50-S-K](#) [MMSS-05-24C-L-04.00-D-K-LUS](#) [MMSS-05-24C-L-08.00-D-K-LUS](#) [MMSS-05-28-L-09.00-S-K](#)  
[MMSS-05-28-L-85.00-S-K-M](#) [MMSS-06-24C-L-36.00-S-K](#) [MMSS-06-26-L-12.00-D-K-LDS](#) [MMSS-08-20-F-06.00-D-K-LDS](#)  
[MMSS-08-24C-L-05.00-S-K](#) [MMSS-10-24C-L-14.00-S-K](#) [MMSS-10-24-L-07.87-S-K](#) [MMSS-12-22-L-03.00-S-K](#)  
[MMSS-12-22-L-12.00-S-K](#) [MMSS-20-20C-F-13.00-S-K](#) [MMSS-25-20-L-04.00-S-K](#) [MMSS-25-20-L-24.00-S-K](#)  
[MMSS-20-20-L-03.00-S-K](#) [MMSS-20-22-L-60.00-D-K-LDS](#) [MMSS-20-24C-L-08.00-D-K-LDS](#) [MMSS-20-24C-L-15.00-S-K](#)  
[MMSS-06-26-F-03.00-S-K](#) [MMSS-08-20-F-36.00-S-K](#) [MMSS-08-22-L-14.00-S-K](#) [MMSS-10-20C-L-05.00-S-K](#)  
[MMSS-10-22C-F-10.00-S-K](#) [MMSS-10-24-L-12.00-D-K-LUS](#) [MMSS-10-30-L-12.00-S-K](#) [MMSS-12-26-S-06.00-D-K-LUS](#)  
[MMSS-15-20C-F-50.00-S-K](#) [MMSS-15-20C-F-75.00-S-K](#) [MMSS-08-28-L-12.00-D-K-LUS](#) [MMSS-10-22-F-03.00-S-K](#)  
[MMSS-12-26-S-05.00-D-K-LUS](#) [MMSS-15-24C-F-18.00-D-K-LUS](#) [MMSS-15-24-L-14.00-D-K-LUS](#) [MMSS-24-24C-L-18.00-S-K](#)