




COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△					△				
△					△				
△					△				

REELED DIMENSION (Free)



THE DIRECTION OF PULLING OUT →

A (5:1)



- NOTES
- 1 REEL: 1000 CONNECTORS.
 - 2 MINIMUM 10 COMPARTMENTS FROM BOTH REEL ENDS REMAIN EMPTY.
 - 3 THIS PRODUCT HAS NO POLARITY TO TAPE AND REEL PACKAGING.

2		TOP COVER TAPE		3		3		3		3		3	
PET		EMBOSSED CARRIER TAPE		(CONNECTOR)		FINISH, REMARKS		MATERIAL		FINISH, REMARKS		APPROVED	
1		PS		NO.		NO.		NO.		NO.		APPROVED	
NO.		MATERIAL		FINISH, REMARKS		DESIGNED		CHECKED		APPROVED		RELEASED	
CODE NO. (OLD)		CL		DRAWN		DESIGNED		CHECKED		APPROVED		RELEASED	
DRAWING FOR PACKING				17.10.25		27.10.25		99.10.26		99.10.26		99.10.26	
DRAWING NO.		EDC3-152103-01		PART NO.		FX11LA-140P-SV(21)							
SCALE		2 : 1		CODE NO.		CL573-0045-0-21							
UNITS		mm		HRS		HIROSE ELECTRIC CO., LTD							

TO	
PCK	

HRS DRAWING FOR REFERENCE

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[FX11LA-140P-SV\(21\)](#)