

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [62200-7400](#)  
**Status:** **Active**  
**Description:** Tool Kit for Standard Manual Press FFC

**Documents:**

[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	T9999
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Product Name	Arbor
Survey	<a href="http://www.molex.com//review/apptool_survey.html">www.molex.com//review/apptool_survey.html</a>
Tool Type	Tool Kit
UPC	800753887497


**Physical**

Net Weight	2759.000/g
------------	------------

**Material Info**

**Reference - Drawing Numbers**

Application Tooling Documents	TM-622007400
-------------------------------	--------------



**EU RoHS**

**China RoHS**

**Compliance Status**

**Not Reviewed**

**REACH SVHC**

**Not Reviewed**

**Low-Halogen Status**

**Not Reviewed**

**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

T9999Series

**Use With**

Flat Flexible Cable Connectors

**Application Tooling | FAQ**

Description	Product #
2.54mm SL™ Single Row, Female, Version G Receptacle, 8 Circuits	0015474083
2.54mm Pitch SL™ FFC/FPC Connector - Single Row Male Version D, 14 Circuits	0015389142
2.54mm Pitch SL™ FFC/FPC Connector - Single Row Male Version D, 3 Circuits	0015389032
2.54mm Pitch SL™ FFC/FPC Connector	0015389022

- Single Row Male Version D, 2 Circuits 2.54mm SL™	0015388160
Single Row, Female, Version G Receptacle, 16 Circuits	
2.54mm SL™	0015388040
Single Row, Female, Version G Receptacle, 4 Circuits	
2.54mm SL™	0015388110
Single Row, Female, Version G Receptacle, 11 Circuits	
2.54mm SL™	0015388127
Single Row, Female, Version C Receptacle, 12 Circuits	
2.54mm SL™	0015388128
Single Row, Female, Version A Receptacle, 12 Circuits	
2.54mm SL™	0015388148
Single Row, Female, Version A Receptacle, 14 Circuits	
2.54mm SL™	0015388050
Single Row, Female, Version G Receptacle, 5 Circuits	
2.54mm SL™	0015388108
Single Row, Female, Version A Receptacle, 10 Circuits	
2.54mm SL™	0015388060
Single Row, Female, Version G Receptacle, 6 Circuits	
2.54mm SL™	0015388090
Single Row, Female, Version G Receptacle, 9 Circuits	
2.54mm SL™	0015388080
Single Row, Female, Version G Receptacle, 8 Circuits	
2.54mm SL™	0015474143
Single Row, Female, Version G Receptacle, 14 Circuits	
2.54mm SL™	0015474150
Single Row, Female, Version	

A Receptacle, 15 Circuits 2.54mm SL™ Single Row, Female, Version	0015388120
G Receptacle, 12 Circuits 2.54mm SL™ Single Row, Female, Version	0015388138
A Receptacle, 13 Circuits 2.54mm SL™ Single Row, Female, Version	0015474053
G Receptacle, 5 Circuits 2.54mm SL™ Single Row, Female, Version	0015474043
G Receptacle, 4 Circuits 2.54mm SL™ Single Row, Female, Version	0015474123
G Receptacle, 12 Circuits 2.54mm Pitch SL™ FFC/FPC Connector - Single Row Male Version D, 5 Circuits	0015475050
2.54mm SL™ Single Row, Female, Version	0015474093
G Receptacle, 9 Circuits 2.54mm SL™ Single Row, Female, Version	0015388058
A Receptacle, 5 Circuits 2.54mm SL™ Single Row, Female, Version	0015388070
G Receptacle, 7 Circuits 2.54mm SL™ Single Row, Female, Version	0015388100
G Receptacle, 10 Circuits 2.54mm SL™ Single Row, Female, Version	0015388020
G Receptacle, 2 Circuits 2.54mm SL™ Single Row, Female, Version	0015388140
G Receptacle, 14 Circuits 2.54mm SL™ Single Row, Female, Version	0015388028

A Receptacle, 2 Circuits 2.54mm SL™ Single Row, Female, Version	0015388030
G Receptacle, 3 Circuits 2.54mm SL™ Single Row, Female, Version	0015388038
A Receptacle, 3 Circuits 2.54mm SL™ Single Row, Female, Version	0015388048
A Receptacle, 4 Circuits 2.54mm SL™ Single Row, Female, Version	0015388068
A Receptacle, 6 Circuits 2.54mm SL™ Single Row, Female, Version	0015388078
A Receptacle, 7 Circuits 2.54mm SL™ Single Row, Female, Version	0015388088
A Receptacle, 8 Circuits 2.54mm SL™ Single Row, Female, Version	0015388098
A Receptacle, 9 Circuits 2.54mm SL™ Single Row, Female, Version	0015388118
A Receptacle, 11 Circuits 2.54mm SL™ Single Row, Female, Version	0015388130
G Receptacle, 13 Circuits 2.54mm SL™ Single Row, Female, Version	0015388147
C Receptacle, 14 Circuits 2.54mm SL™ Single Row, Female, Version	0015388150
G Receptacle, 15 Circuits 2.54mm SL™ Single Row, Female, Version	0015388158
A Receptacle, 15 Circuits 2.54mm SL™ Single Row, Female, Version	0015388168

A Receptacle, 16 Circuits 2.54mm Pitch SL™	0015389042
FFC/FPC Connector - Single Row Male Version D, 4 Circuits 2.54mm Pitch SL™	0015389052
FFC/FPC Connector - Single Row Male Version D, 5 Circuits 2.54mm Pitch SL™	0015389062
FFC/FPC Connector - Single Row Male Version D, 6 Circuits 2.54mm Pitch SL™	0015389132
FFC/FPC Connector - Single Row Male Version D, 13 Circuits 2.54mm SL™	0015474020
Single Row, Female, Version A Receptacle, 2 Circuits 2.54mm SL™	0015474023
Single Row, Female, Version G Receptacle, 2 Circuits 2.54mm SL™	0015474027
Single Row, Female, Version G Receptacle, 2 Circuits	

This document was generated on 04/24/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**