


Phototransistor Output: GaAs Input (No base connection)


Part Number	CTR @ 10 mA I _F (%)		BV _{CEO} (V)	BV _{ECO} (V)	V _{CE (sat)} (V)	t _{ON} /t _{OFF} (μs)	V _{ISO} AC[RMS]	Pkg dwg	Agency Approvals (see pg 23)
	min	max	min	min	max	max			
CNW82	40	—	50	7	0.4	—	5.9 kV	A	A, B, D, F, N, S, U
CNW82.300	40	—	50	7	0.4	—	5.9 kV	A	A, B, D, F, N, S, U, V
CNW84	63	320	80	7	0.4	—	5.9 kV	A	A, B, D, F, N, S, U
CNW84.300	63	320	80	7	0.4	—	5.9 kV	A	A, B, D, F, N, S, U, V
CNX82A	40	—	50	7	0.4	—	5.3 kV	C	A, B, D, F, N, S, U
CNX82A.300	40	—	50	7	0.4	—	5.3 kV	C	A, B, D, F, N, S, U, V
CNY17F-1	40	80	70	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U
CNY17F-1.300	40	80	70	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
CNY17F-2	63	125	70	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U
CNY17F-2.300	63	125	70	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
CNY17F-3	100	200	70	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U
CNY17F-3.300	100	200	70	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
CNY17F-4	160	320	70	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U
CNY17F-4.300	160	320	70	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
CNY17GF-1	40	80	70	7	0.3	10/10	5.3 kV	C	A, B, D, F, N, S, U
CNY17GF-1.300	40	80	70	7	0.3	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
CNY17GF-2	63	125	70	7	0.3	10/10	5.3 kV	C	A, B, D, F, N, S, U
CNY17GF-2.300	63	125	70	7	0.3	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
CNY17GF-3	100	200	70	7	0.3	10/10	5.3 kV	C	A, B, D, F, N, S, U
CNY17GF-3.300	100	200	70	7	0.3	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
CNY17GF-4	160	320	70	7	0.3	10/10	5.3 kV	C	A, B, D, F, N, S, U
CNY17GF-4.300	160	320	70	7	0.3	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
MOC8111	20	—	30	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U
MOC8111.300	20	—	30	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
MOC8112	50	—	30	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U
MOC8112.300	50	—	30	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
MOC8113	100	—	30	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U
MOC8113.300	100	—	30	7	0.4	10/10	5.3 kV	C	A, B, D, F, N, S, U, V
SL5582	40	320	50	7	0.4	20/50	5.3 kV	C	A, B, D, F, N, S, U
SL5582.300	40	320	50	7	0.4	20/50	5.3 kV	C	A, B, D, F, N, S, U, V
SL5582W	40	320	50	7	0.4	20/50	5.9 kV	A	A, B, D, F, N, S, U
SL5582W.300	40	320	50	7	0.4	20/50	5.9 kV	A	A, B, D, F, N, S, U, V