



Part No.	Emitting Color + Material	$\lambda$ D (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle	Dimension
				Min.	Typ.		

							4.8mm Right Angle
L73JB/IDA	GaAsP/GaP	625	red diffused	8	30	60°	
L73JB/GDA	GaP	568	green diffused	8	20	60°	
L73JB/YDA	GaAsP/GaP	588	yellow diffused	5	20	60°	
L73JB/SRDA	GaAlAs	640	red diffused	*100	*300	60°	

							4.8mm Right Angle
L73JT/IDA	GaAsP/GaP	625	red diffused	8	30	60°	
L73JT/GDA	GaP	568	green diffused	8	20	60°	
L73JT/YDA	GaAsP/GaP	588	yellow diffused	5	20	60°	
L73JT/SRDA	GaAlAs	640	red diffused	*100	*300	60°	

							T-1 3/4 (5mm) Right Angle
L1503CB/ID	GaAsP/GaP	625	red diffused	8	30	60°	
L1503CB/GD	GaP	568	green diffused	8	20	60°	
L1503CB/YD	GaAsP/GaP	588	yellow diffused	5	20	60°	
L1503CB/SRD	GaAlAs	640	red diffused	*100	*400	60°	

							T-1 3/4 (5mm) Right Angle
L150LVS/EGW	GaAsP/GaP	625	white diffused	*20	*60	60°	
	GaP	568		*20	*50	60°	
L150LVS/EYW	GaAsP/GaP	625	white diffused	*20	*60	60°	
	GaAsP/GaP	588		*20	*40	60°	
L150LVS/GYW	GaP	568	white diffused	*20	*50	60°	
	GaAsP/GaP	588		*20	*40	60°	

**NOTES :**

- All dimensions are in millimeters (inches)
- Tolerance is  $\pm 0.25\text{mm}$  (0.01") unless otherwise noted.