


TRANSIENT VOLTAGE SUPPRESSORS

500 Watts		REVERSE STAND-OFF VOLTAGE V _r (Volts)	BREAKDOWN VOLTAGE			MAXIMUM CLAMPING VOLTAGE @ I _c (1 msec) V _c (Volts)	MAXIMUM PEAK PULSE CURRENT I _p (Amps)	MAXIMUM REVERSE LEAKAGE @ V _r I _r (µA)	MAXIMUM VOLTAGE TEMPERATURE VARIATION OF V _r mV/°C	PACKAGE QUANT	OUTLINE Inches/Millimeters
IS PART NUMBER	SA		Min V _{br} Volts	Max V _{br} Volts	@ I _c mA						
PSKE5.0	SA5.0	5.0	6.40	7.30	10	9.6	52.0	600	5.0	1000/ 4000	
PSKE5.0A	SA5.0A	5.0	6.40	7.00	10	9.2	54.3	600	5.0		
PSKE6.0	SA6.0	6.0	6.67	8.15	10	11.4	43.9	600	5.0		
PSKE6.0A	SA6.0A	6.0	6.67	7.37	10	10.3	48.5	600	5.0		
PSKE6.5	SA6.5	6.5	7.22	8.82	10	12.3	40.7	400	5.0		
PSKE6.5A	SA6.5A	6.5	7.22	7.98	10	11.2	44.7	400	5.0		
PSKE7.0	SA7.0	7.0	7.78	9.51	10	13.3	37.8	150	5.0		
PSKE7.0A	SA7.0A	7.0	7.78	8.60	10	12.0	41.7	150	5.0		
PSKE7.5	SA7.5	7.5	8.33	10.20	1	14.3	35.0	50	7.0		
PSKE7.5A	SA7.5A	7.5	8.33	9.21	1	12.9	38.8	50	7.0		
PSKE8.0	SA8.0	8.0	8.89	10.90	1	15.0	33.3	25	7.0		
PSKE8.0A	SA8.0A	8.0	8.89	9.83	1	13.6	36.7	25	7.0		
PSKE8.5	SA8.5	8.5	9.44	11.5	1	15.9	31.4	5	8.0		
PSKE8.5A	SA8.5A	8.5	9.44	10.4	1	14.4	34.7	5	8.0		
PSKE9.0	SA9.0	9.0	10.0	12.2	1	16.9	29.5	1	9.0		
PSKE9.0A	SA9.0A	9.0	10.0	11.1	1	15.4	32.5	1	9.0		
PSKE10	SA10	10	11.1	13.6	1	18.8	26.6	1	10		
PSKE10A	SA10A	10	11.1	12.3	1	17.0	29.4	1	10		
PSKE11	SA11	11	12.2	14.9	1	20.1	24.9	1	11		
PSKE11A	SA11A	11	12.2	13.5	1	18.2	27.4	1	11		
PSKE12	SA12	12	13.3	16.3	1	22.0	22.7	1	12		
PSKE12A	SA12A	12	13.3	14.7	1	19.9	25.1	1	12		
PSKE13	SA13	13	14.4	17.6	1	23.8	21.0	1	13		
PSKE13A	SA13A	13	14.4	15.9	1	21.5	23.2	1	13		
PSKE14	SA14	14	15.6	19.1	1	25.8	19.4	1	14		
PSKE14A	SA14A	14	15.6	17.2	1	23.2	21.5	1	14		
PSKE15	SA15	15	16.7	20.4	1	26.9	18.8	1	16		
PSKE15A	SA15A	15	16.7	18.5	1	24.4	20.6	1	16		
PSKE16	SA16	16	17.8	21.8	1	28.8	17.6	1	19		
PSKE16A	SA16A	16	17.8	19.7	1	26.0	19.2	1	17		
PSKE17	SA17	17	18.9	23.1	1	30.5	16.4	1	20		
PSKE17A	SA17A	17	18.9	20.9	1	27.6	18.1	1	19		
PSKE18	SA18	18	20.0	24.4	1	32.2	15.5	1	21		
PSKE18A	SA18A	18	20.0	22.1	1	29.2	17.2	1	20		
PSKE20	SA20	20	22.2	27.1	1	35.8	13.9	1	25		
PSKE20A	SA20A	20	22.2	24.5	1	32.4	15.4	1	23		
PSKE22	SA22	22	24.4	29.8	1	39.4	12.7	1	28		
PSKE22A	SA22A	22	24.4	26.9	1	35.5	14.1	1	25		
PSKE24	SA24	24	26.7	32.6	1	43.0	11.6	1	31		
PSKE24A	SA24A	24	26.7	29.5	1	38.9	12.8	1	28		
PSKE26	SA26	26	28.9	35.3	1	46.6	10.7	1	31		
PSKE26A	SA26A	26	28.9	31.9	1	42.1	11.9	1	30		
PSKE28	SA28	28	31.1	38.0	1	50.1	9.9	1	35		
PSKE28A	SA28A	28	31.1	34.4	1	45.4	11.0	1	31		
PSKE30	SA30	30	33.3	40.7	1	53.5	9.3	1	39		
PSKE30A	SA30A	30	33.3	36.8	1	48.4	10.3	1	36		
PSKE33	SA33	33	36.7	44.9	1	59.0	8.5	1	42		
PSKE33A	SA33A	33	36.7	40.6	1	53.3	9.4	1	39		
PSKE36	SA36	36	40.0	48.9	1	64.3	7.8	1	46		
PSKE36A	SA36A	36	40.0	44.2	1	58.1	8.6	1	41		
PSKE40	SA40	40	44.4	54.3	1	71.4	7.0	1	51		
PSKE40A	SA40A	40	44.4	49.1	1	64.5	7.8	1	46		
PSKE43	SA43	43	47.8	58.4	1	76.7	6.5	1	55		
PSKE43A	SA43A	43	47.8	52.8	1	69.4	7.2	1	50		
PSKE45	SA45	45	50.0	61.1	1	80.3	6.2	1	58		
PSKE45A	SA45A	45	50.0	55.3	1	72.7	6.9	1	52		
PSKE48	SA48	48	53.3	65.1	1	85.5	5.8	1	63		
PSKE48A	SA48A	48	53.3	58.9	1	77.4	6.5	1	56		
PSKE51	SA51	51	56.7	69.3	1	91.1	5.5	1	66		
PSKE51A	SA51A	51	56.7	62.7	1	82.4	6.1	1	61		
PSKE54	SA54	54	60.0	73.3	1	96.3	5.2	1	71		
PSKE54A	SA54A	54	60.0	66.3	1	87.1	5.7	1	65		
PSKE58	SA58	58	64.4	78.7	1	103.0	4.9	1	78		
PSKE58A	SA58A	58	64.4	71.2	1	93.6	5.3	1	70		
PSKE60	SA60	60	66.7	81.5	1	107.0	4.7	1	80		
PSKE60A	SA60A	60	66.7	73.7	1	96.8	5.2	1	71		
PSKE64	SA64	64	71.1	86.9	1	114.0	4.4	1	86		
PSKE64A	SA64A	64	71.1	78.6	1	103.0	4.9	1	76		
PSKE70	SA70	70	77.8	95.1	1	125	4.0	1	94		
PSKE70A	SA70A	70	77.8	86.0	1	113	4.4	1	85		
PSKE75	SA75	75	83.3	102.0	1	134	3.7	1	101		
PSKE75A	SA75A	75	83.3	92.1	1	121	4.1	1	91		
PSKE78	SA78	78	86.7	106.0	1	139	3.6	1	105		
PSKE78A	SA78A	78	86.7	95.8	1	126	4.0	1	95		
PSKE85	SA85	85	94.4	115.0	1	151	3.3	1	114		
PSKE85A	SA85A	85	94.4	104.0	1	137	3.6	1	103		
PSKE90	SA90	90	100	122	1	160	3.1	1	121		
PSKE90A	SA90A	90	100	111	1	146	3.4	1	110		
PSKE100	SA100	100	111	136	1	179	2.8	1	135		
PSKE100A	SA100A	100	111	123	1	162	3.1	1	123		
PSKE110	SA110	110	122	149	1	196	2.6	1	148		
PSKE110A	SA110A	110	122	135	1	177	2.8	1	133		
PSKE120	SA120	120	133	163	1	214	2.3	1	162		
PSKE120A	SA120A	120	133	147	1	193	2.0	1	146		
PSKE130	SA130	130	144	176	1	231	2.2	1	175		
PSKE130A	SA130A	130	144	159	1	209	2.4	1	158		
PSKE150	SA150	150	167	204	1	268	1.9	1	203		
PSKE150A	SA150A	150	167	185	1	243	2.1	1	184		
PSKE160	SA160	160	178	218	1	287	1.7	1	217		
PSKE160A	SA160A	160	178	197	1	259	1.9	1	196		
PSKE170	SA170	170	189	231	1	304	1.6	1	230		
PSKE170A	SA170A	170	189	209	1	275	1.8	1	208		