




Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
SEE TABLE



NOTE 3&5



mat'l. code NOTE 1 & 2		tolerances unless otherwise specified		CUSTOMER COPY	 Electronics www.fciconnect.com
ltr	ecn no	dr	date	projection	
F	V23246	MRC	10/16/92	linear	title VERT. CARD CONNECTOR, D/R .100/2.54 CTR., .050/1.27 LEG, 30 Au product family CARD CONN. size dwg no A 68429 code 213 sheet 1 of 3
G	V70793	LSS	11/7/97	linear	
H	V94468	MDF	1/12/00	angles	
				angles	
		dr	L. SANDERS	11/7/97	INCH/MM scale 4:1
		enr	H. SUNDY	11/7/97	
		chr	H. SUNDY	11/7/97	
		appd	H. SUNDY	11/7/97	
sheet index	revision sheet	H	H	H	
	1	2	3		

cage code
22526

ACAD

PDM: Rev:H

STATUS: Released

Printed: Oct 28, 2005

PRODUCT NUMBER	MARKING CODES
68429-0XX	STANDARD MARKING PER NOTE 3
68429-8XX	SPECIAL MIL MARKING PER NOTE 5

Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.




FIGURE "A"
RECOMMENDED HOLE PATTERN
SCALE 5/1

NOTES:

- ① HOUSING MATERIAL: 30% GLASS FILLED POLYESTER
FLAME RETARDANT PER UL 94V-0
COLOR : BLACK.
- ② TERMINAL MATERIAL AND PLATING:
BODY MATERIAL: 1/4 HARD BRASS ALLOY UNS-C26000.

BODY PLATING:
30u'/.76u Au OVER 50u"/1.27u Ni IN CONTACT AREA.
100u"/2.54u TIN-LEAD OVER 50u"/1.27u Ni
ON SOLDER TAIL.

SPRING MATERIAL: BeCu ALLOY UNS-C17200. HEAT TREATED.
SPRING PLATING: GOLD FLASH.
- ③ PRODUCT DASH NUMBERS WITH FIRST DIGIT BEING "0" TO BE MARKED "FCI", FCI PART NUMBER, AND DATE CODE. PARTS 2 X 8 OR LESS, HAVE THIS INFORMATION ON TUBE LABEL INSTEAD OF HOUSING. DASH NUMBER WITH "U" AS FOURTH DIGIT (XXXXX-XXXU) IS UNMARKED.
4. APPLICATION INFORMATION.
A. RECOMMENDED MOUNTING HOLE PATTERN IS SHOWN IN FIGURE A.
B. ALL MATING PINS TO BE .025/.64 SQUARE ON TRUE CENTER OF GIVEN TERMINAL SPACING WITHIN .015/.38 DIAMETER.
- ⑤ PRODUCT DASH NUMBERS WITH FIRST DIGIT BEING "8" TO BE MARKED "FCI", CAGE 22526, DESC. WWWW-WW (NUMBER TO BE ASSIGNED). AND DATE, PARTS 2 X 8 OR LESS, HAVE THIS INFORMATION ON THE TUBE LABEL INSTEAD OF HOUSING.

mat'l. code --		tolerances unless otherwise specified		CUSTOMER COPY		Electronics www.fciconnect.com	
ltr	ecn no	dr	date	linear	projection	title	
H				.XX ±.01/.X±.3		VERT. CARD CONNECTOR, D/R	
				.XXX ±.005/.XX±.13		.100/2.54 CTR., .050/1.27 LEG, 30 Au	
				.xxx ±.0020/.xxx±.051	INCH/MM	product family CARD CONN.	
				angles 0° ±2'	scale	size	code
		dr	L. SANDERS	11/7/97	1:1	dwg no	213
		enr	H. SUNDY	11/7/97		A	68429
		chr	H. SUNDY	11/7/97			
		appd	H. SUNDY	11/7/97			
sheet index	revision sheet						

cage code
22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO	NO. OF POS.	DIM A	DIM B	DESC. PART NUMBER ON - 8XX SERIES ONLY
68429-Y01		UNASSIGNED		WWWWW-01
-Y02	2 X 2	.100/2.54	.200/5.08	WWWWW-02
-Y03	2 X 3	.200/5.08	.300/7.62	WWWWW-03
-Y04	2 X 4	.300/7.62	.400/10.16	WWWWW-04
-Y05	2 X 5	.400/10.16	.500/12.70	WWWWW-05
-Y06	2 X 6	.500/12.70	.600/15.24	WWWWW-06
-Y07	2 X 7	.600/15.24	.700/17.78	WWWWW-07
-Y08	2 X 8	.700/17.78	.800/20.32	WWWWW-08
-Y09	2 X 9	.800/20.32	.900/22.86	WWWWW-09
-Y10	2 X 10	.900/22.86	1.000/25.40	WWWWW-10
-Y11	2 X 11	1.000/25.40	1.100/27.94	WWWWW-11
-Y12	2 X 12	1.100/27.94	1.200/30.48	WWWWW-12
-Y13	2 X 13	1.200/30.48	1.300/33.02	WWWWW-13
-Y14	2 X 14	1.300/33.02	1.400/35.56	WWWWW-14
-Y15	2 X 15	1.400/35.56	1.500/38.10	WWWWW-15
-Y16	2 X 16	1.500/38.10	1.600/40.64	WWWWW-16
-Y17	2 X 17	1.600/40.64	1.700/43.18	WWWWW-17
-Y18	2 X 18	1.700/43.18	1.800/45.72	WWWWW-18
-Y19	2 X 19	1.800/45.72	1.900/48.26	WWWWW-19
-Y20	2 X 20	1.900/48.26	2.000/50.80	WWWWW-20
-Y21	2 X 21	2.000/50.80	2.100/53.34	WWWWW-21
-Y22	2 X 22	2.100/53.34	2.200/55.88	WWWWW-22
-Y23	2 X 23	2.200/55.88	2.300/58.42	WWWWW-23
-Y24	2 X 24	2.300/58.42	2.400/60.96	WWWWW-24
68429-Y25	2 X 25	2.400/60.96	2.500/63.50	WWWWW-25



DBS

PRODUCT NO	NO. OF POS.	DIM A	DIM B	DESC. PART NUMBER ON - 8XX SERIES ONLY
68429-Y26	2 X 26	2.500/63.50	2.600/66.04	WWWWW-26
-Y27	2 X 27	2.600/66.04	2.700/68.58	WWWWW-27
-Y28	2 X 28	2.700/68.58	2.800/71.12	WWWWW-28
-Y29	2 X 29	2.800/71.12	2.900/73.66	WWWWW-29
-Y30	2 X 30	2.900/73.66	3.000/76.20	WWWWW-30
-Y31	2 X 31	3.000/76.20	3.100/78.74	WWWWW-31
-Y32	2 X 32	3.100/78.74	3.200/81.28	WWWWW-32
-Y33	2 X 33	3.200/81.28	3.300/83.82	WWWWW-33
-Y34	2 X 34	3.300/83.82	3.400/86.36	WWWWW-34
-Y35	2 X 35	3.400/86.36	3.500/88.90	WWWWW-35
68429-Y36	2 X 36	3.500/88.90	3.600/91.44	WWWWW-36

A

A

FCI

mat'l. code --				tolerances unless otherwise specified		CUSTOMER COPY	 Electronics FCI www.fciconnect.com
ltr	ecn no	dr	date	linear	.XX ±.01 / X±.13 .XXX ±.005 / .XX±.13 .XXX ±.0020 / .XXX±.051	projection	
H				angles	0° ±2°	 INCH/MM scale 1:1	VERT. CARD CONNECTOR, D/R .100/2.54 CTR., .050/1.27 LEG, 30 Au
				dr	L. SANDERS 11/7/97		product family
				enr	H. SUNDY 11/7/97	size	213
				chr	H. SUNDY 11/7/97	dwg no	sheet
				appd	H. SUNDY 11/7/97	A	3 of
sheet index	revision sheet						cage code
							22526

B