


●RLZJ Series (P=400mW Package : LL-34)

Series Prefix	Nominal Zener voltage	Vz (V)			Iz (mA)	Zz (Ω) Max.	Iz (mA)	I _R (μA) Max.	I _R (V)
		Ranking							
		A	B	C					
RLZJ	3.6	3.40~3.65	3.55~3.80	--	5	130	5	10	1.0
RLZJ	3.9	3.70~3.97	3.87~4.10	--	5	130	5	10	1.0
RLZJ	4.3	4.00~4.23	4.13~4.35	4.25~4.50	5	130	5	10	1.0
RLZJ	4.7	4.40~4.63	4.53~4.76	4.66~4.90	5	130	5	10	1.0
RLZJ	5.1	4.80~5.07	4.97~5.24	5.14~5.40	5	130	5	5	1.5
RLZJ	5.6	5.30~5.63	5.43~5.81	5.61~6.00	5	80	5	5	2.5
RLZJ	6.2	5.80~6.20	6.00~6.39	6.19~6.60	5	50	5	2	3.0
RLZJ	6.8	6.40~6.80	6.60~7.02	6.82~7.20	5	30	5	2	3.5
RLZJ	7.5	7.00~7.43	7.23~7.66	7.46~7.90	5	30	5	2	4.0
RLZJ	8.2	7.70~8.16	7.96~8.43	8.23~8.70	5	30	5	2	5.0
RLZJ	9.1	8.50~9.00	8.80~9.30	9.10~9.60	5	30	5	2	6.0
RLZJ	10	9.40~9.93	9.73~10.26	10.06~10.60	5	30	5	2	7.0
RLZJ	11	10.40~10.98	10.73~11.26	11.06~11.60	5	30	5	2	8.0
RLZJ	12	11.40~11.93	11.73~12.26	12.06~12.60	5	35	5	2	9.0
RLZJ	13	12.40~13.08	12.68~13.57	13.37~14.10	5	35	5	2	10.0
RLZJ	15	13.80~14.63	14.33~15.11	14.81~15.60	5	40	5	2	11.0
RLZJ	16	15.30~16.10	15.80~16.60	16.30~17.10	5	40	5	2	12.0
RLZJ	18	16.80~17.76	17.46~18.43	18.13~19.10	5	45	5	2	13.0
RLZJ	20	18.80~19.78	19.48~20.46	20.16~21.20	5	50	5	2	15.0
RLZJ	22	20.80~21.88	21.48~22.56	22.16~23.30	5	55	5	2	17.0
RLZJ	24	22.80~24.11	23.61~24.92	24.42~25.60	5	60	5	2	19.0


Notes : 1. Zener voltage measured 40ms after application of voltage.
 2. When ordering, specify the rank of the diodes. Otherwise, the diodes of rank A, B or C are supplied.

(Unit : mm)



●Product Designation

- When ordering, specify the type.
- Check each code against the tables shown below.
- Fill a space with the next character.



Package	Code	Sprocket hole side	Quantity / Package (pcs)
LL-34	TE-11	Cathode	2,500
	TE-12	Anode	