



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
 Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.





All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
 Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.


PRODUCT NO.
 SEE TABLE



SECTION X-X



TAIL LENGTH ±.010
 SEE TABLE ±.025



SECTION Y-Y

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	BERG ELECTRONICS		
NOTE 1 & 2							title		
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection	HEADER, SLIMLINE, VERTICAL ASS'Y, 4-WALL		
A	V61357	MDF	9/19/96		.XXX±.005/.XX±.13				
B	V61670	MDF	11/4/96		.XXXX±.0020/.XXX±.051	INCH/MM	product family	HEADER	
C	V70137	SAR	5/16/97	angles	0° ±2'		size	dwg no	
D	V70888	SAR	6/6/97	dr	M. FETROW 9/19/96	scale	A	72250	
E	V71117	EPK	9/24/97	enr	L. FYE 9/19/96				1.5:1
F	V71292		9/26/97	chr	L. FYE 9/19/96				
F	V80075	SAR	1/19/98	appd	L. FYE 9/19/96				
sheet index	revision sheet	F	E	E					
		1	2	3					


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
 Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

BERG ELECTRONICS


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
 Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.

PRODUCT NUMBER


SEE TABLE




2 X 5
 STYLE B -- NO TRIANGLE
 FOR POSITION #1



2 X 7
 STYLE C



2 X 8 & LARGER
 STYLE D



RECOMMENDED HOLE PATTERN

NOTES:

- ① PLASTIC MATERIAL: (SEE TABLES)
 30% GLASS FILLED,
 FLAME RETARDANT PER UL-94-V0
2. PIN MATERIAL: PHOS BRONZE.
- ③ 4 LBS/1.8 KG MIN PIN RETENTION.
- ④ PIN CONTACT SURFACE IS TO BE FREE OF BURRS,
 SCRATCHES AND PLASTIC DEBRIS.
- ⑤ FOR SIZES 2 X 5 & 2 X 7, ONLY ONE POLARIZATION SLOT
 ON THE SAME END AS POSITION #1.
- ⑥ PACKAGING: (SEE TABLES)
 "O" = TRAY PACKAGE. (THE STANDARD METHOD OF PACKAGING)
 "G" = GPAX TAPE AND REEL
 "T" = TUBE PACKAGING
- ⑦ PART NUMBERS WITH "R" FOLLOWING THE PART NUMBER
 WILL HAVE RETENTIVE TAILS. (ONLY PARTS WITH TAIL
 LENGTHS OF .120 AND .150)
 TWO PAIR OF PINS LOCATED APPROXIMATELY IN THE CENTER
 OF 2X14 AND SMALLER SIZE ARE TO BE KINKED.
 TWO PAIR OF PINS LOCATED ON EACH END OF 2X15 AND LARGER
 ARE TO HAVE 2 PAIR OF PINS KINKED ON EACH END.
- ⑧ ADD AN "A" ON THE END OF THE PART NUMBER FOR
 SPECIAL PRINTING (DATE CODE WEEK/YR)

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY		BERG ELECTRONICS		
ltr	ecn no	dr	date	linear	.XX ±.01/.3		projection	title			
E					.XXX ±.005/.13			INCH/MM	HEADER, SLIMLINE, VERTICAL ASS'Y, 4-WALL		
					.XXXX ±.0020/.051				product family HEADER code -		
				angles	0° ±2°		scale		sheet 2 of		
				dr	M. FETROW	9/19/96	A		72250		
				enr	L. FYE	9/19/96					
				chr	L. FYE	9/19/96					
				appd	L. FYE	9/19/96					
sheet index	revision sheet										

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
 Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
 Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.

PRODUCT NO.

7225M - F ZZ T P X A

PLATING	
A	30u"/0.76u Au DUPLEX
B	30u"/0.76u GXT DUPLEX
G	15u"/0.38u DUPLEX
1	30u"/0.76u Au GOLD
2	5u"/0.12u Au GOLD
5	30u"/0.76u GXT
6	15u"/0.38u GXT
9	15u"/0.38u Au GOLD

TAIL LENGTH	
1	.105/2.67
2	.120/3.05
5	.150/3.81
8	.180/4.57

PACKAGING NOTE 6	
0	TRAY PACKAGING
G	GPAX TAPE & REEL
T	TUBE PACKAGING

RETENTION FEATURE NOTE 7	
R	RETENTIVE TAILS

DATE CODE NOTE 8	
	WEEK/YR

PLASTIC MAT'L NOTE 1		
0	BLACK PCT	SOLID REAR WALL
1	BLACK PCT	REAR POLARIZATION
2	BLUE PBT	SOLID REAR WALL
3	BLUE PBT	REAR POLARIZATION
4	GRAY PBT	SOLID REAR WALL
5	GRAY PBT	REAR POLARIZATION

	POSITIONS	DIM A	DIM B	DIM C	HDR. STYLE
10	2 x 5	.79/12.1	.710/18.03	.400/10.16	B
14	2 x 7	.99/25.2	.910/23.11	.600/15.24	C
16	2 x 8	1.09/27.7	1.010/25.65	.700/17.78	D
20	2 x 10	1.29/32.8	1.210/30.73	.900/22.86	D
24	2 x 12	1.49/37.9	1.410/35.81	1.100/27.94	D
26	2 x 13	1.59/40.4	1.510/38.35	1.200/30.48	D
30	2 x 15	1.79/45.5	1.710/43.43	1.400/35.56	D
34	2 x 17	1.99/50.6	1.910/48.51	1.600/40.64	D
36	2 x 18	2.09/53.1	2.010/51.05	1.700/43.18	D
40	2 x 20	2.29/58.2	2.210/56.13	1.900/48.26	D
44	2 x 22	2.49/63.3	2.410/61.21	2.100/53.34	D
50	2 x 25	2.79/70.9	2.710/68.83	2.400/60.96	D
60	2 x 30	3.29/83.6	3.210/81.53	2.900/73.66	D

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS	
ltr	ecn no	dr	date	linear	.XX ±.01/.3	projection	title
E					.XXX ±.005/.13		HEADER, SLIMLINE, VERTICAL ASSY, 4-WALL
				angles	.XXX ±.0020/.051		
				dr	0° ±2'	INCH/MM	product family
				enrg	M. FETROW 9/19/96	1:1	HEADER
				chr	L. FYE 9/19/96	scale	code
				appd	L. FYE 9/19/96	1:1	72250
sheet index	revision sheet						size
							dwg no
							3 of
							sheet
							3 of