




PRODUCT NUMBER
SEE TABLE



CONFIGURATION 1
(WITHOUT RIB)

NOTES:



- ① MOLDING MATERIAL: MODIFIED POLYPHENYLENE ETHER, COLOR: BLACK, UL 94V-0.
2. PIN LENGTH TO BE .210/5.33 MIN RECOMMENDED PIN LENGTH IS .225/5.72 ± .015/0.38.
3. FOR TERMINAL APPLICATION SEE TA-531. PRODUCT SPECIFICATION: BUS-12-067.
4. TERMINALS MUST BE CRIMPED PROPERLY FOR SATISFACTORY LATCHING. SEE TA-75 FOR CRIMPING INSTRUCTIONS.
5. THIS HOUSING IS INTENDED FOR USE WITH MINI PVM™ TERMINAL WITH 22-36 GAUGE WIRE.
- ⑥ ALL MARKING EXCEPT LOGO DONE IN "6 POINT TYPE SET" IF SPACE PERMITS APPROX AREA PER NUMBER/LETTER .056/1.42 WIDE X .06/1.5 HIGH USING WHITE PERMANENT INK.
- ⑦ ALL MARKINGS FOR MILITARY PART NUMBERS ARE TO BE PER MIL-STD-1285. SEE TABULATION.
- ⑧ PLACE DESC P/N AND CAGE NO. ON PACKAGING LABEL. PRODUCT LENGTH IS TOO SMALL TO MARK PART.
- ⑨ THESE PARTS ARE AS MOLDED WITH NO MARKINGS AND NO RESTRICTIONS, (BUT ARE MARKETABLE).
- ⑩ ADD AN LF SUFFIX TO PART NUMBERS FOR PRODUCT THAT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
11. THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO MANUFACTURING SOLDER PROCESS.
- ⑫ STANDARD TOLERANCES:
 .XX±.01/.X±.3
 .XXX±.005/.XX±.13
 .XXXX±.0020/.XXX±.051



Copyright FCI

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance				projection <input checked="" type="checkbox"/>				product family PV HOUSINGS					
ltr	ecr no	dr	date	tolerances unless otherwise specified								title					
AW	v50128	GAH	3/14/95	angles	linear			SEE NOTE 12			INCH/MM			MINI LATCH HOUSING			
AX	v90973	CGC	5/10/99	0°±2'				scale 3:1			SINGLE ROW .100 [2.54] CC						
AY	v03-1356	PJ	01/31/04	M. CORNMAN				1/31/90			dwg no						
BA	v05-0712	DAI	7/27/05	H. SUNDY				1/31/90			sheet 1 of 12 size						
BB	v06-0407	HTB	4/26/06	H. SUNDY				1/31/90			65039 A3						
				H. SUNDY				1/31/90			type Product Customer Drawing						
sheet	revision	BB	BB	BB	BB	BB	BB	BB	BB	BB	BB	BB	BB	BB	BB	BB	BB
index	sheet	1	2	3	4	5	6	7	8	9	10	11	12				

PRODUCT NUMBER
SEE TABLE



CONFIGURATION 2
(WITH RIB)



Copyright FCJ

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection		product family PV HOUSINGS	
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
BB				angles	linear	SEE NOTE 12		MINI LATCH HOUSING	
				0°±2°		scale 3:1		SINGLE ROW .100 [2.54] CC	
				dr	M. CORNMAN	1/31/90		sheet 2 of 12 size	
				engr	H. SUNDY	1/31/90		dwg no	
				chr	H. SUNDY	1/31/90		65039	
				appd	H. SUNDY	1/31/90		A3	
sheet	revision							type Product Customer Drawing	
index	sheet								

PDM: Rev:BB


STATUS:Released

Printed: Jun 13, 2006

PRODUCT NO


SEE TABLE

MARK CO. LOGO
TRADEMARK & PART NO. & CAVITY
NO. APPROX. AS SHOWN.




STYLE A

MARK CUST NAME AND CAVITY NO.
APPROX AS SHOWN.




STYLE D

CO. LOGO, CUSTOMER PART
NO. FIRST AND LAST CAVITIES
AND EVERY FIFTH CAVITY MARKED
PERMANENTLY AND LEGIBLE IN
WHITE INK APPROX AS SHOWN.




STYLE G

MARK THIS
ENTIRE
END
WHITE




STYLE K

MARK CO. LOGO
TRADEMARK & PART NO. & CAVITY
NO. APPROX. AS SHOWN.




STYLE B

MARK NUMBERS AS SHOWN
CHARACTERS TO BE PERMANENT AND
LEGIBLE AFTER REACHING #9
CAVITY CONTINUE ONLY MARKING
EVERY OTHER ONE; IE. #11,#13,
#15 ETC.



STYLE E

MARK CHARACTERS AS SHOWN
(ONE SIDE ONLY) 1,5,10,15,
20,ETC.




STYLE H

MARK CHARACTERS AS SHOWN IN WHITE
(ONE SIDE ONLY)



STYLE L

MARK LETTERS AS SHOWN
CHARACTERS TO BE PERMANENT &
LEGIBLE. OMIT (I) POS AS SHOWN




STYLE C

MARK ARROW IN WHITE APPROX AS
SHOWN.



STYLE F

NOTE 6



STYLE J



FCIconnect.com

Copyright FCI

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection		product family PV HOUSINGS	
ltr	ecr no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
BB				angles	linear	SEE NOTE 12		MINI LATCH HOUSING	
				0°±2°		scale 1:1		SINGLE ROW .100 [2.54] CC	
				dr	M. CORNMAN	1/31/90		sheet 3 of 12 size	
				engr	H. SUNDY	1/31/90		dwg no 65039 A3	
				chr	H. SUNDY	1/31/90		type Product Customer Drawing	
				appd	H. SUNDY	1/31/90			
sheet	revision								
index	sheet								


PRODUCT NO
SEE TABLE

MARK CHARACTERS ON SIDE
OPPOSITE THE LATCHES ON THE
PLUGGABLE SQUARE PIN END


MARK AN M (BLACK) IN THE
CORNER AS SHOWN, WITH A WHITE
BACKGROUND.



STYLE M




STYLE P




STYLE S

CAVITY MARKED WITH ARROW


MARK AN M (BLACK) IN THE
CORNER AS SHOWN, WITH A WHITE
BACKGROUND, ON BOTH SIDES OF
THE PART.



STYLE N



STYLE R



STYLE T
NOTE-7 & 8



Copyright FCI

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection		product family PV HOUSINGS	
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
BB				angles	linear	SEE NOTE 12		MINI LATCH HOUSING	
				0°±2°		scale 1:1		SINGLE ROW .100 [2.54] CC	
				dr	M. CORNMAN	1/31/90		dwg no	
				engr	H. SUNDY	1/31/90		sheet 4 of 12 size	
				chr	H. SUNDY	1/31/90		65039 A3	
				appd	H. SUNDY	1/31/90		type Product Customer Drawing	
sheet	revision								
index	sheet								

PRODUCT NO. NOTE 10	NO.OF POS.	DIM A MAX	DIM B	SPECIAL MARKINGS	CUSTOMER RESTRICTED	CONFIGURATION
65039-001	36	3.600/91.44	3.500/88.90			1
65039-002	35	3.500/88.90	3.400/86.36			
65039-003	34	3.400/86.36	3.300/83.82			
65039-004	33	3.300/83.82	3.200/81.28			
65039-005	32	3.200/81.28	3.100/78.74			
65039-006	31	3.100/78.74	3.000/76.20			
65039-007	30	3.000/76.20	2.900/73.66			
65039-008	29	2.900/73.66	2.800/71.12			
65039-009	28	2.800/71.12	2.700/68.58			
65039-010	27	2.700/68.58	2.600/66.04			
65039-011	26	2.600/66.04	2.500/63.50			
65039-012	25	2.500/63.50	2.400/60.96			
65039-013	24	2.400/60.96	2.300/58.24			
65039-014	23	2.300/58.24	2.200/55.88			
65039-015	22	2.200/55.88	2.100/53.34			
65039-016	21	2.100/53.34	2.000/50.80			
65039-017	20	2.000/50.80	1.900/48.26			
65039-018	19	1.900/48.26	1.800/45.72			
65039-019	18	1.800/45.72	1.700/43.18			
65039-020	17	1.700/43.18	1.600/40.64			
65039-021	16	1.600/40.64	1.500/38.10			
65039-022	15	1.500/38.10	1.400/35.56			
65039-023	14	1.400/35.56	1.300/33.02			
65039-024	13	1.300/33.02	1.200/30.48			
65039-025	12	1.200/30.48	1.100/27.94			
65039-026	11	1.100/27.94	1.000/25.40			
65039-027	10	1.000/25.40	.900/22.86			
65039-028	9	.900/22.86	.800/20.32			
65039-029	8	.800/20.32	.700/17.78			
65039-030	7	.700/17.78	.600/15.24			
65039-031	6	.600/15.24	.500/12.70			
65039-032	5	.500/12.70	.400/10.16			
65039-033	4	.400/10.16	.300/7.62			
65039-034	3	.300/7.62	.200/5.08			
65039-035	2	.200/5.08	.100/2.54			
65039-036	1	.100/2.54				1



FCIconnect.com

Copyright FCI

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection		product family PV HOUSINGS	
ltr	ecr no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
BB				angles	linear	SEE NOTE 12		MINI LATCH HOUSING	
				0°±2°		scale 1:1		SINGLE ROW .100 [2.54] CC	
		dr	M. CORNMAN	1/31/90				dwg no sheet 5 of 12 size	
		engr	H. SUNDY	1/31/90				65039 A3	
		chr	H. SUNDY	1/31/90				type Product Customer Drawing	
		appd	H. SUNDY	1/31/90					
sheet	revision								
index	sheet								

MILITARY PRODUCT NO. NOTE 10	MADE FROM	MARKING STYLE	DESC P/N	CAGE NO.	REMARKS
65039-001 -MIL	65039-001	T	86060-36	22526	
-002	-002		-35		
-003	-003		-34		
-004	-004		-33		
-005	-005		-32		
-006	-006		-31		
-007	-007		-30		
-008	-008		-29		
-009	-009		-28		
-010	-010		-27		
-011	-011		-26		
-012	-012		-25		
-013	-013		-24		
-014	-014		-23		
-015	-015		-22		
-016	-016		-21		
-017	-017		-20		
-018	-018		-19		
-019	-019		-18		
-020	-020		-17		
-021	-021		-16		
-022	-022		-15		
-023	-023		-14		
-024	-024		-13		
-025	-025		-12		
-026	-026		-11		
-027	-027		-10		
-028	-028		-09		SEE NOTE 8
-029	-029		-08		
-030	-030		-07		
-031	-031		-06		
-032	-032		-05		
-033	-033		-04		
-034	-034		-03		
-035	-035		-02		
65039-036 -MIL	65039-036	T	86060-01	22526	SEE NOTE 8



FCJconnect.com

Copyright FCJ

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection		product family PV HOUSINGS	
ltr	ecr no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
BB				angles	linear	SEE NOTE 12		MINI LATCH HOUSING	
				0°±2'		scale 1:1		SINGLE ROW .100 [2.54] CC	
				dr	M. CORNMAN	1/31/90	FCJ		sheet 6 of 12 size
				engr	H. SUNDY	1/31/90	65039		A3
				chr	H. SUNDY	1/31/90	type		Product Customer Drawing
				appd	H. SUNDY	1/31/90			
sheet	revision								
index	sheet								

PRODUCT NO NOTE 10	NO.OF POS.	DIM A MAX	DIM B	SPECIAL MARKINGS	CUSTOMER RESTRICTED	CONFIGURATION
65039-037	8	.800/20.32	.700/17.78	STYLE A		1
65039-038	8	.800/20.32	.700/17.78	B		
65039-039	10	1.000/25.40	.900/22.86	C		
65039-040	5	.500/12.70	.400/10.16	C		
65039-041	8	.800/20.32	.700/17.78	D	X	
65039-042	8	.800/20.32	.700/17.78	E		
65039-043	6	.600/15.24	.500/12.70	E		
65039-044	10	1.000/25.40	.900/22.86	A		
65039-045	4	.400/10.16	.300/7.62	A		
65039-046	9	.900/22.86	.800/20.32	A		
65039-047	7	.700/17.78	.600/15.24	A		
65039-048	20	2.000/50.80	1.900/48.26	A		
65039-049	3	.300/7.62	.200/5.08	C		
65039-050	8	.800/20.32	.700/17.78	F		
65039-051	16	1.600/40.64	1.500/38.10	F		
65039-052	20	2.000/50.80	1.900/48.26	F		
65039-053	24	2.400/69.96	2.300/58.24	F		
65039-054	19	1.900/48.26	1.800/45.72	E		
65039-055	33	3.300/83.82	3.200/81.28	E		
65039-056	7	.700/17.78	.600/15.24	E		
65039-057	4	.400/10.16	.300/7.62	F		
65039-058	12	1.200/30.48	1.100/27.94	F		
65039-059	14	1.400/35.56	1.300/33.02	F		
65039-060	6	.600/15.24	.500/12.70	A		
65039-061	2	.200/5.08	.100/2.54	A		
65039-062	2	.200/5.08	.100/2.54	F		
65039-063	10	1.000/25.40	.900/22.86	F		
65039-064	8	.800/20.32	.700/17.78	G	X	
65039-065	13	1.300/33.02	1.200/30.48	A		
65039-066	11	1.100/27.94	1.000/25.40	A		
65039-067	14	1.400/35.56	1.300/33.02	A		
65039-068	21	2.100/53.34	2.000/50.80	A		
65039-069	2	.200/5.08	.100/2.54	C		
65039-070	8	.800/20.32	.700/17.78	C		
65039-071	17	1.700/43.18	1.600/40.64	A		
65039-072	7	.700/17.78	.600/15.24	STYLE H		1



FCIconnect.com

Copyright FCI

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection		product family PV HOUSINGS	
ltr	ecr no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
BB				angles	linear	SEE NOTE 12		MINI LATCH HOUSING	
				0°±2°		scale 1:1		SINGLE ROW .100 [2.54] CC	
				dr	M. CORNMAN	1/31/90	FCI		sheet 7 of 12 size
				engr	H. SUNDY	1/31/90	65039		A3
				chr	H. SUNDY	1/31/90	type		Product Customer Drawing
				appd	H. SUNDY	1/31/90			
sheet	revision								
index	sheet								

PRODUCT NO NOTE 10	NO.OF POS.	DIM A MAX	DIM B	SPECIAL MARKINGS	CUSTOMER RESTRICTED	CONFIGURATION
65039-073	32	3.200/81.28	3.100/78.74	STYLE A	X	1
65039-074	3	.300/7.62	.200/5.08	A		
65039-075	16	1.600/40.64	1.500/38.10	E		
65039-076	25	2.500/63.50	2.400/60.96	E		
65039-077	5	.500/12.70	.400/10.16	J	X	
65039-078	24	2.400/69.96	2.300/58.24	A		
65039-079	27	2.700/68.58	2.600/66.04	A		
65039-080	33	3.300/83.82	3.200/81.28	A		
65039-081	29	2.900/73.66	2.800/71.12	A		
65039-082	5	.500/12.70	.400/10.16	A		
65039-083	7	.700/17.78	.600/15.24	K		
65039-084	3	.300/7.62	.200/5.08	E	X	
65039-085	9	.900/22.86	.800/20.32	E	X	
65039-086	11	1.100/27.94	1.000/25.40	E	X	
65039-087	25	2.500/63.50	2.400/60.96	A		
65039-088	15	1.500/38.10	1.400/35.56	A		
65039-089	4	.400/10.16	.300/7.62	C		
65039-090	12	1.200/30.48	1.100/27.94	A		
65039-091	4	.400/10.16	.300/7.62	L		
65039-092	16	1.600/40.64	1.500/38.10	A		
65039-093	18	1.800/45.72	1.700/43.18	A		
65039-094	19	1.900/48.26	1.800/45.72	A		
65039-095	22	2.200/55.88	2.100/53.34	A		
65039-096	23	2.300/58.42	2.200/55.88	A		
65039-097	26	2.600/66.04	2.500/63.50	A		
65039-098	28	2.800/71.12	2.700/68.58	A		
65039-099	30	3.000/76.20	2.900/73.66	A		
65039-100	31	3.100/78.74	3.000/76.20	A		
65039-101	34	3.400/86.36	3.300/83.82	A		
65039-102	35	3.500/88.90	3.400/86.36	A		
65039-103	36	3.600/91.44	3.500/88.90	A		
65039-104	2	.200/5.08	.100/2.54	E		
65039-105	2	.200/5.08	.100/2.54	M		
65039-106	3	.300/7.62	.200/5.08	N		
65039-107	5	.500/12.70	.400/10.16	N		
65039-108	9	.900/22.86	.800/20.32	STYLE F		1



FCIconnect.com

Copyright FCI

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection		product family PV HOUSINGS	
ltr	ecr no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
BB				angles	linear	SEE NOTE 12		MINI LATCH HOUSING	
				0°±2°		scale 1:1		SINGLE ROW .100 [2.54] CC	
				dr	M. CORNMAN	1/31/90	FCI		sheet 8 of 12 size
				engr	H. SUNDY	1/31/90	65039		A3
				chr	H. SUNDY	1/31/90	type		Product Customer Drawing
				appd	H. SUNDY	1/31/90			
sheet	revision								
index	sheet								

PDM: Rev:BB

STATUS:Released

Printed: Jun 13, 2006

PRODUCT NO NOTE 10	NO.OF POS.	DIM A MAX	DIM B	SPECIAL MARKINGS	CUSTOMER RESTRICTED	CONFIGURATION
65039-109	2	.200/5.08	.100/2.54	STYLE P		1
65039-110	5	.500/12.7	.400/10.16	STYLE R		1
65039-111	5	.500/12.7	.400/10.16	STYLE S		1



Copyright FCJ

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection 		product family PV HOUSINGS	
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
BB				angles	linear	SEE NOTE 12		MINI LATCH HOUSING	
				0°±2°		scale 1:1		SINGLE ROW .100 [2.54] CC	
				dr	M. CORNMAN	1/31/90		sheet 9 of 12 size	
				engr	H. SUNDY	1/31/90		dwg no	
				chr	H. SUNDY	1/31/90		65039 A3	
				appd	H. SUNDY	1/31/90		type Product Customer Drawing	
sheet	revision								
index	sheet								

PDM: Rev:BB

STATUS:Released

Printed: Jun 13, 2006

PRODUCT NO NOTE 10	NO.OF POS.	DIM A MAX	DIM B	SPECIAL MARKINGS	CUSTOMER RESTRICTED	CONFIGURATION
65039-201	36	3.600/91.44	3.500/88.90	NOTE 9	NOTE 9	2
65039-202	35	3.500/88.90	3.400/86.36			
65039-203	34	3.400/86.36	3.300/83.82			
65039-204	33	3.300/83.82	3.200/81.28			
65039-205	32	3.200/81.28	3.100/78.74			
65039-206	31	3.100/78.74	3.000/76.20			
65039-207	30	3.000/76.20	2.900/73.66			
65039-208	29	2.900/73.66	2.800/71.12			
65039-209	28	2.800/71.12	2.700/68.58			
65039-210	27	2.700/68.58	2.600/66.04			
65039-211	26	2.600/66.04	2.500/63.50			
65039-212	25	2.500/63.50	2.400/60.96			
65039-213	24	2.400/60.96	2.300/58.24			
65039-214	23	2.300/58.24	2.200/55.88			
65039-215	22	2.200/55.88	2.100/53.34			
65039-216	21	2.100/53.34	2.000/50.80			
65039-217	20	2.000/50.80	1.900/48.26			
65039-218	19	1.900/48.26	1.800/45.72			
65039-219	18	1.800/45.72	1.700/43.18			
65039-220	17	1.700/43.18	1.600/40.64			
65039-221	16	1.600/40.64	1.500/38.10			
65039-222	15	1.500/38.10	1.400/35.56			
65039-223	14	1.400/35.56	1.300/33.02			
65039-224	13	1.300/33.02	1.200/30.48			
65039-225	12	1.200/30.48	1.100/27.94			
65039-226	11	1.100/27.94	1.000/25.40			
65039-227	10	1.000/25.40	.900/22.86			
65039-228	9	.900/22.86	.800/20.32			
65039-229	8	.800/20.32	.700/17.78			
65039-230	7	.700/17.78	.600/15.24			
65039-231	6	.600/15.24	.500/12.70			
65039-232	5	.500/12.70	.400/10.16			
65039-233	4	.400/10.16	.300/7.62			
65039-234	3	.300/7.62	.200/5.08			
65039-235	2	.200/5.08	.100/2.54			
65039-236	1	.100/2.54		NOTE 9	NOTE 9	2



FCIconnect.com

Copyright FCI

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection		product family PV HOUSINGS	
ltr	ecr no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
BB				angles	linear	SEE NOTE 12		MINI LATCH HOUSING	
				0°±2'		scale 1:1		SINGLE ROW .100 [2.54] CC	
		dr	M. CORNMAN	1/31/90				dwg no sheet 10 of 12 size	
		engr	H. SUNDY	1/31/90				65039 A3	
		chr	H. SUNDY	1/31/90				type Product Customer Drawing	
		appd	H. SUNDY	1/31/90					
sheet	revision								
index	sheet								

PRODUCT NO NOTE 10	NO.OF POS.	DIM A MAX	DIM B	SPECIAL MARKINGS	CUSTOMER RESTRICTED	CONFIGURATION
65039-237	8	.800/20.32	.700/17.78	A		2
65039-238	8	.800/20.32	.700/17.78	B		
65039-239	10	1.000/25.40	.900/22.86	C		
65039-240	5	.500/12.70	.400/10.16	C		
65039-241	8	.800/20.32	.700/17.78	D		
65039-242	8	.800/20.32	.700/17.78	E		
65039-243	6	.600/15.24	.500/12.70	E		
65039-244	10	1.000/25.40	.900/22.86	A		
65039-245	4	.400/10.16	.300/7.62	A		
65039-246	9	.900/22.86	.800/20.32	A		
65039-247	7	.700/17.78	.600/15.24	A		
65039-248	20	2.000/50.80	1.900/48.26	A		
65039-249	3	.300/7.62	.200/5.08	C		
65039-250	8	.800/20.32	.700/17.78	F		
65039-251	16	1.600/40.64	1.500/38.10	F		
65039-252	20	2.000/50.80	1.900/48.26	F		
65039-253	24	2.400/60.96	2.300/58.24	F		
65039-254	19	1.900/48.26	1.800/45.72	E		
65039-255	33	3.300/83.82	3.200/81.28	E		
65039-256	7	.700/17.78	.600/15.24	E		
65039-257	4	.400/10.16	.300/7.62	F		
65039-258	12	1.200/30.48	1.100/27.94	F		
65039-259	14	1.400/35.56	1.300/33.02	F		
65039-260	6	.600/15.24	.500/12.70	A		
65039-261	2	.200/5.08	.100/2.54	A		
65039-262	2	.200/5.08	.100/2.54	F		
65039-263	10	1.000/25.40	.900/22.86	F		
65039-264	8	.800/20.32	.700/17.78	G		
65039-265	13	1.300/33.02	1.200/30.48	A		
65039-266	11	1.100/27.94	1.000/25.40	A		
65039-267	14	1.400/35.56	1.300/33.02	A		
65039-268	21	2.100/53.34	2.000/50.80	A		
65039-269	2	.200/5.08	.100/2.54	C		
65039-270	8	.800/20.32	.700/17.78	C		
65039-271	17	1.700/43.18	1.600/40.64	A		
65039-272	7	.700/17.78	.600/15.24	H		
65039-273	32	3.200/81.28	3.100/78.74	A		
65039-274	3	.300/7.62	.200/5.08	A		
65039-275	16	1.600/40.64	1.500/38.10	E		
65039-276	25	2.500/63.50	2.400/60.96	E		
65039-277	5	.500/12.70	.400/10.16	J		2



FCIconnect.com

Copyright FCI

mat'l. code SEE NOTE 1		surface <input checked="" type="checkbox"/> tolerance		projection		product family PV HOUSINGS	
ltr	ecr no	dr	date	tolerances unless otherwise specified		title	
BB				angles	linear	INCH/MM	
				0°±2°		scale 1:1	
		dr	M. CORNMAN	1/31/90			
		engr	H. SUNDY	1/31/90			
		chr	H. SUNDY	1/31/90			
		appd	H. SUNDY	1/31/90			
sheet	revision					type Product Customer Drawing	
index	sheet						

PRODUCT NO NOTE 10	NO.OF POS.	DIM A MAX	DIM B	SPECIAL MARKINGS	CUSTOMER RESTRICTED	CONFIGURATION
65039-278	24	2.400/60.96	2.300/58.24	A		2
65039-279	27	2.700/68.58	2.600/66.04	A		
65039-280	33	3.300/83.82	3.200/81.28	A		
65039-281	29	2.900/73.66	2.800/71.12	A		
65039-282	5	.500/12.70	.400/10.16	A		
65039-283	7	.700/17.78	.600/15.24	K		
65039-284	3	.300/7.62	.200/5.08	E		
65039-285	9	.900/22.86	.800/20.32	E		
65039-286	11	1.100/27.94	1.000/25.40	E		
65039-287	25	2.500/63.50	2.400/60.96	A		
65039-288	15	1.500/38.10	1.400/35.56	A		
65039-289	4	.400/10.16	.300/7.62	C		
65039-290	12	1.200/30.48	1.100/27.94	A		
65039-291	4	.400/10.16	.300/7.62	L		
65039-292	16	1.600/40.64	1.500/38.10	A		
65039-293	18	1.800/45.72	1.700/43.18	A		
65039-294	19	1.900/48.26	1.800/45.72	A		
65039-295	22	2.200/55.88	2.100/53.34	A		
65039-296	23	2.300/58.24	2.200/55.88	A		
65039-297	26	2.600/66.04	2.500/63.50	A		
65039-298	28	2.800/71.12	2.700/68.58	A		
65039-299	30	3.000/76.20	2.900/73.66	A		
65039-300	31	3.100/78.74	3.000/76.20	A		
65039-301	34	3.400/86.36	3.300/83.82	A		
65039-302	35	3.500/88.90	3.400/86.36	A		
65039-303	36	3.600/91.44	3.500/88.90	A		
65039-304	2	.200/5.08	.100/2.54	E		
65039-305	2	.200/5.08	.100/2.54	M		
65039-306	3	.300/7.62	.200/5.08	N		
65039-307	5	.500/12.70	.400/10.16	N		
65039-308	9	.900/22.86	.800/20.32	F		2



FCJconnect.com

Copyright FCJ

mat'l. code SEE NOTE 1				surface <input checked="" type="checkbox"/> tolerance		projection 		product family PV HOUSINGS	
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM		title MINI LATCH HOUSING	
BB				angles	linear	SEE NOTE 12		SINGLE ROW .100 [2.54] CC	
				0°±2°		scale 1:1		dwg no 65039	
				dr	M. CORNMAN	1/31/90	sheet 12 of 12		size A3
				engr	H. SUNDY	1/31/90	FCJ		
				chr	H. SUNDY	1/31/90	type		Product Customer Drawing
				appd	H. SUNDY	1/31/90			
sheet	revision								
index	sheet								

PDM: Rev:BB

STATUS:Released

Printed: Jun 13, 2006