

PART NO. 26-26-11\*\*  
 DWG. NO. SDAE-3243-NAG\*\*

NO	26-26-1201	SDAE-3243-20AG	NONE	20	$(75.29 \pm 0.28)$ $2.808 \pm 0.11$	$(79.25 \pm 0.33)$ $3.120 \pm 0.13$
↑	↑	↑	↑	19	$(71.32 \pm 0.28)$ $2.652 \pm 0.11$	$(75.29 \pm 0.30)$ $2.808 \pm 0.12$
	-1191	-19AG		18	$(67.36 \pm 0.25)$ $2.652 \pm 0.10$	$(71.32 \pm 0.30)$ $2.652 \pm 0.12$
	-1181	-18AG		17	$(63.40 \pm 0.25)$ $2.496 \pm 0.10$	$(67.36 \pm 0.28)$ $2.652 \pm 0.11$
	-1171	-17AG		16	$(59.44 \pm 0.25)$ $2.340 \pm 0.10$	$(63.40 \pm 0.28)$ $2.496 \pm 0.11$
	-1161	-16AG		15	$(55.47 \pm 0.23)$ $2.184 \pm 0.09$	$(59.44 \pm 0.25)$ $2.340 \pm 0.11$
	-1151	-15AG		14	$(51.51 \pm 0.23)$ $2.028 \pm 0.09$	$(55.47 \pm 0.25)$ $2.184 \pm 0.10$
	-1141	-14AG		13	$(47.55 \pm 0.20)$ $1.872 \pm 0.08$	$(51.51 \pm 0.25)$ $2.028 \pm 0.10$
	-1131	-13AG		9	$(31.70 \pm 0.15)$ $1.248 \pm 0.06$	$(47.55 \pm 0.20)$ $1.414 \pm 0.08$
	-1091	-9AG		8	$(27.74 \pm 0.15)$ $1.092 \pm 0.06$	$(31.70 \pm 0.18)$ $1.248 \pm 0.07$
	-1081	-8AG		7	$(23.77 \pm 0.13)$ $0.936 \pm 0.05$	$(27.74 \pm 0.18)$ $1.092 \pm 0.07$
	-1071	-7AG		6	$(19.81 \pm 0.13)$ $0.780 \pm 0.05$	$(23.77 \pm 0.15)$ $0.936 \pm 0.06$
	-1061	-6AG		5	$(15.85 \pm 0.13)$ $0.624 \pm 0.05$	$(19.81 \pm 0.15)$ $0.780 \pm 0.06$
	-1051	-5AG		4	$(11.89 \pm 0.10)$ $0.468 \pm 0.04$	$(15.84 \pm 0.15)$ $0.624 \pm 0.06$
	-1041	-4AG		3	$(7.92 \pm 0.10)$ $0.312 \pm 0.04$	$(11.89 \pm 0.13)$ $0.468 \pm 0.05$
	-1031	-3AG		2	$(3.96 \pm 0.10)$ $0.156 \pm 0.04$	$(7.92 \pm 0.13)$ $0.312 \pm 0.05$
NO	26-26-1021	AE-3243-2AG	NONE			
DYED	PART NO.	ENG NO.	CKTS W/O PINS	NO. OF CKTS	" A "	" B "

REDRAWN ON CAD  
 EC NO. DRW:M.F.INDORAKO/11/06  
 CHK: / / / /  
 APPR: / / / /  
 G

QUALITY SYMBOLS  
 MAJOR = 0  
 CRITICAL C = 0

GENERAL TOLERANCES:  
 (UNLESS SPECIFIED)  
 mm INCH  
 4 PLACES ±0. ±.  
 3 PLACES ±0. ±.005  
 2 PLACES ±0.13 ±.010  
 1 PLACE ±0.25 ±.  
 ANGULAR: ± 1/2 °  
 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE :  
 DESIGN UNITS  
 mm  INCH  
 DRAWN BY & DATE  
 R.E. 06/15/77  
 CHECKED BY & DATE  
 APPROVED BY & DATE  
 06/15/77  
 CAD FILENAME  
 SDAE3243NAG.DGN

DIMENSIONS:  
 mm  INCH  mm ONLY  
 SHT REV  
 REVISE ON CAD ONLY  
 TITLE: WAFER, R/A POLARIZING  
 KK (3.96)/.156, WITH &  
 WITHOUT MISSING PINS  
 MOLEX INCORPORATED  
 MATERIAL NO. DRAWING NO. SHEET NO.  
 26-26-11\*\* SDAE-3243-NAG- 2 OF  
 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. SIZE B