




PRODUCT NO.

SEE TABLE

68775 - XXX - LF

LEAD FREE OPTION
 PACKAGING OPTIONS OMIT IF NOT REQUIRED..
 NO. OF POSITIONS PER ROW
 PLATING CODE
 BASE PART NUMBER



Copyright FCI

mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection ⊕		product family DUBOX			
tolerances unless otherwise specified				angles		linear		INCH/MM		title DUBOX DBL. ROW VERT. C.C. ASS'Y. .050 LEG			
ltr	ecn no	dr	date					scale 4:1		dwg no 68775			
E	V71696	MAP	12/19/97							sheet 1 of 3 size A3			
F	V11678	GIP	01/18/02							type Product Customer Drawing			
G	V03-0309	HTB	04/30/03	0°±2'									
H	V05-0463	DPU	6/25/06	dr	J. SHREINER	01/30/97							
J	M06-0237	MN	06/19/06	enfr	M. HAHN	01/30/97							
K	M06-0433	AGS	10/31/06	chr	M. HAHN	01/30/97							
L	M07-0203	MHT	5/01/07	appd	M. HAHN	01/30/97							
sheet	revision	L	L	L									
index	sheet	1	2	3									

form: A3

PRODUCT NO NOTE 5	PLATING CONTACT AREA	PLATING SOLDER TAIL	
68775-2XXLF	15u"/.38u Au MIN OVER 50u"/1.27u Ni MIN	100u"/160u" 2.54u/4.06u SN	SEE NOTE 8
68775-3XXLF	30u"/.76u Au MIN OVER 50u"/1.27u Ni MIN	100u"/160u" 2.54u/4.06u SN	SEE NOTE 8
68775-4XXLF	100u"/160u" 2.54u/4.06u SN	100u"/160u" 2.54u/4.06u SN	
68775-8XXLF	30u"/.76u Au MIN OVER 50u"/1.27u Ni MIN	100u"/160u" 2.54u/4.06u SN	OBSELETE

- NOTES:
- MATERIAL HOUSING:P.P.S.
FILLED COLOR BLACK, FLAME RETARDANT
PER UL-94-V0
THIS PART WILL WITHSTAND EXPOSURES TO 260°C
PEAK TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER,
INFRA-RED OR VAPOR PHASE SOLDER PROCESS.
 - MATERIAL TERMINAL: PHOSPHOR BRONZE,
SOLDERTAIL: POST PLATED TIN LEAD
 - RECOMMENDED APPLICATION DATA:
 - RECOMMENDED HOLE PATTERN IS SHOWN
IN FIGURE A.
 - ALL MATING PINS TO BE .025/.64
SQUARE ON TRUE CENTER OF GIVEN TERMINAL
SPACINGS WITHIN .015/.38 DIA.
 - SUGGESTED MATING PIN LENGTH
.210±.020/5.33±.51.
 - TERMINALS CAN ONLY BE USED FOR PC BOARD
WITH NON PLATED THROUGH HOLES.
 - RECOMMENDED PC BOARD THICKNESS:
.062/1.58.
 - FCI, FCI FINAL PART NUMBER AND DATE CODE
TO BE MARKED ON TUBE LABEL.
 - ADD LF SUFFIX AT THE END OF PART NUMBER
FOR LEAD FREE OPTION.
 - THESE PRODUCTS MEET EUROPEAN UNION DIRECTIVES
AND OTHER COUNTRY REGULATION AS DESCRIBED
IN GS-22-008.
 - "THIS PRODUCT HAS 100% TIN PLATING IN THE
INTERFACE AND HAS NOT BEEN TESTED FOR WHISKER
GROWTH IN ALL INTERCONNECT ENVOIRNMENTS".
 - PLATING OPTIONS:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.




FIGURE A

mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection ⊕		product family DUBOX	
ltr		ecn no		dr		date		title	
L								DUBOX DBL. ROW VERT. C.C. ASS'Y. .050 LEG	
		angles		linear		.xx ±.01/.3 .xxx ±.005/.13 .xxxx ±.0020/.051		INCH/MM	
		0°±2'						scale 4:1	
		dr		J. SHREINER		01/30/97		dwg no	
		enrg		M. HAHN		01/30/97		sheet 2 of 3 size	
		chr		M. HAHN		01/30/97		68775 A3	
		appd		M. HAHN		01/30/97		type Product Customer Drawing	
sheet index		revision sheet							

Copyright FCI
FCIconnect.com

PRODUCT NUMBER	NO. OF POSITION	C DIM	D DIM	LF OPTION
68775-Y02	2 X 2	.100/2.54	.217/5.51	NOTE 5
-Y03	2 X 3	.200/5.08	.317/8.05	
-Y04	2 X 4	.300/7.62	.417/10.59	
-Y05	2 X 5	.400/10.16	.517/13.13	
-Y06	2 X 6	.500/12.70	.617/15.67	
-Y07	2 X 7	.600/15.24	.717/18.21	
-Y08	2 X 8	.700/17.78	.817/20.75	
-Y09	2 X 9	.800/20.32	.917/23.29	
-Y10	2 X 10	.900/22.86	1.017/25.83	
-Y11	2 X 11	1.000/25.40	1.117/28.37	
-Y12	2 X 12	1.100/27.94	1.217/30.91	
-Y13	2 X 13	1.200/30.48	1.317/33.45	
-Y14	2 X 14	1.300/33.02	1.417/35.99	
-Y15	2 X 15	1.400/35.56	1.517/38.53	
-Y16	2 X 16	1.500/38.10	1.617/41.07	
-Y17	2 X 17	1.600/40.64	1.717/43.61	
-Y18	2 X 18	1.700/43.18	1.817/46.15	
-Y19	2 X 19	1.800/45.72	1.917/48.69	
-Y20	2 X 20	1.900/48.26	2.017/51.23	
-Y21	2 X 21	2.000/50.80	2.117/53.77	
-Y22	2 X 22	2.100/53.34	2.217/56.31	
-Y23	2 X 23	2.200/55.88	2.317/58.85	
-Y24	2 X 24	2.300/58.42	2.417/61.39	
68775-Y25	2 X 25	2.400/60.96	2.517/63.93	

PRODUCT NUMBER	NO. OF POSITION	C DIM	D DIM	LF OPTION
68775-Y26	2 X 26	2.500/63.50	2.617/66.47	NOTE 5
-Y27	2 X 27	2.600/66.04	2.717/69.01	
-Y28	2 X 28	2.700/68.58	2.817/71.55	
-Y29	2 X 29	2.800/71.12	2.917/74.09	
-Y30	2 X 30	2.900/73.66	3.017/76.63	
-Y31	2 X 31	3.000/76.20	3.117/79.17	
-Y32	2 X 32	3.100/78.74	3.217/81.71	
-Y33	2 X 33	3.200/81.28	3.317/84.25	
-Y34	2 X 34	3.300/83.82	3.417/86.79	
-Y35	2 X 35	3.400/86.36	3.517/89.33	
-Y36	2 X 36	3.500/88.90	3.617/91.87	
-Y37	2 X 37	3.600/91.44	3.717/94.41	
-Y38	2 X 38	3.700/93.98	3.817/96.95	
-Y39	2 X 39	3.800/96.52	3.917/99.49	
-Y40	2 X 40	3.900/99.06	4.017/102.03	
-Y41	2 X 41	4.000/101.60	4.117/104.57	
-Y42	2 X 42	4.100/104.14	4.217/107.11	
-Y43	2 X 43	4.200/106.68	4.317/109.65	
-Y44	2 X 44	4.300/109.22	4.417/112.19	
-Y45	2 X 45	4.400/111.76	4.517/114.73	
-Y46	2 X 46	4.500/114.30	4.617/117.27	
-Y47	2 X 47	4.600/116.84	4.717/119.81	
-Y48	2 X 48	4.700/119.38	4.817/122.35	
-Y49	2 X 49	4.800/121.92	4.917/124.89	
68775-Y50	2 X 50	4.900/124.46	5.017/127.43	



Copyright FCI

mat'l. code		surface ISO 1302 <input checked="" type="checkbox"/>	tolerance ISO 406 ISO 1101	projection 	product family DUBOX
ltr	ecn no	dr	date	tolerances unless otherwise specified	title
L				angles linear 0°±2'	DUBOX DBL. ROW VERT. C.C. ASS'Y. .050 LEG
				.xx ±.01/.3 .xxx ±.005/.13 .xxxx ±.0020/.051	dwg no 68775
				dr J. SHREINER 01/30/97 enr M. HAHN 01/30/97 chr M. HAHN 01/30/97 appd M. HAHN 01/30/97	sheet 3 of 3 size A3
sheet index	revision sheet				type Product Customer Drawing

