

OPTION A




NOTES:

- MATERIAL:**
HOUSING: POLYESTER(PBT), GLASS FILLED, UL94 V-0;
COLOR: BLACK
TERMINAL: PHOSPHOR BRONZE
- FINISH:**
30 GOLD: 0.76 MICROMETERS/30 MICROINCHES MINIMUM GOLD IN
191 MICROMETERS/75 MICROINCHES MINIMUM TIN
OVER NICKEL UNDERPLATE OVERALL
- TO BE USED WITH 26 AWG STRANDED WIRE WITH (1.35)/.053
DIAMETER MAXIMUM INSULATION
- SEE TABLE FOR AVAILABLE CIRCUIT SIZES
- STANDARD PACKAGING PER PK-70873-0001. OPTIONAL PACKAGING
MAY BE AVAILABLE. REQUEST DRAWING PK-70400
- PARTS STACKABLE END TO END ON (2.54)/.100 CENTERS
- PRODUCT SPECIFICATION: PS-70400
- SEE DRAWING SDA-70400-**** (SHEET 3) FOR OPTIONAL
HOUSING DETAILS
- 4 CIRCUIT SHOWN
- TO MATE WITH MOLEX 2.54/.100 CENTERLINE HEADERS
- 2 CIRCUIT ASSEMBLIES SUPPLIED AS GROUPED PAIRS

CKT. SIZE	A	B	EDP. NO.
2	(2.54) .100	(5.05) .199	14-56-2029
3	(5.08) .200	(7.59) .299	14-56-2039
4	(7.62) .300	(10.13) .399	14-56-2049
5	(10.16) .400	(12.67) .499	14-56-2059
6	(12.70) .500	(15.21) .599	14-56-2069
7	(15.24) .600	(17.75) .699	14-56-2079
8	(17.78) .700	(20.29) .799	14-56-2089
9	(20.32) .800	(22.83) .899	14-56-2099
10	(22.86) .900	(25.37) .999	14-56-2109
11	(25.54) 1.000	(27.91) 1.099	14-56-2119
12	(27.94) 1.100	(30.45) 1.199	14-56-2129
13	(30.48) 1.200	(32.99) 1.299	14-56-2139
14	(33.02) 1.300	(35.53) 1.399	14-56-2149
15	(35.56) 1.400	(38.07) 1.499	14-56-2159
16	(38.01) 1.500	(40.61) 1.599	14-56-2169
17	(40.64) 1.600	(43.15) 1.699	14-56-2179
18	(43.18) 1.700	(45.69) 1.799	14-56-2189
19	(45.72) 1.800	(48.23) 1.899	14-56-2199
20	(48.26) 1.900	(50.77) 1.999	14-56-2209
21	(50.80) 2.000	(53.31) 2.099	14-56-2219
22	(53.34) 2.100	(55.85) 2.199	14-56-2229
23	(55.88) 2.200	(58.39) 2.299	14-56-2239
24	(58.42) 2.300	(60.93) 2.399	14-56-2249
25	(60.96) 2.400	(63.47) 2.499	14-56-2259


CIRCUIT NO. 1
SLOT OR ARROW



SECTION C-C



PRE-LOADED ASSEMBLY



FINAL ASSEMBLY

WIRE (SEE NOTE 3)

I.D. SLOT CODE TO WIRE GAUGE CHART	
I.D. SLOT CODE	WIRE GAUGE
B	26 AWG.

PLATING CODE (STRIPE ON CARRIER STRIP)	
PLATING	COLOR
30 GOLD	RED

REMOVE ENG NO. EC NO: UCP2011-110 DRW:MSI BARRA 2010/10/19 CHK:DJ MORGAN 2010/10/19 APPR:SMILLER 2010/11/24 REV:	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .014 1 PLACE ± 0.35 ± ---		DRAWN BY DATE MSI BARRA 2010/10/19		TITLE	INCH	ASSEMBLY, SL CONNECTOR SINGLE ROW 2.54/.100 GRID		
		ANGULAR ±1/2°		CHECKED BY DATE WAZ 1984/10/10		APPROVED BY DATE SMILLER 2010/11/24				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE			MOLEX INCORPORATED		DOCUMENT NO.	SHEET NO.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION