


Z-PACK | Z-PACK 2mm HM

TE Internal #: 5188256-1 Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 7 Row, Mezzanine, 175 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors >



Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm

PCB Connector Assembly Type: PCB Mount Header

Data Rate: **≤1 Gb/s**

Number of Columns: 25

Number of Rows: 7

Backplane Architecture: Mezzanine

All Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm (124)



Features

Product Type Features

Backplane Interface Type	2mm HM			
PCB Connector Assembly Type	PCB Mount Header			
Connector System	Board-to-Board			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Rows Loaded	A, B, C, D, E, F, Z			
Number of Signal Positions	175			
Number of Columns	25			
Number of Rows	7			
Backplane Architecture	Mezzanine			
Number of Positions	175			

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 7 Row, Mezzanine, 175 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM



PCB Mount Orientation	Vertical					
Signal Characteristics						
Crosstalk Version	Reduced					
Data Rate	≤1 Gb/s					
Body Features						
Primary Product Color	Gray					
Contact Features						
Feedthrough Post Length	3.7 mm					
CompactPCI Designation	None					
Contact Type	Pin					
PCB Contact Termination Area Plating Material	Tin					
Contact Base Material	Phosphor Bronze					
Contact Mating Area Plating Material	Tin					
Contact Mating Area Plating Material Thickness	.5 μm[20 μin]					
Contact Current Rating (Max)	1.5 A					
Termination Features						
Termination Method to Printed Circuit Board	Through Hole - Press-Fit					

Mechanical Attachment

Connector Mounting Type	Board Mount					
Housing Features						
Housing Material	Polyester - GF					
Centerline (Pitch)	2 mm[.078 in]					
Dimensions						
Backplane Module Length	49.88 mm					
Usage Conditions						
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]					
Operation/Application						
Shielded	No					
Circuit Application	Signal					
Industry Standards						
UL Flammability Rating	UL 94V-0					

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 7 Row, Mezzanine, 175 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM



Packaging Features

Packaging Quantity	10				
Packaging Method	Tube				
Other					
Backplane Connector Comment	Row Configuration 5+2				

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant			
EU ELV Directive 2000/53/EC	Compliant			
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold			
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC			
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.			
Solder Process Capability	Not applicable for solder process capability			

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 7 Row, Mezzanine, 175 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM






Also in the Series | Z-PACK 2mm HM



Connector Hardware(97)	Hard Metric Backplane Connectors	High Speed Backplane Connectors(1)	Insertion & Extraction Tools(2)
	(268)		




Customers Also Bought



Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 7 Row, Mezzanine, 175 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM





Documents

Product Drawings 2MMHM PIN HDR B MOD 175P-7ROW

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_5188256-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5188256-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5188256-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications
Application Specification

English

Product Environmental Compliance TE Material Declaration

English