

Molded Standoff for LIF PGA Sockets

5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

Molded Standoff for Low Insertion Force PGA Sockets



PGA with Molded Standoff



Features:

- Reduces chance of intermittent solder connections due to solder pinch-off at board terminal interface.
- Molded standoffs prevent contaminants and gas pockets from becoming trapped around the terminal tails, eliminating possibility of an unreliable solder connection when exposed to extreme temperature and atmospheric changes.
- Over 400 LIF PGA footprints, 8 to 484 pins standard. Custom designs available.

Terminals and Contacts:

Terminal: Brass - Copper Alloy 360,

ASTM-B-16

Contact: Beryllium Copper - Copper

Alloy 172, ASTM-B-194

Plating:

Terminal: Gold over Nickel or

Tin-Lead over Nickel

Contact: Gold over Nickel or

Tin-Lead over Nickel


Gold per MIL-G-45204 Tin-Lead per MIL-P-81728 Nickel per QQ-N-290


Body Material:

SOS/SIS - Glass Filled Thermoplastic Polyester (P.B.T.), U.L. Rated 94V-O, -60°C to 140°C (-76°F to 284°F)

HOS/HIS - High Temp. Glass Filled Thermoplastic (P.P.S.), U.L. Rated 94V-O 60°C to 260°C (-76°F to 500°F)

Terminal Information






Quick turn delivery available on standard terminal types.

Additional terminal types available.

See terminal section for detailed terminal information.

How To Order



inch/(mm)

D 16F **=** 0255982 0001178 724 **=**

Rev. 14-A Page 83



PGA Socket and Adapter Footprints

			·	
8 Pins Footprint Number 8*	9 Pins Footprint Number 9*	10 Pins Footprint Number 10*	12 Pins Footprint Number 12*	20 Pins Footprint Number 20*
			T GOLDHIN TAUMBON 12	1 Ootpiliit Number 20
300 Sq. (7.62)	→ 300 Sq. (7.62)	→ 4: .300 (7.62)		→ .500 Sq. (12.70)
• •	(7.62)	.400 † (7.02)	(12.10)	(12.70)
→ ← .100/(2.54) Typ.	→ 100/(2.54) Typ.	→ + .100/(2.54) Typ.	→ ← .100/(2.54) Typ.	→ [← .100/(2.54) Typ.
3 x 3 rows	3 x 3 rows	4 x 3 rows	5 x 5 rows	5 x 5 rows
20 Pins Footprint Number 20-2*	21 Pins Footprint Number 21*	22 Pins Footprint Number 22*	23 Pins Footprint Number 23*	24 Pins
	1 COLPTILE TRAINED ET	1 corprint (variber 22	1 ootprint Number 23	Footprint Number 24*
→ ← .400 (10.16)		→500 Sq.	.500 Sq. (12.70)	i
.500 (12.70)	(12.70)	(12.70)	(12.70)	(12.70)
→ ← .100/(2.54) Typ.	→ ← .100/(2.54) Typ.	→ ← .100/(2.54) Typ.	→ ← .100/(2.54) Typ.	→ 4100/(2.54) Typ.
5 x 4 rows	5 x 5 rows	5 x 5 rows	5 x 5 rows	5 x 5 rows
25 Pins	28 Pins	28 Pins	28 Pins	28 Pins
Footprint Number 25*	Footprint Number 28*	Footprint Number 28-1*	Footprint Number 28-2*	Footprint Number 28-3
500 Sg ما لح	.600 Sq. -	.700 Sq. → (17.78) ←	500. ما لم	← .900 Sq. → (22.86)
→ .500 Sq. (12.70)	(13.24)		.500 (12.70)	
→ ← .100/(2.54) Typ.	100//0 54) To		(15.24)	
11	→ ← .100/(2.54) Typ.	→ ← .100/(2.54) Typ.	→ ←.100/(2.54) Typ.	→ ← .100/(2.54) Typ.
			: 	
5 x 5 rows	6 x 6 rows	7 x 7 rows	5 x 6 rows	9 x 9 rows
29 Pins	32 Pins	32 Pins	32 Pins	32 Pins
Footprint Number 29*	Footprint Number 32	Footprint Number 32-1*	Footprint Number 32-2*	Footprint Number 32-3*
, i .600 Sa	.900 Sq. (22.86) →	4	.700	→ 700 Sq. 4
.600 Sq. (15.24)	*******	1	.600	(17.78)
		900 (22.86)	(15.24)	
→	→ ← .100/(2.54) Typ.	→100/(2.54) Typ.	→ ← .100/(2.54) Typ.	→ ← .100/(2.54) Typ.
6 x 6 rows	9 x 9 rows	9 x 11 rows	6 x 7 rows	7 x 7 rows


* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout windows requirements consult factory.

inch/(mm)

D 16F 🖿 0255982 0001184 T28 🖿

5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 90

D 16F **=** 0255982 0001185 964 **=**



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout windows requirements consult factory.

inch/(mm)

D 16F 🖿 0255982 0001186 8TO 📟



PGA Socket and Adapter Footprints



* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 92


16F **=** 0255982 0001187 737 **=**

inch/(mm)

D



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

inch/(mm)

D 16F 🖿 0255982 0001188 6?3 🖿



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 94

D 16F **=** 0255982 0001189 50T **=**



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.

inch/(mm)

D 16F 📟 0255982 0001190 221 📟

5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 96

D 16F 📟 0255982 0001191 168 📟

5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints



* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.


inch/(mm)

D 16F 🖿 0255982 0001192 0T4 🖿





PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 98

D 16F **3** 0255982 0001193 T30



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

inch/(mm)

Rev. 14-A



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 100

D 16F ■ 0255982 0001195 803 ■ inch/(mm)



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

inch/(mm)

D 16F 📟 0255982 0001196 74T 📟

5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 102

D 16F 0255982 0001197 686 0001197 686



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

inch/(mm)

D 16F **=** 0255982 0001198 512 **=**

5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 104

D 16F ■ 0255982 0001199 459 ■ inch/(mm)



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

inch/(mm)

D 16F **=** 0255982 0001200 TTO **=**

5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints



* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.


Page 106

inch/(mm)

D 16F 📟 0255982 0001201 937 📟



PGA Socket and Adapter Footprints



* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.


inch/(mm)

D 16F **=** 0255982 0001202 873 **=**



5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 Fax 401-823-8723 Email advintcorp@aol.com Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 108

D 16F 📟 0255982 0001203 70T 🖿

5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.

inch/(mm)

16F 📟 0255982 0001204 646 📟

5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 110 inch/(mm)

D 16F 0255982 0001205 582 1



PGA Socket and Adapter Footprints




* Not Currently Available in Molded Body. For Ordering Information See Page 78 - 88. For cutout window consult factory.

inch/(mm)

D 16F **=** 0255982 0001206 419 **=**



PGA Socket and Adapter Footprints



* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.


Page 112

inch/(mm)

D 16F 🖿 0255982 0001207 355 🖿



PGA Socket and Adapter Footprints



* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.


inch/(mm)

D 16F 🖿 0255982 0001208 291 |



5 Energy Way, P.O. Box 1019, West Warwick, RI 02893 USA Tel. 800-424-9850 / 401-823-5200 · Fax 401-823-8723 · Email advintcorp@aol.com · Internet http://www.advintcorp.com

PGA Socket and Adapter Footprints



* Not Currently Available in Molded Body.
For Ordering Information See Page 78 - 88. For cutout window consult factory.

Page 114

inch/(mm)

D 16F 📟 0255982 0001209 128 🖩