

A09150-1		
REV.	ECN NO.	DATE
B	CN4058	04-12-'04
C	CN5023	02-17-'05

NOTES:

- UNLESS OTHERWISE SPECIFIED, ALL TOLERANCES FOLLOW DRAWING COMMON STANDARD.
- MATERIAL OF COMPONENTS :  
 INSULATOR .....L.C.P.+30% GLASS REINFORCED  
 SPACER .....L.C.P.+30% GLASS REINFORCED  
 CONTACT .....PHOSPHOR BRONZE C5191R-H
- BURRS 0.08 mm MAXIMUM ALLOWED.
- WARP 0.15 mm MAXIMUM ALLOWED.

5. PART NO. DESCRIPTION :

0 9 1 E X X - X X X 0 X





BLOCK NO : \_\_\_\_\_ LOGO OPTION :  
 01 .....1 BLOCK 0 .....NON-LOGO  
 02 .....2 BLOCK A .....STARCONN  
 04 .....4 BLOCK  
 05 .....5 BLOCK  
 08 .....8 BLOCK

CONTACT PLATING : \_\_\_\_\_ FOOT TYPE :  
 1 .....SOLDER TYPE  
 ( DIM. D = 3.4 )  
 2 .....SOLDER TYPE  
 ( DIM. D = 2.6 )  
 3 .....SOLDER TYPE  
 ( DIM. D = 3.0 )

GOLD PLATED ON CONTACT AREA & TIN/LEAD 50 $\mu$ "~130 $\mu$ " ON SOLDERING END, OVER NICKEL 50 $\mu$ "MIN.UNDER PLATING

5..... 0.254  $\mu$ m [10  $\mu$ "]  
 8..... 0.762  $\mu$ m [30  $\mu$ "]  
 C..... 1.270  $\mu$ m [50  $\mu$ "]

FOOTPRINT TYPE :  
 A .....TYPE A  
 B .....TYPE B  
 C .....TYPE C  
 D .....TYPE D  
 E .....TYPE E  
 F .....TYPE F



DIM. BLOCK	DIM. A	DIM. B	DIM. C
1	10.00	12.00	12.00
2	22.00	12.00	24.00
4	46.00	36.00	48.00
5	58.00	48.00	60.00
8	94.00	84.00	96.00

PROJECTION	TOLERANCE UNLESS OTHERWISE SPECIFIED	
UNITS MM[INCH]	LINEAR	ANGLE
	.X ±0.35	X' REF.
	.XX ±0.25	X' ±3'
	.XXX ±0.15	X'XX'
SCALE 1.5:1	DRAW DESIGN	DATE
SIZE A3	CHKD	DATE
	APPD.	DATE

<b>STARCONN</b> 廣 興 電 子 股 份 有 限 公 司 CHIEF LAND ELECTRONIC CO.,LTD.		
TITLE FUTUREBUS RECEPTACLE CONNECTOR 5-ROW SOLDER TYPE ASSEMBLY.		
DWG NO.	REV.	
091EXX-XXXXX	C	
CAD NO.	SHEET	
E09150-1	1/6	