




DWG. NO. SD-55358-003




| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|--|---------------------------|--|---|--|-------------|--|---|--|--|--|--|--|-----------------------------|--|---------------------|--|
| REVISED | | REVISED | | REVISED | | REVISED | | RELEASED | | GENERAL TOLERANCES: (UNLESS SPECIFIED) | | SCALE | | DESIGN UNITS | | THIRD ANGLE PROJECTION | | DIMENSIONS | | REVISE ON CAD ONLY | | | |
| EC NO. JD2000-1126 | | EC NO. JD2000-0325 | | EC NO. JD00137 | | EC NO. JD91131 | | EC NO. JD90315 | | SEE NOTES | | 2 - 1 | | mm INCH | | mm INCH | | mm ONLY | | mm ONLY | | | |
| DRWN: THANYU '00/04/19 | | DRWN: THANYU '99/10/05 | | DRWN: THIRATA '99/07/31 | | DRWN: THIRATA '99/02/17 | | DRWN: THIRAYAMA '98/09/01 | | 10 UNDER 未満 | | ±0.2 | | DRAWN BY & DATE T. Kiyama '98/09/01 | | TITLE: CF CARD CONN. 50P HEADER ASS'Y (TYPE I/II, NORMAL) | | | | | | | |
| CHK: MSASAO '00/04/19 | | CHK: MSASAO '99/10/05 | | CHK: MSASAO '99/07/31 | | CHK: MSASAO '99/02/17 | | CHK: MSASAO '98/09/01 | | 10 OVER 以上 30 UNDER 未満 | | ±0.25 | | CHECKED BY & DATE H. Sasaki '98/09/01 | | | | | | | | | |
| APPR: HIKESUGI '00/04/19 | | APPR: HIKESUGI '99/10/05 | | APPR: HIKESUGI '99/07/31 | | APPR: HIKESUGI '99/02/17 | | APPR: HIKESUGI '98/09/01 | | 30 OVER 以上 | | ±0.3 | | APPROVED BY & DATE A. Iijima '98/09/01 | | MOLEX INCORPORATED | | | | | | | |
| REVISED | | REVISED | | REVISED | | REVISED | | RELEASED | | WIRE RANGE 適用電線線径 | | — # — | | ANGLE 角度 | | CAD FILENAME 55358003.SOI | | MATERIAL NO. SEE CHART | | DRAWING NO. SD-55358-003 | | SHEET NO. 1 OF 2 | |
| D | | C | | B | | A | | O | | REV | | DESCRIPTION | | INS. RANGE 被覆外径 | | — # — | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. | | SIZE B | | | |




| | | | | | | | |
|---|---|---|---|---|---|---|------------|
| 8 | 7 | 6 | 5 | 4 | 3 | 2 | EN-02J(09) |
|---|---|---|---|---|---|---|------------|




SECT. Y-Y



DETAIL A
 (SCALE 1-1)



1. 一般公差: ± 0.5
GENERAL TOLERANCES: ± 0.5
2. 反り: 2MAX.
WARP: 2MAX.
3. 梱包数: 15個
PACKAGING QUANTITY: 15PCS.

| | | | | | | | | | | | | | | | | | | |
|-----------------------------------|-----------------------------------|-----------------------------------|---|--|--|---------------------------|----------------------------------|--------------------------------|---|----------------|--|---|---|-----------------------|--------------------------------|---------------------|-----------|--|
| 164NO. DRWN: CH'K: APPR: | 163NO. DRWN: CH'K: APPR: | 162NO. DRWN: CH'K: APPR: | REVISED 161NO. J2003-0238 DRWN: Y.TOKUZONO 08/17/25 CH'K: T.HARUYAMA 08/17/25 APPR: M.ENOMOTO | PROPOSED 160NO. J12000-0157 DRWN: Y.TOKUZONO 08/17/24 CH'K: T.HARUYAMA 08/17/24 APPR: M.ENOMOTO 08/17/24 | DESCRIPTION MATERIAL 材料 POLYSTYRENE (t=1.0) | FINISH 仕上り —//— | WIRE RANGE 適用電線範囲 —//— | INS. RANGE 被覆外径 —//— | GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差 | SCALE 1 : 2 | DESIGN UNITS <input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH |  THIRD ANGLE PROJECTION | DIMENSIONS: <input type="checkbox"/> mm <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm ONLY | SHT 1 OF 1 | REV REVISION ON CAD ONLY | | | |
| | | | | | | | | | 10 UNDER 未満 | ±0.2 | DRAWN BY & DATE Y.TOKUZONO 08/17/24 | TITLE: TRAY FOR CF CARD CONN. 50P HEADER HS'G ASS'Y | MOLEX INCORPORATED | MATERIAL NO. T-409 | DRAWING NO. SD-55358-008 | SHEET NO. 1 OF 1 | SIZE B | |
| | | | | | | | | | 10 OVER 以上 | 30 UNDER 未満 | ±0.25 | | | | | | | CHECKED BY & DATE T.HARUYAMA 08/17/24 |
| | | | | | | | | | 30 OVER 以上 | ±0.3 | APPROVED BY & DATE M.ENOMOTO 08/17/24 | | | | | | | CAD FILENAME SD-55358-008.S01 |
| | | | | | | | | | | ANGLE 角度 | ± 3° | | | | | | | |