

PRODUCT NUMBER

89898-YXXZHFLF

- WHEN NEEDED, SUFFIX LETTER "LF" INDICATES THE PRODUCT IS RoHS COMPATIBLE, SEE NOTE 6
- OPTION LETTERS, NOTE 1b, OMIT FROM PRODUCT NUMBER IF NOT APPLICABLE
- A - PRODUCT PACKED IN TAPE & REEL, SEE TA856.
- B - PRODUCT WITH PICK UP CAP PACKED IN TUBE.
- NUMBER OF POSITIONS PER ROW: 02 TO 30. OVER THAN 30 POSITIONS ON SPECIAL REQUEST.

PLATING CODE

- 3= 0.76µm GOLD ON CONTACT AREA.
3.81µm TIN-LEAD ON TAIL.
- 4= 5µm TIN-LEAD ON CONTACT AREA.
3.81µm TIN-LEAD ON TAIL.

WHEN SUFFIX "LF" IS REQUIRED, 2µm MIN MATTE TIN OVER 1.27 MIN Ni IS SUPPLIED INSTEAD OF SnPb.

NOTES:

- 1a- HOUSING & PICK UP CAP MAT'L: THERMOPLASTIC GLASS FILLED FLAME RETARDANT PER UL 94 V-0 COLOR: GREY.
- b- HIGH TEMPERATURE PLASTIC 30% GLASS REINFORCED NON HALOGEN FLAME RETARDED MOLDING COMPOUND COLOR BLACK
- 2 - TERMINAL MATERIAL: PHOSPHOR BRONZE.
- 3 - PACKAGING:
2 UP TO 4 POSITIONS PRODUCT PACKED IN PLASTIC BOX.
5 UP TO 30 POSITIONS PRODUCT PACKED IN TUBE.
WHOLE 89898-304B PACKED IN TUBE.
- 4 - TO DETERMINE DIMENSIONS:
N = NUMBER OF POSITIONS PER ROW
EXAMPLE: 8 POS: (Nx2.54)-0.08=20.24 mm.
- 5 - RECOMMENDED IR PROFILE PER TA842.
- 6 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS

a - PLATING:

- "LF" MEANS THE PRODUCT IS LEAD-FREE, 2µm MINIMUM MATTE TIN OVER 1.27µm MINIMUM NICKEL UNDERPLATE.

b - MANUFACTURING PROCESS COMPATIBILITY



- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 30 SECONDS MAX IN A CONVECTION, INFRA-RED OR VAPOR PHASE OR REFLOW OVEN.

c - LABELING:


- MEETS PACKAGING SPECS AS PER GS-14-920

d - LEGAL STATEMENT: SEE GS-22-008

OPTIONAL PICK UP CAP



mat'l. code		surface		tolerance		projection		product family	
SEE NOTE 1 & 2		ISO 1302		ISO 406 ISO 1101		mm		DUBOX	
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title		
W	F04	0347	DLE	04.11.10	angles	.x ±0.3	SMT		
X	F05	0125	DLE	05.02.07	linear	.xx ±0.13	BtB RECEPT.		
Y	F06	0137	DLE	06.02.27		.xxx ±0.05	scale 5:1		
AA	F06	0204	DLE	06.06.23	dr	P.NIZZI	95.06.21	dwg no	
AB	F09	0210	JCO	09.10.27	enfr	JM.PHAMVAN	95.06.21	sheet 1 of 2	
AC	F11	0016	JCO	11.01.3	chr	P.NIZZI	95.06.21	size	
					appd	JM.P	95.06.21	89898	
sheet index		revision sheet		AC	C			type CUSTOMER Drawing	
				1	2				



FCIconnect.com

mat'l. code SEE NOTE 1 & 2				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family DUBOX					
ltr				ecn no		dr		date		tolerances unless otherwise specified		title			
A				F04-0347		DLE		04.11.10		.X ±0.3		SMT BtB RECEPT.			
B				F06-0204		DLE		06.06.23		linear				mm	
C				F11-0016		JCO		11.01.31		.XXX ±0.05				scale 5:1	
				dr		P.NIZZI		95.06.21				dwg no		sheet 2 of - size	
				enr		JM.PHAMVAN		95.06.21				89898		A4	
				chr		P.NIZZI		95.06.21				type		CUSTOMER Drawing	
				appd		JM.P		95.06.21							
sheet index		revision sheet													